

Cucumber Report

Jun 29, 2024, 5:23:29 PM

Start : Jun 29, 5:23:23.586 PM

End : Jun 29, 5:23:28.795 PM

Duration : 5.209 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login</u>	5.209 s	1	0	1	0	6	1	1	4

#	Feature Name	Scenario Name
1	<u>User Login</u>	<u>User login from homepage</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@qafoxlogin	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	User Login	1	0	1	0	5.209 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User Login	User login from homepage	6	1	1	4	5.205 s


User Login

FAILED	DURATION - 5.209 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 5:23:23.586 PM // 5:23:28.795 PM /					

User login from homepage

FAILED	DURATION - 5.205 s		Steps Total - 6 Pass - 1 Fail - 1 Skip - 4	
/ 5:23:23.590 PM // 5:23:28.795 PM /				
User Login				
@qafoxlogin				

#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	<p>image</p> 		
2	And user clicked on Login button	FAILED	0.019 s
	<p>org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'click') (Session info: chrome=126.0.6478.127) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c6591be6488f14b7823778c71f4157ad, executeScript {script=arguments[0].click(), args=[null]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\islam\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,</p>		

#	Step / Hook Details	Status	Duration
	<pre>webauthn:virtualAuthenticators: true} Session ID: c6591be6488f14b7823778c71f4157ad at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at com.pdl.utilities.CommonMethods.jsclick(CommonMethods.java:1253) at com.pdl.step_definitions.QAfoxStepDefinitions.user_clicked_on_login_button(QAfoxStepDefinitions.java:25) at ?.user clicked on Login button(file:///C:/Users/islam/OneDrive/Documents/Projects/EAL-Internship/EALIT-TeamB/src/test/resources/features/QAfoxLogin.feature:8) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.160 s
3	When user redirected to login page	SKIPPED	0.001 s
4	And user typed credentials	SKIPPED	0.001 s
5	Then user clicks login button	SKIPPED	0.001 s
6	And verify user redirected to my account page	SKIPPED	0.000 s