

Cucumber Report

Jul 12, 2024, 11:59:08 PM

Start : Jul 12, 11:58:53.146 PM

End : Jul 12, 11:59:06.677 PM

Duration : 13.531 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login</u>	13.531 s	1	0	1	0	4	2	1	1

#	Feature Name	Scenario Name
1	<u>User Login</u>	<u>User login with invalid credentials</u>

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
<i>@unsuccessful-login</i>	<i>1</i>	<i>0</i>	<i>1</i>	<i>0</i>	<i>1</i>	<i>0</i>	<i>1</i>	<i>0</i>





#	Feature Name	T	P	F	S	Duration
1	User Login	1	0	1	0	13.531 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User Login	User login with invalid credentials	4	2	1	1	13.522 s


User Login

FAILED	DURATION - 13.531 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 2 Fail - 1 Skip - 1	
/ 11:58:53.146 PM // 11:59:06.677 PM /					

User login with invalid credentials

<div>FAILED</div> <div>DURATION - 13.522 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 11:58:53.155 PM // 11:59:06.677 PM /</div>				
<div>User Login</div>				
<div>@unsuccessful-login</div>				

#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	6.057 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	image 		
2	And User navigates to loginpage	PASSED	0.413 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	image 		

#	Step / Hook Details	Status	Duration
3	<p>Then User types credentials "invalidEmail" and "invalidPassword"</p> <pre> java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:97) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at com.pdl.pages.SignInPage.signIn(SignInPage.java:37) at com.pdl.step_definitions.QAfoxLoginWithBackground.user_types_credentials_and(QAfoxLoginWithBackground.java:85) at ?.User types credentials "invalidEmail" and "invalidPassword"(file:///C:/Users/islam/OneDrive/Documents/Projects/internship-workspace/EALIT-TeamB/src/test/resources/features/QAfoxLogin.feature:22) * Not displayable characters are replaced by '?'. </pre>	FAILED	2.080 s
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.117 s
4	And User sees error message	SKIPPED	0.001 s