# Cucumber Report

| Start : Jul 17, 9:32:24.646 PM | End : Jul 17, 9:33:38.216 PM | Duration : 1 m 13.570 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 2<br>SKIPPED - 0 | PASSED - 7<br>FAILED - 0<br>SKIPPED - 14 |

Features: 1

Scenarios: 3

Steps: 21

Features Pass % : 0 %

Scenarios Pass % : 33 %

Steps Pass % : 33 %

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *Working on YourStore Search and Add to cart button* | 1 m 13.570 s | 3 | 1 | 2 | 0 | 21 | 7 | 0 | 14 |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *Working on YourStore Search and Add to cart button* | *User Searching multiple product* |
| 2 | | *User Searching multiple product* |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Search_Multipleproduct | 3 | 1 | 2 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Working on YourStore Search and Add to cart button | 3 | 1 | 2 | 0 | 1 m 13.570 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Working on YourStore Search and Add to cart button | User Searching multiple product | 7 | 7 | 0 | 0 | 58.436 s |
| 2 | | User Searching multiple product | 7 | 0 | 0 | 7 | 7.674 s |
| 3 | | User Searching multiple product | 7 | 0 | 0 | 7 | 7.406 s |

## Working on YourStore Search and Add to cart button

| FAILED | DURATION - 1 m 13.570 s | Scenarios | Steps |
|---|---|---|---|
| | | Total - 3 | Total - 21 |
| / 9:32:24.646 PM // 9:33:38.216 PM / | | Pass - 1 | Pass - 7 |
| | | Fail - 2 | Fail - 0 |
| | | Skip - 0 | Skip - 14 |

### User Searching multiple product

| PASSED | DURATION - 58.436 s | | Steps |
|---|---|---|---|
| / 9:32:24.661 PM // 9:33:23.097 PM / | | | Total - 7 |
| | | | Pass - 7 |
| Working on YourStore Search and Add to cart button | | | Fail - 0 |
| @Search_Multipleproduct | | | Skip - 0 |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User is logged in | PASSED | 30.018 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.245 s |
| | image | | |
| | | | |
| 2 | And User Clicks on Search bar | PASSED | 0.084 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.191 s |
| | image | | |
| | | | |
| 3 | When the user searches for "Phone" | PASSED | 0.167 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.327 s |
| | image | | |
| |  | | |
| 4 | And User click search button | PASSED | 1.200 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.258 s |
| | image | | |
| |  | | |
| 5 | And User click on add to cart | PASSED | 5.098 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.176 s |
| | image | | |
| |  | | |
| 6 | And the Total number of results are 1 | PASSED | 0.001 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.173 s |
| | image | | |
| |  | | |
| 7 | Then Successfully message verification | PASSED | 10.075 s |
| | AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) | PASSED | 0.190 s |
| | image | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |

## User Searching multiple product

| FAILED | DURATION - 7.674 s |
|---|---|
| / 9:33:23.115 PM // 9:33:30.789 PM / | |
| Working on YourStore Search and Add to cart button | |
| @Search_Multipleproduct | |



Steps
Total - 7
Pass - 0
Fail - 0
Skip - 7



7

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | BEFORE - com.pdl.hooks.Hooks.setUp() | FAILED | 5.053 s |
| | org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.182, chrome: {chromedriverVersion: 126.0.6478.182 (5b5d8292ddf..., userDataDir: C:\Users\UMMAYR~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62029}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62029/devtoo..., se:cdpVersion: 126.0.6478.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}<br><br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)<br>    at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:124)<br>    at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:1)<br>    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)<br>    at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:138)<br>    at com.pdl.hooks.Hooks.setUp(Hooks.java:67) | | |
| 1 | Given User is logged in | SKIPPED | 0.005 s |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 2 | And User Clicks on Search bar | SKIPPED | 0.001 s |
| 3 | When the user searches for "Macbook Pro" | SKIPPED | 0.002 s |
| 4 | And User click search button | SKIPPED | 0.001 s |
| 5 | And User click on add to cart | SKIPPED | 0.001 s |
| 6 | And the Total number of results are 1 | SKIPPED | 0.001 s |
| 7 | Then Successfully message verification | SKIPPED | 0.002 s |

### User Searching multiple product

| FAILED | DURATION - 7.406 s |
|--------|--------------------|
| / 9:33:30.810 PM // 9:33:38.216 PM / | |
| Working on YourStore Search and Add to cart button | |
| @Search_Multipleproduct | |

Steps
Total - 7
Pass - 0
Fail - 0
Skip - 7

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | BEFORE - com.pdl.hooks.Hooks.setUp() | FAILED | 4.741 s |
| | org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.182, chrome: {chromedriverVersion: 126.0.6478.182 (5b5d8292ddf..., userDataDir: C:\Users\UMMAYR~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62029}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62029/devtoo..., se:cdpVersion: 126.0.6478.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)<br>  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)<br>  at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:124)<br>  at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:1)<br>  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)<br>  at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:138)<br>  at com.pdl.hooks.Hooks.setUp(Hooks.java:67) | | |

| #  | Step / Hook Details                     | Status   | Duration |
|----|------------------------------------------|----------|----------|
| 1  | Given User is logged in                  | SKIPPED  | 0.002 s  |
| 2  | And User Clicks on Search bar            | SKIPPED  | 0.002 s  |
| 3  | When the user searches for "iMac"        | SKIPPED  | 0.002 s  |
| 4  | And User click search button             | SKIPPED  | 0.001 s  |
| 5  | And User click on add to cart            | SKIPPED  | 0.002 s  |
| 6  | And the Total number of results are 1    | SKIPPED  | 0.001 s  |
| 7  | Then Successfully message verification   | SKIPPED  | 0.001 s  |