

# Cucumber Report

Jul 13, 2024, 12:04:12 AM

Start : Jul 13, 12:03:22.565 AM

End : Jul 13, 12:04:11.169 AM

Duration : 48.604 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 2  
FAILED - 1  
SKIPPED - 0

PASSED - 10  
FAILED - 1  
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login</u>	48.604 s	3	2	1	0	12	10	1	1

#	Feature Name	Scenario Name
1	<u>User Login</u>	<u>User login with invalid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@unsuccessful-login	3	2	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	User Login	3	2	1	0	48.604 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login</u>	<u>User login with invalid credentials</u>	4	4	0	0	19.910 s
2		<u>User login with invalid credentials</u>	4	2	1	1	9.847 s
3		<u>User login with invalid credentials</u>	4	4	0	0	18.825 s



## User Login

<b>FAILED</b>	<b>DURATION - 48.604 s</b>	Scenarios Total - 3 Pass - 2 Fail - 1 Skip - 0		Steps Total - 12 Pass - 10 Fail - 1 Skip - 1	
/ 12:03:22.565 AM // 12:04:11.169 AM /					



## User login with invalid credentials


<div>PASSED</div>	<div>DURATION - 19.910 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:03:22.570 AM // 12:03:42.480 AM /</div>				
<div>User Login</div>				
<div>@unsuccessful-login</div>				

#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	6.064 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	image 		
2	And User navigates to loginpage	PASSED	0.397 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	image 		



#	Step / Hook Details	Status	Duration
3	Then User types credentials "invalidEmail" and "password"	PASSED	8.364 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	image		
			
4	And User sees error message	PASSED	0.001 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	image		
			

### User login with invalid credentials

FAILED		DURATION - 9.847 s			Steps Total - 4 Pass - 2 Fail - 1 Skip - 1		
/ 12:03:42.489 AM // 12:03:52.336 AM /							
User Login							
@unsuccessful-login							




#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	6.048 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	image		
			



#	Step / Hook Details	Status	Duration
2	And User navigates to loginpage	PASSED	0.939 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	image 		
3	Then User types credentials "email" and "invalidPassword"	FAILED	2.060 s
	<pre> java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence     at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:97)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)     at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source)     at com.pdl.pages.SignInPage.signIn(SignInPage.java:37)     at com.pdl.step_definitions.QAfoxLoginWithBackground.user_types_credentials_and(QAfoxLoginWithBackground.java:85)     at ?.User types credentials "email" and "invalidPassword"(file:///C:/Users/islam/OneDrive/Documents/Projects/internship-workspace/EALIT-TeamB/src/test/resources/features/QAfoxLogin.feature:22) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	image 		
4	And User sees error message	SKIPPED	0.002 s

## User login with invalid credentials

<div>PASSED</div>	<div>DURATION - 18.825 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>6.033</td></tr><tr><td>2</td><td>2.212</td></tr><tr><td>3</td><td>9.643</td></tr><tr><td>4</td><td>0.000</td></tr></tbody></table></div>	Step	Duration (s)	1	6.033	2	2.212	3	9.643	4	0.000	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>4</div></div>
Step	Duration (s)													
1	6.033													
2	2.212													
3	9.643													
4	0.000													
<div>/ 12:03:52.344 AM // 12:04:11.169 AM /</div>														
<div>User Login</div>														
<div>@unsuccessful-login</div>														

#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	6.033 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	image		
			
2	And User navigates to loginpage	PASSED	2.212 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	image		
			
3	Then User types credentials "invalidEmail" and "invalidPassword"	PASSED	9.643 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	image		
			
4	And User sees error message	PASSED	0.000 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	image		

#	Step / Hook Details	Status	Duration
			