

# Cucumber Report

Jul 13, 2024, 12:20:00 AM

Start : Jul 13, 12:18:59.309 AM

End : Jul 13, 12:19:59.036 AM

Duration : 59.727 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 3  
SKIPPED - 0

PASSED - 9  
FAILED - 3  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login</u>	59.727 s	3	0	3	0	12	9	3	0

#	Feature Name	Scenario Name
1	<u>User Login</u>	<u>User login with invalid credentials</u>
2		<u>User login with invalid credentials</u>
3		<u>User login with invalid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@unsuccessful-login	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	User Login	3	0	3	0	59.727 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login</u>	<u>User login with invalid credentials</u>	4	3	1	0	22.289 s
2		<u>User login with invalid credentials</u>	4	3	1	0	19.212 s
3		<u>User login with invalid credentials</u>	4	3	1	0	18.200 s



## User Login

<b>FAILED</b>	<b>DURATION - 59.727 s</b>	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 12 Pass - 9 Fail - 3 Skip - 0	
/ 12:18:59.309 AM // 12:19:59.036 AM /					



## User login with invalid credentials

FAILED		DURATION - 22.289 s			Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 12:18:59.315 AM // 12:19:21.604 AM /						
User Login						
@unsuccessful-login						

#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	6.065 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	image 		
2	And User navigates to loginpage	PASSED	0.394 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	image 		





#	Step / Hook Details	Status	Duration
3	Then User types credentials "invalidEmail" and "password"	PASSED	7.311 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	image 		
4	And User sees error message	FAILED	3.007 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.getAttribute(String)" because "element" is null at com.pdl.utilities.CommonMethods.getElementText(CommonMethods.java:434) at com.pdl.step_definitions.QAfoxLoginWithBackground.user_sees_error_message(QAfoxLoginWithBackground.java:94) at ?.User sees error message(file:///C:/Users/islam/OneDrive/Documents/Projects/internship-workspace/EALIT-TeamB/src/test/resources/features/QAfoxLogin.feature:23) * Not displayable characters are replaced by '?'. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)		
	image 	PASSED	0.115 s

### User login with invalid credentials



FAILED	DURATION - 19.212 s		<b>Steps</b> Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 12:19:21.618 AM // 12:19:40.830 AM /				
User Login				
@unsuccessful-login				




#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	6.048 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s



#	Step / Hook Details	Status	Duration
	<p>image</p> 		
2	And User navigates to loginpage	PASSED	0.920 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	<p>image</p> 		
3	Then User types credentials "userId" and "invalidPassword"	PASSED	8.196 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	<p>image</p> 		
4	And User sees error message	FAILED	3.013 s
	<p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.getAttribute(String)" because "element" is null  at com.pdl.utilities.CommonMethods.getElementText(CommonMethods.java:434)  at com.pdl.step_definitions.QAfoxLoginWithBackground.user_sees_error_message(QAfoxLoginWithBackground.java:94)  at ?.User sees error message(file:///C:/Users/islam/OneDrive/Documents/Projects/internship-workspace/EALIT-TeamB/src/test/resources/features/QAfoxLogin.feature:23)  * Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	<p>image</p> 		

## User login with invalid credentials

<div>FAILED</div> <div>DURATION - 18.200 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:19:40.836 AM // 12:19:59.036 AM /</div>				
<div>User Login</div>				
<div>@unsuccessful-login</div>				

#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	6.045 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	image 		
2	And User navigates to loginpage	PASSED	0.936 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	image 		
3	Then User types credentials "invalidEmail" and "invalidPassword"	PASSED	7.260 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	image 		
4	And User sees error message	FAILED	3.014 s

#	Step / Hook Details	Status	Duration
	<p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.getAttribute(String)" because "element" is null  at com.pdl.utilities.CommonMethods.getElementText(CommonMethods.java:434)  at com.pdl.step_definitions.QAfoxLoginWithBackground.user_sees_error_message(QAfoxLoginWithBackground.java:94)  at ?.User sees error message(file:///C:/Users/islam/OneDrive/Documents/Projects/internship-workspace/EALIT-TeamB/src/test/resources/features/QAfoxLogin.feature:23)  * Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	image		
	