

Cucumber Report

Jul 13, 2024, 12:18:41 AM

Start : Jul 13, 12:17:40.710 AM

End : Jul 13, 12:18:40.297 AM

Duration : 59.587 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 3
SKIPPED - 0

PASSED - 9
FAILED - 3
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login</u>	59.587 s	3	0	3	0	12	9	3	0

#	Feature Name	Scenario Name
1	<u>User Login</u>	<u>User login with invalid credentials</u>
2		<u>User login with invalid credentials</u>
3		<u>User login with invalid credentials</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@unsuccessful-login	3	0	3	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	User Login	3	0	3	0	59.587 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login</u>	<u>User login with invalid credentials</u>	4	3	1	0	22.175 s
2		<u>User login with invalid credentials</u>	4	3	1	0	18.237 s
3		<u>User login with invalid credentials</u>	4	3	1	0	19.150 s



User Login

FAILED	DURATION - 59.587 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 12 Pass - 9 Fail - 3 Skip - 0	
/ 12:17:40.710 AM // 12:18:40.297 AM /					



User login with invalid credentials

FAILED		DURATION - 22.175 s			Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 12:17:40.719 AM // 12:18:02.894 AM /						
User Login						
@unsuccessful-login						





#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	6.057 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	image 		
2	And User navigates to loginpage	PASSED	0.401 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	image 		

#	Step / Hook Details	Status	Duration
3	Then User types credentials "invalidEmail" and "password"	PASSED	7.361 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	image 		
4	And User sees error message	FAILED	3.021 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.getText()" because "this.message" is null at com.pdl.step_definitions.QAfoxLoginWithBackground.user_sees_error_message(QAfoxLoginWithBackground.java:94) at ?.User sees error message(file:///C:/Users/islam/OneDrive/Documents/Projects/internship-workspace/EALIT-TeamB/src/test/resources/features/QAfoxLogin.feature:23) * Not displayable characters are replaced by '?'. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)		
	image 	PASSED	0.097 s

User login with invalid credentials




FAILED	DURATION - 18.237 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 12:18:02.906 AM // 12:18:21.143 AM /				
User Login				
@unsuccessful-login				

#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	6.039 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	image		

#	Step / Hook Details	Status	Duration
			
2	And User navigates to loginpage	PASSED	0.963 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	<p>image</p> 		
3	Then User types credentials "userId" and "invalidPassword"	PASSED	7.180 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	<p>image</p> 		
4	And User sees error message	FAILED	3.005 s
	<p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.getText()" because "this.message" is null at com.pdl.step_definitions.QAfoxLoginWithBackground.user_sees_error_message(QAfoxLoginWithBackground.java:94) at ?.User sees error message(file:///C:/Users/islam/OneDrive/Documents/Projects/internship-workspace/EALIT-TeamB/src/test/resources/features/QAfoxLogin.feature:23) * Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	<p>image</p> 		

User login with invalid credentials

<div>FAILED</div> <div>DURATION - 19.150 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>6.042</td></tr><tr><td>2</td><td>0.919</td></tr><tr><td>3</td><td>8.140</td></tr><tr><td>4</td><td>3.013</td></tr></tbody></table></div>	Step	Duration (s)	1	6.042	2	0.919	3	8.140	4	3.013	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
Step	Duration (s)													
1	6.042													
2	0.919													
3	8.140													
4	3.013													
/ 12:18:21.147 AM // 12:18:40.297 AM /														
User Login														
@unsuccessful-login														

#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	6.042 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	image		
			
2	And User navigates to loginpage	PASSED	0.919 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	image		
			
3	Then User types credentials "invalidEmail" and "invalidPassword"	PASSED	8.140 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	image		
			
4	And User sees error message	FAILED	3.013 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.getText()" because "this.message" is null at com.pdl.step_definitions.QAfoxLoginWithBackground.user_sees_error_message(QAfoxLoginWithBackground.java:94)		

#	Step / Hook Details	Status	Duration
	at ?.User sees error message(file:///C:/Users/islam/OneDrive/Documents/Projects/internship-workspace/EALIT-TeamB/src/test/resources/features/QAfoxLogin.feature:23) * Not displayable characters are replaced by '?'. AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)		
	image	PASSED	0.104 s
	