Отчет о выполнении индивидуального проекта. Этап 1.

Саакян Нерсес Варданович 22 февраля 2024

Российский университет дружбы народов, Москва, Россия

Цели и задачи работы

Цели и задачи

Размещение на Github pages заготовки для персонального сайта. Установить необходимое программное обеспечение. Скачать шаблон темы сайта. Разместить его на хостинге git. Установить параметр для URLs сайта. Разместить заготовку сайта на Github pages.

Процесс выполнения индивидуального проекта

Скачиваем hugo exstending.Создаем папку bin и вставляем файл hugo.





Рис. 1: hugo

Создаем репозиторий blog



Puc. 2: репозиторий blog

Клонируем репозиторий blog

```
nvaskyandukdnik - S git clone --recursive git@github.com:saakyannerses/blog.git
Knompopasime s bloge...
remote: Enumerating objects: 103, done.
remote: Counting objects: 108X (019/103), done.
remote: Counting objects: 108X (019/10), done.
remote: Counting objects: 108X (019/10), done.
remote: Counting objects: 108X (019/10), done.
remote: Total 103 (delta 3), reused 83 (delta 2), pack-reused 0
Ronyvenie observos: 100X (103/103), 6.07 MuG | 4.37 MuG/c, rorono.
Objectneuse vasceneuse: 100X (103/103), 6.07 MuG | 4.37 MuG/c, rorono.
Updating files: 100X (70/70), rorono.
Updating files: 100X (70/70), rorono.
Total files: 100X (70/70), rorono.
```

Рис. 3: Клонируем репозиторий blog

Перейдем в blog и выполним команду ~/bin/hugo server.Проверяем папку

```
nvsaakyan@dk4n64 ~ $ cd blog
  nysaakvan@dk4n64 =/blog $ =/bin/hugo server
bash: /afs/.dk.sci.pfu.edu.ru/home/n/v/nvsaakyan/bin/hugo: Нет такого файла или каталога
  nvsaakyan@dk4n64 ~/blog $ ~/bin/hugo server
Watching for changes in /afs/.dk.sci.pfu.edu.ru/home/n/v/nvsaakyan/blog/{assets,content,data,static}
Watching for changes in /tmp/nvsaakyan/.cache/hugo_cache/modules/filecache/modules/pkg/mod/github.com/IP
uso!blox/huso-blox-builder/modules/(blox-bootstrap.blox-plusin-netlify@vl.1.2-0.20231108141515-0478cf692
1f9.blox-plugin-reveal@v1.1.2}
Watching for config changes in /afs/.dk.sci.pfu.edu.ru/home/n/v/nvsaakyan/blog/config/_default, /tmp/nvs
aakyan/.cache/hugo_cache/modules/filecache/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/pkg/mod/github.com/ling/github.com/ling/github.com/ling/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/github.com/gi
es/blox-plugin-netlify@v1.1.2-0.20231108141515-0478cf6921f9/config.vaml. /tmp/nysaakyan/.cache/hugo_cach
e/modules/filecache/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/blox-plugin-reveal@v
1.1.2/config.vaml. /tmp/nysaakyan/.cache/hugo_cache/modules/filecache/modules/pkg/mod/github.com/!hugo!t
lox/hugo-blox-builder/modules/blox-bootstrap/v50v5.9.7/hugo.vaml. /afs/.dk.sci.pfu.edu.ru/home/n/v/nysaa
kyan/blog/go.mod
Start building sites ...
hugo v0.123.4-21a41003c4633b142ac565c52da22924dc30637a+extended linux/amd64 BuildDate=2024-02-26T16:33:0
5Z VendorInfo=gohugoio
     Pages
     Paginator pages | 0
     Non-page files | 16
      Processed images | 52
      Cleaned
Built in 5395 ms
```

Рис. 4: выполняем команду

Удаляем папку public




Рис. 5: Удаляем папку public




Рис. 6: Проверяем

Выполним команду ~/bin/hugo server переходим по ссылке localhost и уберем шапку сайта.Перейдем для этого в папку content и отредактируем файл index.md

```
**Convasadyamidik-dn64 -/blog $ 1s academic-Rproj config data go.sum LICENSE.md proview.png README.md static assets content go.mod images netlify.toml public resources theme.toml rowsabkymidik-dn64 */blog $ is rowsabkymidik-dn64 */blog $ is academic-Rproj config data go.sum LICENSE.md proview.png resources theme.toml assets content go.mod images netlify.toml README.md static
```

Рис. 7: выполняем команду

```
vsaakvan@dk4n64 ~/blog $ ~/bin/hugo server
Watching for changes in /afs/.dk.sci.pfu.edu.ru/home/n/v/nysaakvan/blog/{assets.content.data.static}
Watching for changes in /tmp/nysaakvan/.cache/hugo cache/modules/filecache/modules/okg/mod/github.com/!h
ugo!blox/hugo-blox-builder/modules/{blox-bootstrap.blox-plugin-netlifv@v1.1.2-0.20231108141515-0478cf692
1f9.blox-plugin-reveal@v1.1.2}
Watching for config changes in /afs/.dk.sci.pfu.edu.ru/home/n/v/nvsaakyan/blog/config/_default, /tmp/nvs
aakyan/.cache/hugo_cache/modules/filecache/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/
es/blox-plugin-netlify@v1.1.2-0.20231108141515-0478cf6921f9/config.yaml, /tmp/nvsaakyan/.cache/hugo_cach
e/modules/filecache/modules/pkg/mod/github.com/!hugo!blox/hugo-blox-builder/modules/blox-plugin-reveal@v
1.1.2/config.yaml, /tmp/nvsaakyan/.cache/hugo_cache/modules/filecache/modules/pkg/mod/github.com/!hugo!t
lox/hugo-blox-builder/modules/blox-bootstrap/v5@v5.9.7/hugo.yaml, /afs/.dk.sci.pfu.edu.ru/home/n/v/nvsaa
kyan/blog/go.mod
Start building sites ...
hugo v0.123.4-21a41003c4633b142ac565c52da22924dc30637a+extended linux/amd64 BuildDate=2024-02-26T16:33:0
5Z VendorInfo=gohugoio
  Paginator pages | 0
  Non-page files | 16
  Static files
Built in 5395 ms
```

Создаем новый репозиторий

Create a new repository A repository contains all project files, including the revision history. Already have a project repository elsewhere? Import a repository.	
Required fields are marked with an asterisk (*).	
Repository template No template * Start your repository with a template repository's contents.	
Owner * Repository name * sakyannerses * / sakyannerses github.ic Outstynerses github.ic Outstynerses github.ic Great repository names are short and memorabile. Need registation? How about verifore successails?	
Description (optional)	
Public Anyone on the internet can see this repository You choose who can commit.	
Private You choose who can see and commit to this repository.	
Initialize this repository with:	

Рис. 9: Создаем новый репозиторий

Клонируем репозиторий mkarapaaa.github.io

```
msasiyanddofn64 -/monk g git clone -recursive git@github.com:saskyannerses/saskyannerses.github.io.git
Kohompoanue a saskaynnerses.github.lou-
warring: Поске, что вы клонировали пустой репоэмторий.
msaskyanddofn0-/monk git
Unsaskyanddofn0-/monk git
```

Рис. 10: Клонируем репозиторий

Подключим ветку main

```
nvsaakyan@dkin64 -/work $ cd saakyannerses.github.io/
nvsaakyan@dkin64 -/work/saakyannerses.github.io $ git checkout -b main
Переслючились на новую estry. wmain>
nvsaakyan@dkin64 -/work/saakyannerses.github.io $
```

Рис. 11: Подключим ветку main

Создадим пустой файл REDME.md

```
nvsaakyam@kinde -/mork/saakyamnerse_github.io $ touch README.md
nvsaakyam@kinde -/mork/saakyamnerse_github.io $ git add .
nvsaakyam@kinde -/mork/saakyamnerse_github.io $ git comit -am "@pGaaunu README.md"
[Emain (xopuenok overur) 77604031] @pGaanum README.md
I file changed, 0 insertions(*), 0 elektions(-)
create mode 190644 README.md
nvsaakyam@kinde -/mork/saakyamnerses_github.io $ git push origin main
Repewucheum obsertions : 0 nromoo.
Rogcuer obsertions : 0 n
```

Рис. 12: Создадим пустой файл

Перейдем в файл .gitignore и отредактируем

```
ritinore [-M--] 1 L:[ 1+ 5 6/11] *(34 / 54b) 0112 0x870 [*][X] 5 155c/
.idea/
# Hugo
resources/
egonic/
geonic/
jeconic/
```

Рис. 13: Редактируем файл .gitignore

Введем команду submodule

nvsaakyannddk4n64 -/work/blog \$ git submodule add -b main https://github.com/saakyannerses/saakyannerses github.io public Adding existing repo at 'public' to the index

Рис. 14: выполняем команду

Hаполним папку public, используя команду ~/bin/hugo

Рис. 15: Наполняем папку public

Перейдем в папку public,проверим,отправим все на github.

Рис. 16: Проверяем и отправляем на github

Проверим наш сайт



Рис. 17: Проверим сайт

Выводы

Размещение на Github pages заготовки для персонального сайта.