Service Level Indicators (SLI)

Team 9 | Date: 11/2/2026

1. SLI specification

Field	SLI 1: Event data quality	SLI 2: Website availability
Definition (one precise sentence)	The share of the 20 event listings sampled each week whose details are real and current when checked against the organizer's source.	The share of the sprint's 336 hours during which the website responds successfully to a check.
Measurement: tool	Spreadsheet with a checklist that helps us verify the event data against its source. “Good to go” checklist.	A free uptime monitor such as UptimeRobot. Restricting it to the free plans they might offer.
Measurement: schedule	Every week, on Thursdays.	Automatic checks every 5 mins.
Measurement: owner	Emmanuel (Data Analysis)	Samuel (Website manager)
SLO (target and time window)	95% of sampled listings real and current, each week	99% of the time up and running, each sprint (two weeks)
Rule check (which of the five rules it follows)	Avoids absolutes (95%, not 100%); simple to compute (correct listings ÷ 20); perfection can wait (one bad listing per week is tolerated).	Avoids absolutes (99%, not 100%); simple to compute (hours up ÷ 336); perfection can wait (about 3 hours 20 minutes of downtime per sprint is tolerated).
Who would notice	People using the portal to find events, who would act on a wrong or outdated listing, and the instructor reviewing the content.	Visitors trying to open the site, and the instructor at review time.

2. Measurement plan

SLI	Method (repeatable by any teammate)	Owner	Schedule	Where results are logged
Event data quality	Each week the owner picks 20 listings from the current list using a using a random number generator on the listing numbers, checks each against the organizer's source (existence, date, time, location), and counts how many are real and current.	Emmanuel	Every week, on Thursdays.	Spreadsheet/checklist

SLI	Method (repeatable by any teammate)	Owner	Schedule	Where results are logged
Website availability	An uptime monitor checks the site automatically. At the end of each sprint the owner totals the hours the site responded successfully out of 336.	Samuel	Automatic checks every 5 mins.	Spreadsheet/checklist

3. Five-rule check on our targets

Rule	SLO 1 (event data)	SLO 2 (availability)
1. Don't copy today's numbers	We set 95% so one bad listing a week is allowed while the audit is new; it was not copied from another site or from a current score.	99% was set from what a student-run site can sustain.
2. Keep it simple	Correct listings divided by 20.	Hours up divided by 336.
3. Avoid absolutes	95%, not 100%.	99%, not 100%.
4. As few SLOs as possible	Two SLOs cover what users depend on: right listings and a working site. One number covers both accuracy and freshness.	See SLO 1.
5. Perfection can wait	One bad listing per week is tolerated. We can tighten the target once the weekly audit is routine.	About 3 hours 20 minutes of downtime per sprint is tolerated. We can tighten later.

4. Share-out tests

Item	Measurable the same way? (Would any teammate get the same number?)	Realistic, not copied? (What would it cost, and who would notice?)	What we changed
SLI 1 / SLO 1	Yes, if the sample is chosen by a fixed rule and “real and current” is scored with the written checklist. Without the checklist, teammates could judge “current” differently.	95% allows one bad listing in 20. Cost: 45-60 minutes each week. Users and the instructor would notice wrong or outdated events.	Added a written “Good to go” checklist so every teammate can keep track of the events the same way.
SLI 2 / SLO 2	Yes, if an automated monitor does the checking. Manual spot checks could give different numbers for different teammates.	99% allows about 3 hours 20 minutes of downtime per sprint. Cost: free, using the monitor’s free plan. Visitors and the instructor would notice an outage.	Switched from manual checks to an automated uptime monitor (UptimeRobot) checking every 5 minutes.