ROLL NO: 33263 BATCH: N10

```
--no-post-rewrite bypass post-rewrite hook
-u, --untracked-files[=<mode>]
            show untracked files, optional modes: all, normal, no. (Default: all)
--pathspec-from-file <file>
             read pathspec from file
--pathspec-file-nul with --pathspec-from-file, pathspec elements are separated with NUL character
--pathspec-file-mut with --pathspec-from-fite, pathspec elements are separated with NOL character
PS C:\Users\Sanika\desktop\mad_assign2> git hranch portfolio-images
PS C:\Users\Sanika\desktop\mad_assign2> git checkout portfolio-images
PS C:\Users\Sanika\desktop\mad_assign2> git checkout master
PS C:\Users\Sanika\desktop\mad_assign2> git remote add origin https://github.com/saam58/33263_MAD.git
PS C:\Users\Sanika\desktop\mad_assign2> git push --met-upstream origin master
PS C:\Users\Sanika\desktop\mad_assign2> git push --met-upstream origin master
Enumerating objects: 1804 (18/18), done.
Oelta compression using up to 8 threads
Compression objects: 1804 (18/18), done.
Writing objects: 1804 (18/18), 40e.
Writing objects: 1804 (18/18), 40e.
Writing objects: 1804 (18/18), 40e.
Total 18 (delta S), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 1804 (5/5), done.
To https://github.com/saam58/33263_MAD.git
* [new branch] master -> master
  * [new branch] = master -> master
branch 'master' set up to track 'origin/master'
PS C:\Users\Sanika\desktop\wad_assign2>
   Commit contents options
                                                                           commit all changed files
add specified files to index for commit
interactively add files
interactively add changes
commit only specified files
bypass pre-commit and commit-msg hooks ---dry-run
show status commitsely
               -a, --all
-i, --include
               -interactive
               -p, --patch
-o, --only
-n, --no-verify
                                                                                                                                                                                                                                                                      show what would be committed
                                                                          bypass pre-count and commit-msg hook
show status concisely
show branch information
cospute full ahead/behind values
machine-readable output
show status in long format (default)
terminate entries with NUL
amend previous commit
bymass post-rewrite book
               -short
               --branch
--ahead-behind
              --porcelain
--long
-z, --null
--amend
              --no-post-rewrite bypass post-rewrite hook
-u, --untracked-files[=<mode>] show untracked files, optional modes: all, normal, no. (Default: all)
             --pathspec-from-file <file>
read pathspec from file
--pathspec-file-nul with --pathspec-from-file, pathspec elements are separated with NUL character
 P5 C:\Users\Sanika\desktop\wad_assignZ> git branch portfolio-images
P5 C:\Users\Sanika\desktop\wad_assignZ> git checkout portfolio-images
Switched to branch 'portfolio-images'
P5 C:\Users\Sanika\desktop\wad_assignZ> |
```

```
Windows PowerShell
                           -date <date>
                                                                                                           override date for commit
                     -m, --message <message>
                                                                                                            commit message
                    -c, --reedit-message <commit>
                    reuse and edit message from specified commit -C_z \longrightarrowreuse-message <commit>
                   --squash <commit use autosquash formatted message to fixup or amend/reword specified commit use autosquash formatted message to squash specified commit the commit is authored by me now (used with -C/-c/--amend) add custom trailer(s) add a Signed-off-by trailer
                                                                                                         use specified template file
force edit of commit
how to strip spaces and #comments from message
include status in commit message template
                    -e, --edit
--cleanup <mode>
--status
                                  -edit
                    --status
-5, --gpg-sign[=<key-id>]
GPG sign commit
     Coemit contents options
                                                                                                          commit all changed files
                    -a, -all
-i, -include
--interactive
                                                                                                           commit all changed files
add specified files to index for commit
interactively add files
interactively add changes
commit only specified files
                    -p, --patch
-o, --only
-n, --no-verify
--short
--branch
                                                                                                          bypass pre-commit and commit-msg hooks —-dry-run
show status concisely
show branch information
                                                                                                                                                                                                                                                                                                                                                                          show what would be committed
                                                                                                        compute full ahead/behind values
machine-readable output
                    --ahead-behind
--porcelain
PS C:\Users\Sanika\deshtop\wad_assign2> git command -help
git: 'command' is not a git command. See 'git -help'.
PS C:\Users\Sanika\deshtop\wad_assign2> git -help'.
PS C:\Users\Sanika\deshtop\wad_assign2> git -help'.
PS C:\Users\Sanika\deshtop\wad_assign2> git -help'.

unknown option: -help
usage: git [-v | -version] [-h | -help] [-C <path>] [-c <name>=<value>]

[-exec-path[=<path>] [-html-path] [-man-path] [-info-path]
[-p | -paginate | -P | -no-pager] [-no-replace-objects] [-bare]
[-git-dir=<path>] [-work-treu=<path>] [-namespace=<name>]

PS C:\Users\Sanika\deshtop\wad_assign2> git help all
unknown option: -help
usage: git [v | -version] [-h | -help] [-C <path>] [-c <name>=<value>]

[-exec-path[=<path>] [-norher-path] [-man-path] [-info-path]
[-p | -paginate | -P | -no-pager] [-no-replace-objects] [-bare]
[-qit-dir=<path>] [-work-tree<=path>] [-norher-celpha] [-lore-path]
[-p | -paginate | -P | -no-pager] [-no-replace-objects] [-bare]
[-qit-dir=<path>] [-work-tree<=path>] [-lore-path]
[-qit-dir=<path>] [-work-tree<=path>] [-lore-path]
[-qit-dir=<path>] [-work-tree<=path>] [-lore-path]
[-dir=<path>] [-work-tree<=path>] [-work-tree<=path>] [-work-tree<=path>]
[-dir=<path>] [-work-tree<=path>] [-work-tree<=path>]
[-dir=<path>] [-work-tree<=path>] [-work-tree<=path>]
[-work-tree<=path>] [-work-tree<=path>] [-work-tree<=path>]
[-work-tree<=path>] [-work-tree<=path>] [-work-tree<=path>]
[-work-tree<=path>] [-work-tree<=path>]
[-work-tree<=path>] [-work-tree<=path>]
[-work-tree<=path>] [-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[-work-tree<=path>]
[
        Windows PowerShell
                    -q, --quiet
-v, --verbose
                                                                                                            suppress summary after successful commit
show diff in commit message template
    Commit message options

-F, --file <file>

--author <author>
                                                                                                          read message from file everride author for commit
```

```
PS C:\Users\Sanika\desktop\wad.assign2> git commit -a -= "Undated index.html mith new line"
[master 9085720] Updated index.html with new line
1 file changed, 1 insertion(+), 1 delution(-)
PS C:\Users\Sanika\desktop\wad.assign2> git log
commit 9085720ae9a36f132411bd7e12ef7c2614de0989 (HEAD -> master)Author: saan58 <rithe.sanika0gmail.com>
   Date
                                 Tue Jan 16 21:09:18 2024 +0530
                     Updated index.html with new line
   commit 762f1a876cc421ba8a3d32f84dac983c
Author: saan58 <rithe.sanika8gmail.com>
Date: Tue Jan 16 21:05:48 2024 +0538
                                                                                                                                                   983e2b5c0f45
     Initial commit
PS C:\Users\Sanika\desktop\wad_assign2> git command -help
   git: 'command' is not a git command. See 'git --help'
PS C:\Users\Sanika\desktop\wad_assign2> git -help
  PS C:\Users\Sanika\desktop\wad_assign2> git status
    On branch master
    No commits yet
No commits yet

nothing to commit (create/copy files and use "git add" to track)PS C:\Users\Sanika\desktop\wad_assign2> git add index.html
fatal: pathspec 'index.html' did not match any files
PS C:\Users\Sanika\desktop\wad_assign2> git add index.html
PS C:\Users\Sanika\desktop\wad_assign2> git add index.html
PS C:\Users\Sanika\desktop\wad_assign2> git commit -= "Initial commit"
[master (root-commit) 762fla8] Initial commit
12 files changed, 715 insertions(+)
create mode 180644 contact.html
create mode 180644 pictures/ingl.jpg
create mode 180644 pictures/ingl.jpg
create mode 180644 pictures/project2.png
create mode 180644 pictures/project3.png
create mode 180644 pictures/project3.png
create mode 180644 pictures/project5.jpg
c
```

