Table 3. Methods: Analytical Design

Study	Main metrics	Baselines / statistical tests	Primary output
Chang 2026a	dshedy line-initial bias; p/t/k paragraph-initial concentration; am-class line-final bias.	Global token shuffle; line-internal shuffle; position-restricted shuffle; permutation trials N = 1,000.	Position-specific constraint evidence with empirical p-value framework.
Chang 2026b	Entropy decay; ambiguity persistence; prefix-family overlap; suffix distribution concentration.	Frequency-preserving shuffle; length-preserving randomization; prefix-preserving/global suffix model; size-matched bootstrap/permutation where specified.	Comparative evidence for language-like predictability and structural divergence.
Chang 2026c	Mutual information; conditional entropy; top-1/top-3 prediction accuracy; structure-break tests.	Character-shuffled and n-gram baselines; shuffle_cores_only, shuffle_suffixes_only, shuffle_prefixes_only perturbations.	Asymmetric PCS dependency, especially H(suffix|core).
Chang 2026d	Matching rate; token mass coverage; Zipf slope difference; H(suffix|core); compression ratio; morphological families.	Random and shuffled baselines; fixed-length segmentation experiments; bootstrap validation; holdout splits 80/20, 70/30, 50/50.	PCS token-generation performance and robustness validation.
Chang 2026e	Bigram/trigram entropy; next-token top-1/top-3; PCS transition entropy; line-boundary chi-square; family distance.	Full shuffle; frequency-preserving shuffle; line-internal shuffle; N = 1,000 where computationally feasible.	Evidence for non-random inter-token arrangement and line-level organization.

Table 3. Methods summary: analytical design. Baselines and tests are listed compactly; detailed reproduction materials are linked through the component package DOI records.