
Route Flowcharts


How a user moves through the app's pages, and how the server checks every API call. The colours show who can do each step.

Student · Course staff (TA + Instructor) · Instructor only · Admin only · Rejected / blocked · Everyone / system

1 · Sign-in and app shell




2 · What happens on every API call



STUDENT


3 · Taking a quiz, start to result



> An attempt can only be driven from the window that started it (server checks an `X-Attempt-Session` token), so the same student cannot answer from two tabs or devices at once.

COURSE STAFF


4 · Building, running and grading a quiz (TA and Instructor)



> Rule of thumb: the **TA does the work** (draft, mark, watch, investigate); the **instructor makes the decisions** (publish, release, delete, roster, time and integrity rulings).


INTEGRITY

5 · Resolving an incident



PLATFORM

6 · Admin area



REFERENCE

7 · Page routes at a glance

Who can open each page and which API group it talks to. The page hides controls you can't use; the API enforces it regardless.

Route	Page	Who	Main API
`/login` · `/register`	Sign in / create account	Public	`/api/auth/login · /sso · /register`
`/`	Dashboard	Any signed-in user	`/api/courses`
`/courses/:courseId`	Course: quizzes, roster	Members roster: Staff	`/api/courses/:id · /api/quizzes/course/:id`
`/courses/:courseId/banks`	Question banks	Staff delete bank: Instructor	`/api/banks`
`/quizzes/:quizId`	Quiz editor	Staff publish / delete: Instructor	`/api/quizzes`
`/quizzes/:quizId/preflight`	Pre-exam check	Members (staff get editor / monitor links)	`POST /api/attempts/quiz/:versionId`
`/attempts/:attemptId`	Exam in progress	Owner only, one window	`/api/attempts/:id/*`
`/quizzes/:quizId/monitor`	Live monitor	Staff time / lock controls: Instructor	`/api/proctor`
`/incidents` · `/incidents/attempt/:id`	Incidents, attempt timeline	Staff rulings: Instructor	`/api/attempts/course/:id/incidents · /api/review`
`/analytics/version/:versionId`	Analytics, marking, appeals	Staff regrade / release: Instructor	`/api/analytics · /api/insights · /api/results`
`/results`	My results	Any signed-in user (own only)	`GET /api/results/mine`
`/results/attempt/:attemptId`	Result detail, appeal	Owner once visible, or Staff	`/api/results/attempt/:id · /api/insights`
`/admin`	User management	Admin	`/api/admin`
`*` (anything else)	Redirects to `/`	Not signed in → `/login`	