

Windows PowerShell

Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\Users\V. SAARDHAK RAM> git clone https://github.com/<saardhakram>/<R25EJ171>.git

fatal: could not create work tree dir '<R25EJ171>': Invalid argument

PS C:\Users\V. SAARDHAK RAM> git clone https://github.com/saardhakram/R25EJ171.git

Cloning into 'R25EJ171'...

warning: You appear to have cloned an empty repository.

PS C:\Users\V. SAARDHAK RAM> cd R25EJ171

PS C:\Users\V. SAARDHAK RAM\R25EJ171> code .

PS C:\Users\V. SAARDHAK RAM\R25EJ171> git add README.md

PS C:\Users\V. SAARDHAK RAM\R25EJ171> git commit -m "Add introduction to README"

[main (root-commit) 96d2829] Add introduction to README

1 file changed, 1 insertion(+)

create mode 100644 README.md

PS C:\Users\V. SAARDHAK RAM\R25EJ171> git add README.md

PS C:\Users\V. SAARDHAK RAM\R25EJ171> git commit -m "Add skill: Learning Python"

On branch main

Your branch is based on 'origin/main', but the upstream is gone.

(use "git branch --unset-upstream" to fixup)

nothing to commit, working tree clean

PS C:\Users\V. SAARDHAK RAM\R25EJ171> git push -u origin main

Enumerating objects: 3, done.

Counting objects: 100% (3/3), done.

Delta compression using up to 22 threads

Compressing objects: 100% (2/2), done.

Writing objects: 100% (3/3), 346 bytes | 346.00 KiB/s, done.

Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)

To https://github.com/saardhakram/R25EJ171.git

* [new branch] main -> main

branch 'main' set up to track 'origin/main'.

PS C:\Users\V. SAARDHAK RAM\R25EJ171> Add-Content README.md "`nLearning Python"

PS C:\Users\V. SAARDHAK RAM\R25EJ171> git add README.md

warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it

PS C:\Users\V. SAARDHAK RAM\R25EJ171> git commit -m "Add skill: Learning Python"

[main 87d0288] Add skill: Learning Python

```
PS C:\Users\V. SAARDHAK RAM\R25EJ171> git commit -m "Add skill: Learning Python"
[main 87d0288] Add skill: Learning Python
1 file changed, 2 insertions(+), 1 deletion(-)
PS C:\Users\V. SAARDHAK RAM\R25EJ171> Add-Content README.md "Interested in cloud computing"
PS C:\Users\V. SAARDHAK RAM\R25EJ171> git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\V. SAARDHAK RAM\R25EJ171> git commit -m "Add interest: cloud computing"
[main a18750c] Add interest: cloud computing
1 file changed, 1 insertion(+)
PS C:\Users\V. SAARDHAK RAM\R25EJ171> Add-Content README.md "Goal: contribute to open source"
PS C:\Users\V. SAARDHAK RAM\R25EJ171> git add README.md
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\V. SAARDHAK RAM\R25EJ171> git commit -m "Add goal: contribute to open source"
[main b29722b] Add goal: contribute to open source
1 file changed, 1 insertion(+)
PS C:\Users\V. SAARDHAK RAM\R25EJ171> git push
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 22 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (9/9), 839 bytes | 839.00 KiB/s, done.
Total 9 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 1 local object.
To https://github.com/saardhakram/R25EJ171.git
96d2829..b29722b main -> main
PS C:\Users\V. SAARDHAK RAM\R25EJ171> git log --oneline
b29722b (HEAD -> main, origin/main) Add goal: contribute to open source
a18750c Add interest: cloud computing
87d0288 Add skill: Learning Python
96d2829 Add introduction to README
PS C:\Users\V. SAARDHAK RAM\R25EJ171> |
```



Start coding with Codespaces

Add a README file and start coding in a secure, configurable, and dedicated development environment.

Create a codespace



Add collaborators to this repository

Search for people using their GitHub username or email address.

Invite collaborators

Quick setup — if you've done this kind of thing before

 Set up in Desktop

or

HTTPS

SSH

<https://github.com/saardhakram/R25EJ171.git>



Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# R25EJ171" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/saardhakram/R25EJ171.git
```



[Set up in Desktop](#)

or

[HTTPS](#)[SSH](#)<https://github.com/saardhakram/R25EJ171.git>

Get started by [creating a new file](#) or [uploading an existing file](#). We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# R25EJ171" >> README.md
git init
git add README.md
git commit -m "first commit"
git branch -M main
git remote add origin https://github.com/saardhakram/R25EJ171.git
git push -u origin main
```



...or push an existing repository from the command line

```
git remote add origin https://github.com/saardhakram/R25EJ171.git
git branch -M main
git push -u origin main
```



 **ProTip!** Use the URL for this page when adding GitHub as a remote.



© 2026 GitHub, Inc.

[Terms](#)[Privacy](#)[Security](#)[Status](#)[Community](#)[Docs](#)[Contact](#)[Manage cookies](#)[Do not share my personal information](#)