







# CN OBSERVATION

## LAB 10

### WLAN







Cisco Packet Tracer Student

File Edit Options View Tools Extensions Help

Logical [Root] New Cluster Move Object Set Tiled Background Viewport

PC0

Router-PT  
Router0

PC0

PC0

Command Prompt

```
Packet Tracer PC Command Line 1.0
PC>ping 10.0.0.4

Pinging 10.0.0.4 with 32 bytes of data:

Reply from 10.0.0.4: bytes=32 time=33ms TTL=128
Reply from 10.0.0.4: bytes=32 time=40ms TTL=128
Reply from 10.0.0.4: bytes=32 time=10ms TTL=128
Reply from 10.0.0.4: bytes=32 time=4ms TTL=128

Ping statistics for 10.0.0.4:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milliseconds:
        Minimum = 4ms, Maximum = 33ms, Average = 11ms
PC>
```

Time: 00:09:20 Power Cycle Devices Fast Forward Time

Connections

Scenario 0

New Delete

Toggle PCU List Window

Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

30°C Partly sunny

ENG IN

15:53 18-08-2023