

```
select * from game_jet.sessions;
```

```
SELECT  
  COUNT(DISTINCT udid)  
FROM  
  game_jet.users;
```

```
SELECT  
  COUNT(DISTINCT udid)  
FROM  
  game_jet.sessions;
```

```
SELECT  
  udid,  
  COUNT(session_num)  
FROM  
  game_jet.sessions  
GROUP BY  
  udid  
HAVING  
  count(session_num) > 32.1  
ORDER BY  
  count DESC;
```

```
SELECT  
  udid,  
  COUNT(session_num)  
FROM  
  game_jet.sessions  
GROUP BY  
  udid  
HAVING  
  count(session_num) > 32.1  
ORDER BY  
  count DESC;
```

```
SELECT  
  COUNT(DISTINCT UDID)  
FROM  
  game_jet.iaps;
```

```
SELECT  
  SUM(rev),  
  i.udid
```

```
FROM
  game_jet.iaps AS i
LEFT JOIN
  game_jet.users AS u
ON
  i.udid = u.udid
GROUP BY
  i.udid;
```

```
select* from game_jet.iaps
order by rev ASC;
```

```
SELECT
  SUM(rev),
  i.udid,
  CASE
    WHEN SUM(rev) is NULL then 'free player'
    WHEN SUM(rev)<2000 then 'minnow'
    WHEN SUM(rev) BETWEEN 2000 and 1000 then 'dolphin'
    ELSE 'whale'
  END as persona
FROM
  game_jet.iaps AS i
LEFT JOIN
  game_jet.users AS u
ON
  i.udid = u.udid
GROUP BY
  i.udid;
```

```
SELECT
  u.install_date,
  i.date,
  (i.date - u.install_date) AS dif1,
  u.udid
FROM
  game_jet.users as u
INNER JOIN
  game_jet.iaps as i
ON
  u.udid = i.udid
ORDER BY
  dif1 ASC;
```