```
SELECT
 SUM(daily_journeys) AS "total_journeys"
FROM
 tfl.rods
SELECT
 SUM(daily_journeys) AS "total_journeys",
 entry_zone
FROM
 tfl.rods
GROUP BY
 entry_zone;
SELECT
 SUM(daily_journeys) AS "total_journeys",
 time_period
FROM
 tfl.rods
GROUP BY
 time_period
ORDER BY
 total_journeys desc;
SELECT
 SUM(daily_journeys) AS "total_journeys",
 origin_purpose
FROM
 tfl.rods
GROUP BY
 origin_purpose;
SELECT
 SUM(daily_journeys) AS "total_journeys",
 origin_purpose,
 destination_purpose
FROM
 tfl.rods
GROUP BY
 origin_purpose,
 destination_purpose;
SELECT
 SUM(daily journeys) AS "total journeys",
```

```
origin_purpose,
 time_period
FROM
 tfl.rods
GROUP BY
 origin_purpose,
 time_period
ORDER BY
 origin_purpose;
SELECT
 SUM(daily_journeys) AS "total_journeys",
 origin_purpose,
 entry_zone
FROM
 tfl.rods
GROUP BY
 origin_purpose,
 entry_zone
ORDER BY
 entry_zone;
SELECT
 SUM(daily_journeys) AS "total_journeys",
 origin_purpose,
 destination_purpose,
 time_period
FROM
 tfl.rods
WHERE
 origin_purpose LIKE 'Tourist'
 OR
 destination_purpose LIKE 'Tourist'
GROUP BY
 origin_purpose,
 destination_purpose,
 time_period;
```