

TASK 21 – MySQL

Basic SQL Select- Data Analytics Track (Northwind Dataset used)

Sabiya Ansari

28-09-2026

1. Top 5 highest priced items:

```
mysql> SELECT order_id, product_id, unit_price FROM data WHERE unit_price > 50 ORDER BY unit_price DESC LIMIT 5;
```

order_id	product_id	unit_price
10616	38	263.50
10540	38	263.50
10672	38	263.50
10541	38	263.50
10518	38	263.50

```
5 rows in set (0.00 sec)
```

2. Top 5 smallest order quantities:

```
mysql> SELECT order_id, product_id, quantity FROM data WHERE quantity < 5 ORDER BY quantity ASC LIMIT 5;
```

order_id	product_id	quantity
10259	37	1
10462	13	1
10281	19	1
10308	69	1
10538	72	1

```
5 rows in set (0.00 sec)
```

3. Items from Order #10248 sorted by unit price:

```
mysql> SELECT order_id, product_id, unit_price FROM data WHERE order_id = 10248 ORDER BY unit_price DESC;
```

order_id	product_id	unit_price
10248	72	34.80
10248	11	14.00
10248	42	9.80

```
3 rows in set (0.00 sec)
```

4. Items with maximum discount applied:

```
mysql> SELECT order_id, product_id, discount FROM data WHERE discount >= 0.20 ORDER BY discount DESC LIMIT 5;
```

order_id	product_id	discount
10263	30	0.25
10263	16	0.25
10260	41	0.25
10260	62	0.25
10260	70	0.25

```
5 rows in set (0.01 sec)
```

5. Specific product orders sorted by quantity:

```
mysql> SELECT order_id, quantity, unit_price FROM data WHERE product_id = 11 ORDER BY quantity DESC LIMIT 5;
```

order_id	quantity	unit_price
10535	50	21.00
10327	50	16.80
10800	50	21.00
10889	40	21.00
10912	40	21.00

```
5 rows in set (0.00 sec)
```

6. Low unit prices under \$10:

```
mysql> SELECT order_id, product_id, unit_price FROM data WHERE unit_price < 10 ORDER BY unit_price ASC LIMIT 5;
```

order_id	product_id	unit_price
10271	33	2.00
10273	33	2.00
10252	33	2.00
10341	33	2.00
10269	33	2.00

```
5 rows in set (0.00 sec)
```

7. Exact quantity matches (Items with quantity equal to 10):

```
mysql> SELECT order_id, product_id, unit_price FROM data WHERE quantity = 10 ORDER BY unit_price DESC LIMIT 5;
```

order_id	product_id	unit_price
10805	38	263.50
10360	38	210.80
10583	29	123.79
10687	29	123.79
10857	29	123.79

```
5 rows in set (0.00 sec)
```

8. Mid-range priced items (\$20 to \$25):

```
mysql> SELECT order_id, product_id, unit_price FROM data WHERE unit_price BETWEEN 20 AND 25 ORDER BY unit_price ASC LIMIT 5;
```

order_id	product_id	unit_price
10499	49	20.00
10325	6	20.00
10309	6	20.00
10539	49	20.00
10603	49	20.00

```
5 rows in set (0.02 sec)
```

9. Zero-discount items with high quantities:

```
mysql> SELECT order_id, product_id, quantity FROM data WHERE discount = 0 ORDER BY quantity DESC LIMIT 5;
+-----+-----+-----+
| order_id | product_id | quantity |
+-----+-----+-----+
| 11072 | 64 | 130 |
| 10515 | 27 | 120 |
| 10678 | 41 | 120 |
| 10711 | 53 | 120 |
| 10895 | 24 | 110 |
+-----+-----+-----+
5 rows in set (0.00 sec)
```

10. Items from Order #10250 sorted by quantity:

```
mysql> SELECT order_id, product_id, unit_price, quantity FROM data WHERE order_id = 10250 ORDER BY quantity ASC;
+-----+-----+-----+-----+
| order_id | product_id | unit_price | quantity |
+-----+-----+-----+-----+
| 10250 | 41 | 7.70 | 10 |
| 10250 | 65 | 16.80 | 15 |
| 10250 | 51 | 42.40 | 35 |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```