KURD CHAT & DOMINO LIVE

Complete Application Source Code Document

Mobile-Friendly Full-Stack Kurdish Domino & Messaging App

Generated: 2026-10-31T03:00:45.816Z
Total Project Source Files: 42
Super Admin / Developer: Sabah Sndi

Table of Contents:

01. package.json
02. tsconfig.json
03. vite.config.ts
04. index.html
05. server.ts
06. src/index.css
07. src/main.tsx
08. src/App.tsx
09. src/types/domino.ts
10. src/types/chat.ts
11. src/types/gifts.ts
12. src/utils/dominoLogic.ts
13. src/utils/audio.ts
14. src/utils/i18n.ts
15. src/utils/sync.ts
16. src/utils/audioRecorder.ts
17. src/utils/usePWAInstall.ts
18. src/data/mockData.ts
19. src/data/voiceGiftsData.ts
20. src/components/DominoLiveView.tsx
21. src/components/DominoTileView.tsx
22. src/components/BottomNavBar.tsx
23. src/components/ChatList.tsx
24. src/components/ChatConversation.tsx
25. src/components/AuthScreen.tsx
26. src/components/CallScreen.tsx
27. src/components/FriendsExploreView.tsx
28. src/components/StoriesFeedView.tsx
29. src/components/StoryViewer.tsx
30. src/components/VoiceChatModal.tsx
31. src/components/VoiceRoomGiftsSheet.tsx
32. src/components/CoinWalletModal.tsx
33. src/components/AdminPanelModal.tsx
34. src/components/SettingsModal.tsx
35. src/components/NewChatModal.tsx
36. src/components/NotificationsModal.tsx
37. src/components/NotificationToast.tsx
38. src/components/LiveGiftAnimationOverlay.tsx
39. src/components/StickerPicker.tsx
40. src/components/KurdistanBadge.tsx
41. src/components/KurdChatLogo.tsx
42. src/components/PWAInstallButton.tsx

File: package.json

```
1 | {  2 |   "name": "react-example",  3 |   "private": true,  4 |   "version": "0.0.0",  5 |   "type": "module",
```

File: tsconfig.json

```
1 | {  2 |   "compilerOptions": {  3 |     "target": "ES2022",  4 |     "experimentalDecorators": true,  5 |     "u
```

File: vite.config.ts

```
1 | import tailwindcss from '@tailwindcss/vite';
2 | import react from '@vitejs/plugin-react';
3 | import { VitePWA
```

File: index.html

```
1 | <!doctype html>  2 | <html lang="ku" dir="rtl" class="dark">  3 |   <head>  4 |     <meta charset="UTF-8" />  5
```

File: server.ts

```
1 | import express, { Request, Response } from 'express';
2 | import http from 'http';
3 | import fs from 'fs';
4
```

File: src/index.css

```
1 | @import "tailwindcss";  2 |  3 | :root {  4 |   font-family: 'Vazirmatn', 'Plus Jakarta Sans', system-ui, -appl
```

File: src/main.tsx

```
1 | import {createRoot} from 'react-dom/client';
2 | import App from './App.tsx';
3 | import './index.css';
4 |
```

File: src/App.tsx

```
1 | /**  2 |  * @license  3 |  * SPDX-License-Identifier: Apache-2.0  4 |  */  5 |  6 | import React, { useState,
```

File: src/types/domino.ts

```
1 | export interface DominoTile {  2 |   id: string;  3 |   left: number;  4 |   right: number;  5 |   isDouble: bo
```

File: src/types/chat.ts

```
1 | export type Dialect = 'sorani' | 'badini' | 'english';  2 |  3 | export interface AdminPermissions {  4 |   car
```

File: src/types/gifts.ts

```
1 | export type GiftCategory = 'gifts' | 'songs' | 'interactive' | 'exclusive';
2 |
3 | export interface VoiceGift
```

File: src/utils/dominoLogic.ts

```
1 | import { DominoTile, BotDifficulty } from '../types/domino';
2 |
3 | // Generate complete 28-tile double-six d
```

File: src/utils/audio.ts

```
// Web Audio API synthesizer for chat sounds & voice preview

let audioCtx: AudioContext | null = null;
```

File: src/utils/i18n.ts

```
1 | import { Dialect } from '../types/chat';
2 |
3 | export const translations = {
4 |   sorani: {
5 |     app
```

File: src/utils/sync.ts

```
1 | // Real-time synchronization across browser tabs/windows using BroadcastChannel & Storage events
2 |
3 | type
```

File: src/utils/audioRecorder.ts

```
1 | // Real browser audio recorder using MediaRecorder and AudioContext
2 |
3 | export interface AudioRecordResult
```

File: src/utils/usePWAInstall.ts

```
1 | import { useEffect, useState } from 'react';
2 |
3 | interface BeforeInstallPromptEvent extends Event {
4 |
```

File: src/data/mockData.ts

```
1 | import { Chat, Story, User } from '../types/chat';
2 |
3 | // Real Admin Account for Sabah Sndi (Founder & Sup
```

File: src/data/voiceGiftsData.ts

```
1 | import { VoiceGiftItem, VoiceSongItem } from '../types/gifts';
2 |
3 | export const VOICE_GIFTS_CATALOG: Voice
```

File: src/components/DominoLiveView.tsx

```
1 | import React, { useState, useEffect, useRef, useCallback } from 'react';
2 | import { User, Dialect } from '../ty
```

File: src/components/DominoTileView.tsx

```
1 | import React from 'react';
2 | import { DominoTile, TileSkin } from '../types/domino';
3 |
4 | interface Dom
```

File: src/components/BottomNavBar.tsx

```
1 | import React from 'react';
2 | import { Dialect } from '../types/chat';
3 | import { translations } from '../ut
```

File: src/components/ChatList.tsx

```
1 | import React, { useState } from 'react';
2 | import { Chat, Story, User, Dialect } from '../types/chat';
3 | im
```

File: src/components/ChatConversation.tsx

```
1 | import React, { useState, useRef, useEffect } from 'react';
2 | import { Chat, Message, User, Dialect } from '../
```

File: src/components/AuthScreen.tsx

```
1 | import React, { useState } from 'react';
2 | import { KurdChatLogo } from './KurdChatLogo';
3 | import { PWAIns
```

File: src/components/CallScreen.tsx

```
1 | import React, { useEffect, useState } from 'react';
2 | import { CallState, Dialect } from '../types/chat';
3 |
```

File: src/components/FriendsExploreView.tsx

```
1 | import React, { useState } from 'react';
2 | import { User, FollowRequest, Dialect } from '../types/chat';
3 |
```

File: src/components/StoriesFeedView.tsx

```
1 | import React, { useState, useRef } from 'react';
2 | import { Story, User, Dialect } from '../types/chat';
3 |
```

File: src/components/StoryViewer.tsx

```
1 | import React, { useState, useEffect } from 'react';
2 | import { Story, User } from '../types/chat';
3 | import
```

File: src/components/VoiceChatModal.tsx

```
1 | import React, { useState, useEffect } from 'react';
2 | import { User, Dialect } from '../types/chat';
3 | impo
```

File: src/components/VoiceRoomGiftsSheet.tsx

```
1 | import React, { useState } from 'react';
2 | import { User, Dialect } from '../types/chat';
3 | import {
4 |
```

File: src/components/CoinWalletModal.tsx

```
1 | import React, { useState, useEffect } from 'react';
2 | import { User, Dialect, CoinTransaction } from '../types/
```

File: src/components/AdminPanelModal.tsx

```
1 | import React, { useState, useRef } from 'react';
2 | import { User, Story, Chat, Message, AdminPermissions } from
```

File: src/components/SettingsModal.tsx

```
1 | import React, { useState, useRef } from 'react';
2 | import { User, Dialect } from '../types/chat';
3 | import
```

File: src/components/NewChatModal.tsx

```
1 | import React, { useState } from 'react';
2 | import { User, Dialect } from '../types/chat';
3 | import { transl
```

File: src/components/NotificationsModal.tsx

```
1 | import React, { useState } from 'react';
2 | import { AppNotification, Dialect } from '../types/chat';
3 | impo
```

File: src/components/NotificationToast.tsx

```
1 | import React, { useEffect, useState } from 'react';
2 | import { AppNotification, Dialect } from '../types/chat';
```

File: src/components/LiveGiftAnimationOverlay.tsx

```
1 | import React, { useEffect } from 'react';
2 | import { LiveSentGift } from '../types/gifts';
3 | import { Spark
```

File: src/components/StickerPicker.tsx

```
1 | import React from 'react';
2 | import { KURDISH_STICKERS } from '../data/mockData';
3 | import { KurdistanVerif
```

File: src/components/KurdistanBadge.tsx

```
1 | import React from 'react';
2 |
3 | // Authentic 21-ray Golden Sun of Kurdistan (Rôj) SVG Emoji
4 | export co
```

File: src/components/KurdChatLogo.tsx

```
1 | import React from 'react';
2 |
3 | interface KurdChatLogoProps {
4 |   size?: 'sm' | 'md' | 'lg' | 'xl';
5
```

File: src/components/PWAInstallButton.tsx

```
1 | import React, { useState } from 'react';
2 | import { usePWAInstall } from '../utils/usePWAInstall';
3 | import
```