| | |
|---|---|
| **Status** | Finished |
| **Started** | Tuesday, 29 September 2026, 3:56 PM |
| **Completed** | Tuesday, 29 September 2026, 4:00 PM |
| **Duration** | 4 mins 46 secs |
| **Grade** | **15.00** out of 15.00 (**100**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

print('*', "abcde".center(7), '*', sep='')

- a. * abcde * ✓
- b. *abcde*
- c. * abcde*
- d. *abcde *

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following will result in an error?

```
str1="python"
```

- a. str1[1]="x" ✓
- b. print(str1[0:9])
- c. None of the mentioned
- d. print(str1[2])

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following are valid string manipulation functions in Python?

- a. upper()
- b. strip()
- c. All of the mentioned ✓
- d. count()

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code?

```
a = '2'
b = '1'
print(a+b)
```

Answer: 21 ✓

Question **5**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
print('Ab!2'.swapcase())
```

- a. aB!2 ✓
- b. aB1@
- c. AB!@
- d. ab12

Question **6**

Correct

Mark 1.00 out of 1.00

```
What is the output of the following code?
```

```
my_string = 'arvijayakumar'
for i in range(my_string):
    print(i)
```

- a. None
- b. 0 1 2 3 ... 12

  1.
- c. arvjayakumar
- d. Error ✓

Question **7**

Correct

Mark 1.00 out of 1.00

```
Which of the following will give "Vijay" as output?

str1="John,Vijay,Aryan"
```

a. print(str1[-7:-11])

b. print(str1[-7:-12])

c. print(str1[-11:-6]) ✓

d. print(str1[-11:-7])

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code?

```
a = '2'
b = 4
print(a*b)
```

Answer: 2222 ✓

Question **9**

Correct

Mark 1.00 out of 1.00

What is the output of the following Code?

```
str1="vijay"
print(str1.capitalize())
```

Answer: Vijay ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following is False?

a. String is immutable.

b. lower() function in string is used to return a string by converting the whole given string into lowercase.

c. None of the mentioned

d. capitalize() function in string is used to return a string by converting the whole given string into uppercase. ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
line =  "What will have so will"
L = line.split('a')
for i in L:
    print(i, end=' ')
```

a. ['Wh', 't will h', 've so will']

b. ['What', 'will', 'have', 'so', 'will']

c. What will have so will

d. Wh t will h ve so will ✓

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the following Code?

str1="123456789"

print(str1[2:6:2])

Answer: 35 ✓

Question **13**

Correct

Mark 1.00 out of 1.00

What is the output of the following Code?

print(chr(69))

Answer: E ✓

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following code ?

```
a = '''A
B
C'''
print(a)
```

a. 
```
A
B
C
```
✓

b. 
```
ABC
```

c. 
```
Error
```

d. 
```
A
BC
```

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following code.

```
Line1 = "And Then There Were None"
Line2 = "Famous In Love"
Line3 = "Famous Were The Kol And Klaus"
Line4 = Line1 + Line2 + Line3
print("And" in Line4)
```

a. True 2

b. True ✓

c. False 2

d. False