Test Plan: VWO Login Dashboard

Document field	Details
Product	VWO Login Dashboard
Requirement source	Product Requirements Document
Version	1.0
Status	Draft for review
Test window	TBD
Test owner / approvers	TBD

1. Objective

Verify that the VWO login dashboard provides a secure, reliable, accessible, responsive, and efficient entry point to the VWO platform. Testing will validate the login and recovery journeys, relevant integrations, and the performance and security expectations defined in the PRD.

2. Product context

The login dashboard is the entry point for digital marketers, product managers, UX designers, developers, enterprise teams, conversion rate optimization specialists, and data analysts. Its intended experience includes email/password authentication, account recovery, optional multi-factor authentication, enterprise single sign-on, and a transition to the user's VWO dashboard.

The PRD describes phased delivery. The release phase and the exact features included in the build under test must be confirmed before execution.

3. Scope

In scope

- Email/password sign-in, including successful and unsuccessful authentication.
- Email and password field behavior, validation on blur, email-format feedback, and password requirement/strength feedback.
- Session creation, persistence, timeout, and return-to-dashboard behavior, including Remember Me where present.
- Forgot-password and email-based password recovery, including reset-token flow.
- Optional 2FA and enterprise SSO capabilities when enabled in the release under test.
- Login form loading and error states, autofocus, clickable labels, and clear actionable feedback.
- Registration/free-trial path from the login page.
- Responsive behavior and touch-friendly controls.
- Keyboard navigation, screen-reader support, ARIA labeling, high-contrast mode, and WCAG 2.1 AA checks.
- Light and dark themes where available.
- Secure handling and transmission of authentication data, HTTPS enforcement, session-token handling, and rate limiting.
- Login page load performance, authentication-flow behavior under load, and availability-related verification.

- Successful/failed login analytics and customer-support integration behavior where implemented.
- Regression, smoke, sanity, integration, end-to-end, and exploratory testing of the above.

Out of scope for this release unless separately included

- Biometric authentication, adaptive/risk-based authentication, progressive web app capabilities, and personalized login experiences listed as future enhancements.
- Social login and marketing-tool integrations unless confirmed as release requirements.
- Internal implementation details not exposed by the product requirements, such as a particular identity provider, browser support policy, deployment topology, or password policy values.

4. Test approach and strategy

Testing will be risk-based and will use the techniques below:

- **Smoke and sanity:** Confirm the login page loads and critical login/recovery paths are available on each candidate build.
- **Functional and end-to-end:** Exercise user journeys from arrival at login through authentication, recovery, registration navigation, and dashboard handoff.
- **Input/data validation:** Use equivalence classes and boundary-value analysis for required, malformed, and valid email/password inputs. Exact limits and password rules must be supplied by product/security owners.
- **Decision and state coverage:** Use decision tables for authentication outcomes and state-transition testing for login, loading, error, recovery, session, and logout/timeout states.
- **Integration:** Verify the dashboard handoff, SSO/2FA providers when enabled, login analytics, and support integration at the agreed interfaces.
- **Security:** Validate expected controls and secure behavior against the PRD and approved security requirements. Perform security assessment only in authorized non-production environments; do not use real user credentials or data.
- **Performance and resilience:** Measure page-load and authentication behavior at agreed load profiles, including the PRD's stated concurrency and availability goals. Define the test duration, workload, and measurement method with the engineering team before execution.
- **Accessibility and usability:** Perform keyboard-only, screen-reader, high-contrast, responsive, and touch-interaction checks. Assess the stated WCAG 2.1 AA target.
- **Regression and retesting:** Retest resolved defects and rerun impacted coverage after fixes or relevant changes.
- **Exploratory:** Explore error recovery, interrupted flows, browser/device differences, and unexpected state transitions.

Smoke testing gates in-depth execution: if a critical smoke check fails, record the build as not ready, report the blocker, and coordinate on a stable build. Shift-left reviews of requirements, designs, and acceptance criteria should begin before the release build is ready.

5. Coverage outline

Area	Representative coverage
Login	Valid credentials; invalid credentials; empty and malformed inputs; field-level feedback on blur; password visibility/entry behavior if provided; submission loading state; repeated attempts and throttling behavior.
Session	Successful session establishment; Remember Me behavior where present; configured timeout; expired/invalid session handling; secure dashboard handoff; session continuity after navigation or refresh as specified.

Area	Representative coverage
Recovery	Forgot-password entry; valid and invalid account/email handling without unintended account disclosure; reset email/token lifecycle; valid, expired, reused, and invalid reset token behavior; successful reset and subsequent login. Confirm token rules with the product/security owner.
2FA and SSO	Enabled/disabled behavior; success, failure, cancellation, and recovery paths; supported SAML/OAuth enterprise flows as configured; correct return to the VWO dashboard.
Validation and errors	Required fields, email format, password requirements, actionable messages, server/network errors, repeated submission, and recovery from errors. Exact copy and input constraints are TBD if not specified in the build requirements.
Navigation and onboarding	Registration/free-trial link destination; dashboard transition; preservation of intended context/recent activity where supported; support path for login assistance.
Accessibility and responsive UI	Labels and focus order; keyboard-only operation; screen-reader names/feedback; contrast and high-contrast mode; zoom/responsive layouts; mobile keyboards and touch target behavior.
Theme and branding	Light/dark mode availability, consistent rendering, readable controls and messages, and VWO branding alignment.
Security and privacy	HTTPS enforcement; protected handling of credentials; secure session-token lifecycle; rate limiting; no sensitive authentication data exposed in user-facing errors or telemetry; privacy/compliance behavior as specified by approved requirements.
Analytics and integrations	Correct success/failure event behavior without inappropriate credential data; dashboard integration; support integration; SSO/2FA integration when included.
Performance and availability	Login page load time; authentication response under normal and agreed peak load; concurrent login behavior; service recovery and availability measurement.

6. Test environments and test data

Environment item	Plan
Application URL / environments	QA and pre-production URLs are TBD. Use non-production environments for functional, integration, load, and security checks unless explicitly authorized otherwise.
Browsers and operating systems	Supported browser/OS versions are TBD and must be confirmed by product. Include desktop and mobile coverage consistent with the supported matrix.
Devices and viewports	Desktop, tablet, and smartphone layouts; exact devices and viewport sizes TBD.
Network conditions	Standard connection for the 2-second page-load target; additional network profiles TBD.
Integrations	Test tenants/accounts and configuration for VWO dashboard, email recovery, 2FA, SSO, analytics, and support are TBD and required where those integrations are enabled.
Test accounts/data	Use synthetic accounts representing valid, invalid, recovery, 2FA, SSO, and session states. Do not use real customer credentials or personal data.
Access	Test roles, permissions, secrets, and environment access must be provisioned through approved channels; details TBD.

7. Success measures and acceptance targets

Targets below are taken from the PRD. The measurement window, denominator, collection method, and accountable owner should be agreed before sign-off.

Metric	PRD target	Verification
Login page load time	Within 2 seconds on standard connections	Measure agreed page-load metric over representative runs and supported environments.
Login success rate	95% or higher	Measure successful authentication attempts against the agreed eligible-attempt definition; exclude or classify test/environment failures consistently.
Availability	99.9% uptime	Validate using the agreed monitoring source and measurement period; test execution alone cannot establish an operational uptime target.
Concurrent login attempts	Thousands simultaneously	Run an approved load profile with the engineering team defining the exact concurrency, duration, and service-level measurements.
User satisfaction	90% or higher	Requires an agreed survey method, sample, and measurement period; not a release test-case pass/fail metric by itself.
Security incidents	Zero successful brute-force attacks or unauthorized access	Validate approved security controls and review authorized test evidence; incident monitoring and operational evidence are required.
Compliance	100% adherence to security audit requirements	Requires the applicable audit checklist and evidence owners to be identified.
Login-related support tickets	20% reduction	Compare agreed baseline and post-release periods; this is a product outcome, not a pre-release functional gate.

8. Defect reporting and triage

- Record defects in the team's designated tracker. Jira is suggested by the skill template; the project tracker must be confirmed.
- Each defect should include a concise title, environment/build, preconditions, reproducible steps, expected and actual results, severity/priority, relevant test account type (never its password), timestamp, and sanitized screenshots/logs.
- Remove credentials, reset tokens, session tokens, personal data, and other secrets from attachments and telemetry before reporting.
- Triage with product, engineering, QA, and security owners as appropriate. Ownership, severity definitions, response targets, and escalation contacts are TBD.
- Retest fixes and run impacted regression coverage. Communicate daily execution status and blockers to stakeholders using the agreed channel.

9. Schedule

The skill template proposes a two-sprint testing window. Treat this only as a planning baseline; dates and duration require confirmation against the project release plan.

Activity	Planned timing
Requirement/design review and test planning	Before / beginning of Sprint 1; dates TBD
Test scenarios, cases, data, and environment readiness	Sprint 1; dates TBD
Smoke, functional, accessibility, integration, and exploratory execution	Sprint 1–2; dates TBD
Performance and authorized security verification	Sprint 2 or as agreed; dates TBD

Activity	Planned timing
Defect retesting, regression, and closure reporting	Sprint 2; dates TBD

10. Deliverables

- Approved test plan.
- Prioritized test scenarios and test cases with requirement traceability.
- Test data and environment readiness checklist.
- Execution results and evidence.
- Defect reports and retest/regression results.
- Test summary with coverage, pass/fail/blocked counts, open risks, metric evidence, and release recommendation.

11. Entry and exit criteria

Requirement analysis

Entry

- PRD and available design/acceptance details are accessible to QA.

Exit

- Requirements and release phase are reviewed.
- Open questions, including supported browsers, exact validation rules, session timeout, SSO/2FA scope, and performance workload, are documented and assigned.

Test execution

Entry

- Test scenarios/cases are reviewed and approved by the relevant stakeholders.
- A candidate build and required non-production environment are available.
- Test accounts, integration configuration, access, and test data are ready.
- Critical smoke checks pass.

Exit

- Planned in-scope tests have a recorded result; blocked and deferred coverage is explained.
- Critical/high defects are triaged and have an agreed disposition.
- Fixes have been retested and relevant regression checks completed.
- Required performance, accessibility, and security evidence is recorded, or limitations are explicitly reported.

Test closure

Entry

- Execution results, defect status, and outstanding risks are available.

Exit

- Test summary and release recommendation are shared.
- Stakeholders review unresolved defects, residual risks, and any unmet/tentative metric targets.
- Deliverables and approval status are recorded.

12. Risks and mitigations

Risk	Mitigation
QA/pre-production environment, build, or integrations are unavailable	Confirm owners and readiness early; report blockers promptly and use the time for requirement review or test design.
Product rules are underspecified (for example password rules, timeout, token expiry, supported browsers, or error copy)	Obtain documented decisions before finalizing expected results; avoid treating assumptions as requirements.
SSO, 2FA, email, analytics, or support dependencies are not configured	Identify release scope and test credentials/configuration in advance; document any untested integration as a release risk.
Load or availability targets lack a defined measurement profile	Agree workload, duration, monitoring source, and acceptance method with engineering before performance execution.
Authentication tests expose credentials or recovery tokens in evidence	Use synthetic accounts, redact artifacts, and store evidence only in approved systems.
Insufficient test time or resources	Prioritize authentication, recovery, session security, critical accessibility, and release-critical integrations; communicate deferred coverage and risk.
Security/compliance evidence or audit criteria are unavailable	Request the approved checklist and security owner; report the verification gap rather than inferring compliance.

13. Tools

Use the team's approved tools. The skill template suggests Jira for defect tracking and document/spreadsheet tools for plans and reports; actual project tools are TBD. Browser/device tooling, accessibility checks, performance/load tooling, and security assessment tooling must be approved for the target environment.

14. Approvals

Testing progression and release sign-off require review by the designated stakeholders. Names, roles, and approval dates are TBD.

Role	Name	Approval / date
Product owner	TBD	TBD
QA/test lead	TBD	TBD
Engineering owner	TBD	TBD
Security/compliance owner	TBD	TBD