

SkymRestaurant Database Documentation

Team members : Saba Sarmadi,Kiana ZendeBad,Roghaye Atae,Mohammad Yousefiyan

Introduction

The SkymRestaurant database is designed to manage various aspects of a restaurant's operations, including customer orders, menu items, staff information, and table management. It provides functionalities for in-person dining, take-away orders, and delivery services.

Database Schema

- Tables:

- Customer: Stores information about restaurant customers.
- DeliveryCustomer: Records customers' delivery orders and their addresses.
- InPersonOrderCustomer: Manages in-person dining orders, including customer, table, and waiter information.
- Menu: Contains details about available menu items, including their names, prices, and ingredients.
- Order: Tracks orders placed by customers, including order dates and completion status.
- OrderMenu: Maps menu items to specific orders and keeps track of item counts.
- Staff: Stores information about restaurant staff, including their names, salaries, and roles.
- Table: Manages restaurant tables, including their statuses and capacities.

- Views:

- day_earning_report: Provides a report on daily earnings based on order dates.
- top_customers_report: Offers insights into top customers based on their order frequency and total spending.

- Stored Procedures:

- add_item_to_order: Adds menu items to an existing order, considering the availability of items in the menu.
- end_order: Marks an order as finished and updates the status of associated tables if applicable.
- run_test_scenario: Executes a test scenario to populate the database with sample data and test functionalities.
- start_order_for_existing_customer: Initiates a new order for an existing customer, specifying the order type (in-person, take-away, or delivery).
- start_order_for_new_customer: Begins a new order for a new customer, with options for different order types and associated details.
- update_table_status: Updates the status of a table to indicate its availability for seating.

Functions

- calculate_earning_in_date_range: Calculates the total earnings within a specified date range based on order totals.

- calculate_order_price: Computes the total price of an order based on the items ordered and their quantities.

Database Initialization

The database is initialized with various settings and configurations to ensure optimal performance and functionality. These include setting compatibility levels, enabling query store, configuring database options such as ANSI settings, recovery mode, and filestream access, among others.

Database Usage

Users interact with the database through SQL scripts or applications, utilizing stored procedures, functions, and tables to manage restaurant operations, including order processing, customer management, staff assignments, and menu item management.

Notes:

staff types :

1-waiter

...

order type :

1-in person customer order

2-takeaway customer order

3-delivery customer order

table status :

1-free

2-busy

menu type :

1-appetizer

2-entress

3-desserts

4-drinks

5-side dish





