

Good Pair Detector

Problem

Submissions

Discussions

Rafi is back with another coding challenge from his big brother Shafi. This time, Shafi gives him an array of integers and says:

"Pick any *two* numbers from the array to form a *pair*. If the pair contains exactly one *odd* number, it's a good pair. But if both numbers are *odd* or both are *even*, it's not good."

Rafi's task is to count how many good *pairs* he can make from the array. Can you help Rafi solve this challenge and level up his coding skills?

Input Format

First line: An integer n , the size of the array. ($2 \leq n \leq 1000$)

Second line: n space-separated integers, the elements of the array. ($-1000 \leq a[i] \leq 1000$)

Constraints

($2 \leq n \leq 1000$)

($-1000 \leq a[i] \leq 1000$)

Output Format

Print a single integer: the number of good *pairs*.

Sample Input 0

```
5
1 2 3 4 5
```

Sample Output 0

```
6
```

Explanation 0

All possible pairs:

- (1,2) ✓
- (1,3) ✗
- (1,4) ✓
- (1,5) ✗
- (2,3) ✓
- (2,4) ✗
- (2,5) ✓
- (3,4) ✓
- (3,5) ✗

- (4,5) 

Total good pairs = 6

[f](#) [t](#) [in](#)

Contest ends in 1 hour 14 minutes 15 seconds

Submissions: 130

Max Score: 200

Rate This Challenge:

☆☆☆☆☆

[More](#)

C

1

2

3

4

5

6

7

8

9

10

11

```
#include <stdio.h>
#include <string.h>
#include <math.h>
#include <stdlib.h>

int main() {
    /* Enter your code here. Read input from STDIN. Print output to STDOUT */
    return 0;
}
```

Line: 1 Col: 1

 [Upload Code as File](#) ☐ [Test against custom input](#)

Run Code

Submit Code

[Interview Prep](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Support](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#) |