



IIUC Victory Day Programming Contest 2003

Problem C	Happy Number
Time Limit	1 Second

Let the sum of the square of the digits of a positive integer S_0 be represented by S_1 . In a similar way, let the sum of the squares of the digits of S_1 be represented by S_2 and so on. If $S_i = 1$ for some $i \geq 1$, then the original integer S_0 is said to be Happy number. A number, which is not happy, is called Unhappy number. For example 7 is a Happy number since $7 \rightarrow 49 \rightarrow 97 \rightarrow 130 \rightarrow 10 \rightarrow 1$ and 4 is an Unhappy number since $4 \rightarrow 16 \rightarrow 37 \rightarrow 58 \rightarrow 89 \rightarrow 145 \rightarrow 42 \rightarrow 20 \rightarrow 4$.

Input

The input consists of several test cases, the number of which you are given in the first line of the input. Each test case consists of one line containing a single positive integer N smaller than 10^9 .

Output

For each test case, you must print one of the following messages:

Case #p: N is a Happy number.

Case #p: N is an Unhappy number.

Here p stands for the case number (starting from 1). You should print the first message if the number N is a happy number. Otherwise, print the second line.

Sample Input	Output for Sample Input
3	Case #1: 7 is a Happy number.
7	Case #2: 4 is an Unhappy number.
4	Case #3: 13 is a Happy number.
13	

Problemsetter: Mohammed Shamsul Alam
International Islamic University Chittagong
Special thanks to Muhammad Abul Hasan