Web Application TestNg Code

Logintest.java:

```
package com.test;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
import org.testng.annotations.AfterMethod;
import org.testng.annotations.BeforeMethod;
import org.testng.annotations.Test;
public class logintest {
WebDriver driver;
@Test
public void facebook() {
driver.get("https://www.facebook.com/");
driver.findElement(By.id("email")).sendKeys("lokesh@gmail.com");
driver.findElement(By.id("pass")).sendKeys("lokesh@123");
driver.findElement(By.name("login")).submit();
}
@BeforeMethod
public void beforeMethod() {
System.setProperty("webdriver.chrome.driver",
"D:\\Users\\Downloads\\chromedriver_win32\\chromedriver.exe");
driver= new ChromeDriver();
}
@AfterMethod
public void afterMethod() {
//driver.close();
driver=null;
}
```

```
}
Registertest.java:
package com.test;
import org.openga.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
import org.testng.annotations.AfterTest;
import org.testng.annotations.Test;
public class registertest {
String
driverPath="D:\\Users\\Downloads\\chromedriver win32\\chromedriver.exe";
public WebDriver driver;
@Test
public void f() {
System.setProperty(
"webdriver.chrome.driver",
"D:\\Users\\Downloads\\chromedriver_win32\\chromedriver.exe");
WebDriver driver = new ChromeDriver();
driver.get("https://www.facebook.com/campaign/landing.php?campaign_id=14884913640
extra 1=s%7Cc%7C550525804944%7Cb%7Cfacebook%20%27%7C&placement=&creative=5
50525804
944&keyword=facebook%20%27&partner_id=googlesem&extra_2=campaignid%3D148849
13640%2
6adgroupid%3D128696220912%26matchtype%3Db%26network%3Dg%26source%3Dnotmo
bile%26sea
rch or content%3Ds%26device%3Dc%26devicemodel%3D%26adposition%3D%26target%3
D%26tar
```

327195741349%26loc_physical_ms%3D1007765%26loc_interest_ms%3D%26feeditemid%3

getid%3Dkwd-

D%26pa

```
ram1%3D%26param2%3D&gclid=EAlaIQobChMIgKXQyLa3-
gIVRSUrCh0rwQpyEAAYASAAEgI41vD BwE");
driver.manage().window().maximize();
driver.findElement(By.name("firstname"))
.sendKeys("lokesh");
driver.findElement(By.name("lastname"))
.sendKeys("pallikonda");
driver.findElement(By.name("reg_email__"))
.sendKeys("lokesh@gmail.com");
driver.findElement(By.name("reg email confirmation "))
.sendKeys("lokesh@gmail.com");
driver.findElement(By.id("password_step_input"))
.sendKeys(lokesh@123");
driver.findElement(By.id("day"))
.sendKeys("25");
driver.findElement(By.id("month"))
.sendKeys("apr");
driver.findElement(By.id("year"))
.sendKeys("2001");
driver.findElement(By.className("_8esa"))
.click();
driver.findElement(By.name("websubmit"))
.click();
}
@AfterTest
public void afterTest() {
System.out.println("After test is running");
}
}
```

```
Testing.xml:
```

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE suite SYSTEM "https://testng.org/testng-1.0.dtd">
<suite name="Suite">
<test name="Test" thread-count="5" parallel="classes">
<classes>
<class name="com.test.loginTest"/>
<class name="com.test.Registertest"/>
</classes>
</test> <!-- Test -->
</suite> <!-- Suite -->
Pom.xml:
project xmIns="http://maven.apache.org/POM/4.0.0"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
https://maven.apache.org/xsd/maven-4.0.0.xsd">
<modelVersion>4.0.0</modelVersion>
<groupId>coms
<artifactId>Webapp1</artifactId>
<version>0.0.1-SNAPSHOT</version>
<name>Webapp1</name>
<url>http://maven.apache.org</url>
cproperties>
project.build.sourceEncoding>UTF-8/project.build.sourceEncoding>
</properties>
<dependencies>
<dependency>
<groupId>org.seleniumhq.selenium
<artifactId>selenium-java</artifactId>
```

```
<version>3.141.59</version>
</dependency>
<!-- https://mvnrepository.com/artifact/io.github.bonigarcia/webdrivermanager --
<dependency>
<groupId>io.github.bonigarcia/groupId>
<artifactId>webdrivermanager</artifactId>
<version>3.4.0</version>
</dependency>
<dependency>
<groupId>junit
<artifactId>junit</artifactId>
<version>3.8.1</version>
<scope>test</scope>
</dependency>
<!-- https://mvnrepository.com/artifact/org.testng/testng -->
<dependency>
<groupId>org.testng/groupId>
<artifactId>testng</artifactId>
<version>7.1.0</version>
<scope>test</scope>
</dependency>
<dependency>
<groupId>org.uncommons
<artifactId>reportng</artifactId>
<version>1.1.4</version>
<scope>test</scope>
</dependency>
<!--Velocity-dep 1.4-->
```

```
<dependency>
<groupId>velocity</groupId>
<artifactId>velocity-dep</artifactId>
<version>1.4</version>
</dependency>
<!--Guice 3.0-->
<dependency>
<groupId>com.google.inject</groupId>
<artifactId>guice</artifactId>
<version>3.0</version>
</dependency>
</dependency>
</dependency>
</dependency>
</dependency>
</dependencies>
```

</project>