M.Star Diagnostics
We are here for you

ISO 9001:2015

Name	:	**MRS. MAHESHWARI**	Bill Number	:	**M6162**
Age/Gender	:	**24YEARS/FEMALE**	Bill Date	:	01-Sep-2024 10:34 AM
Sample Type	:	**WB EDTA**	Sample Collection	:	01-Sep-2024 11:19 AM
Reff By	:	**DR.L.RAJ KUMAR**	Sample Received	:	01-Sep-2024 11:20 AM
TypedBy	:	Tanveer Fathima	Reporting Date	:	01-Sep-2024 02:33 PM

COMPLETE BLOOD PICTURE (CBP)

INVESTIGATION	RESULT	UNITS	NORMAL RANGE
HAEMOGLOBIN (Method: Cell Counter)	**11.7**	gm/dL	12.0 - 15.0
RBC Count (Method: Cell Counter)	3.9	Millions/Cumm	3.8 - 4.8
WBC Count (Method: Cell Counter)	7,800	Cells/cumm	4,000 - 11,000
RDW - CV (Method: Cell Counter)	12.8	%	11.0 - 16.0
DIFFERENTIAL COUNT			
NEUTROPHILS (Method: Cell Counter)	74	%	40 - 75
LYMPHOCYTES (Method: Cell Counter)	**18**	%	20 - 40
EOSINOPHILS (Method: Cell Counter)	01	%	01 - 06
MONOCYTES (Method: Cell Counter)	07	%	02 - 10
BASOPHILS (Method: Cell Counter)	00	%	0 - 0
PCV (Haematocrit) (Method: Cell Counter)	35	%	35 - 45
MCV (Method: Cell Counter)	89	FL	83 - 101
MCH (Method: Cell Counter)	30	pg	27 - 32
MCHC (Method: Cell Counter)	34	%	32 - 35
PLATELET COUNT (Method: Cell Counter)	2.11	Lakhs/Cumm	1.5 - 4.5
PERIPHERAL SMEAR			
RBCs	NORMOCYTIC NORMOCHROMIC		
WBCs	WITHIN NORMAL LIMITS		
PLATELETS	ADEQUATE		

Sugessted Clinical Correlation If necesarry Kindly Discuss.

----------End of the Report----------

9-190/1 A, Opp. Bajaj Electronics, Beside Govt. Hospital, New Market Road, Ambedkar Colony,
PATANCHERU, Sangareddy Dist- 502 319. T.S. : 08455 296155, : 9603496176
: mstardiagnostics@gmail.com. : www.mstardiagnostics.com

M.Star Diagnostics
We are here for you

ISO 9001:2015

Name	:	**MRS. MAHESHWARI**	Bill Number	:	**M6162**
Age/Gender	:	**24YEARS/FEMALE**	Bill Date	:	01-Sep-2024 10:34 AM
Sample Type	:	**WB EDTA**	Sample Collection	:	01-Sep-2024 11:19 AM
Reff By	:	**DR.L.RAJ KUMAR**	Sample Received	:	01-Sep-2024 11:20 AM
TypedBy	:	Tanveer Fathima	Reporting Date	:	01-Sep-2024 02:33 PM

Authorized Signatory

LAB INCHARGE

9-190/1 A, Opp. Bajaj Electronics, Beside Govt. Hospital, New Market Road, Ambedkar Colony,
PATANCHERU, Sangareddy Dist- 502 319. T.S. : 08455 296155, : 9603496176
: mstardiagnostics@gmail.com. : www.mstardiagnostics.com

M.Star Diagnostics
We are here for you

ISO 9001:2015

Name	:	**MRS. MAHESHWARI**	Bill Number	:	**M6162**
Age/Gender	:	**24YEARS/FEMALE**	Bill Date	:	01-Sep-2024 10:34 AM
Sample Type	:	**URINE**	Sample Collection	:	01-Sep-2024 11:19 AM
Reff By	:	**DR.L.RAJ KUMAR**	Sample Received	:	01-Sep-2024 11:20 AM
TypedBy	:	Tanveer Fathima	Reporting Date	:	01-Sep-2024 02:34 PM

CUE(COMPLETE URINE EXAMINATION)

INVESTIGATION	RESULT	NORMAL RANGE
PHYSICAL EXAMINATION		
QUANTITY	20 ml	
COLOUR	YELLOW	
APPEARANCE	SLIGHTLY TURBID	
REACTION (PH)	7.0	4.6 - 8.0
SPECIFIC GRAVITY	1.025	1.005 - 1.030
CHEMICAL EXAMINATION		
ALBUMIN	PRESENT (+)	NEGATIVE
SUGAR	NIL	NIL
UROBILINOGEN	NEGATIVE	NEGATIVE
BILE SALT	NEGATIVE	NEGATIVE
BILE PIGMENT	NEGATIVE	NEGATIVE
KETONE BODIES	NEGATIVE	NEGATIVE
MICROSCOPIC EXAMINATION		
PUS CELLS	3 - 4 / HPF	0 - 5 / HPF
RBC	NIL	NIL
EPETHILIAL CELLS	3 - 4 / HPF	0 - 5 / HPF
CRYSTALS	NIL	NIL
CASTS	NIL	NIL
OTHERS	NIL	NIL

Method: *Multi Reagent Strip / Chemical / Microscopy*

Sugessted Clinical Correlation If necesarry Kindly Discuss.

9-190/1 A, Opp. Bajaj Electronics, Beside Govt. Hospital, New Market Road, Ambedkar Colony,
PATANCHERU, Sangareddy Dist- 502 319. T.S. : 08455 296155, : 9603496176
: mstardiagnostics@gmail.com. : www.mstardiagnostics.com

M.Star Diagnostics
We are here for you

ISO 9001:2015

Name	:	**MRS. MAHESHWARI**	Bill Number	:	**M6162**
Age/Gender	:	**24YEARS/FEMALE**	Bill Date	:	01-Sep-2024 10:34 AM
Sample Type	:	**URINE**	Sample Collection	:	01-Sep-2024 11:19 AM
Reff By	:	**DR.L.RAJ KUMAR**	Sample Received	:	01-Sep-2024 11:20 AM
TypedBy	:	Tanveer Fathima	Reporting Date	:	01-Sep-2024 02:34 PM

----------End of the Report----------

Authorized Signatory

LAB INCHARGE

9-190/1 A, Opp. Bajaj Electronics, Beside Govt. Hospital, New Market Road, Ambedkar Colony,
PATANCHERU, Sangareddy Dist- 502 319. T.S. : 08455 296155, : 9603496176
: mstardiagnostics@gmail.com. : www.mstardiagnostics.com

M.Star Diagnostics
We are here for you

ISO 9001:2015

Name	:	**MRS. MAHESHWARI**	Bill Number	:	**M6162**
Age/Gender	:	**24YEARS/FEMALE**	Bill Date	:	01-Sep-2024 10:34 AM
Sample Type	:	**WB EDTA**	Sample Collection	:	01-Sep-2024 11:19 AM
Reff By	:	**DR.L.RAJ KUMAR**	Sample Received	:	01-Sep-2024 11:20 AM
TypedBy	:	Tanveer Fathima	Reporting Date	:	01-Sep-2024 02:34 PM

RAPID MALARIA TEST (PV PF)

INVESTIGATION	RESULT	NORMAL RANGE
MALARIAL PARASITE PLASMODIUM VIVAX(P.V) (Method: Immunochromotography)	NEGATIVE	NEGATIVE
MALARIAL PARASITE PLASMODIUM FALCIPARUM(PF) (Method: Immunochromotography)	NEGATIVE	NEGATIVE

Method: *Immunochromotography*

Note :

This test detects P.falciparum and P.Vivax Malarial antigens targeted by highly specific monoclonal antibodies of pLDH and Aldolase respectively.

Sensitivity and Specificity of this test are 98.2% &99.6% for P.falciparum and 91.8% &99.6% for P.Vivax detection.

This kit can provide fast and easy way to get a result, but do not completely exclude the possibility of false positive or false negative result caused by various factors.

Sugessted Clinical Correlation If necesarry Kindly Discuss.

----------End of the Report----------

Authorized Signatory

LAB INCHARGE

9-190/1 A, Opp. Bajaj Electronics, Beside Govt. Hospital, New Market Road, Ambedkar Colony,
PATANCHERU, Sangareddy Dist- 502 319. T.S. : 08455 296155, : 9603496176
: mstardiagnostics@gmail.com. : www.mstardiagnostics.com

M.Star Diagnostics
We are here for you

ISO 9001:2015

Name	:	**MRS. MAHESHWARI**	Bill Number	:	**M6162**
Age/Gender	:	**24YEARS/FEMALE**	Bill Date	:	01-Sep-2024 10:34 AM
Sample Type	:	**SERUM**	Sample Collection	:	01-Sep-2024 11:19 AM
Reff By	:	**DR.L.RAJ KUMAR**	Sample Received	:	01-Sep-2024 11:20 AM
TypedBy	:	Tanveer Fathima	Reporting Date	:	01-Sep-2024 02:36 PM

WIDAL

INVESTIGATION	RESULT
SALMONELLA TYPHI‘ O ‘	1 in 160 DILUTION
SALMONELLA TYPI ‘ H ‘	1 in 80 DILUTION
SALMONELLA PARA TYPHI‘ AH‘	1 in 20 DILUTION
SALMONELLA PARA TYPHI‘ BH‘	1 in 20 DILUTION
BIOLOGICAL REFERENCE	1:80 and above titers considered as positive

Method: *SEMI QUANTITAVE SLIDE AGGLUTINATION*

Interpretation and Remarks:

- The Widal test is applied for the diagnosis of enteric fever that includes typhoid and paratyphoid caused by Salmonella? typhi and Salmonella paratyphi respectively.
- For the slide agglutination test, stained Salmonella antigens are used to detect the presence of specific agglutinin in the patient's serum.
- The slide agglutination test is used as a primary screening procedure.
- Widal test measures somatic O and flagellar H antibodies against Typhoid and Paratyphoid bacilli. The Agglutinins appears usually at the end of the first week of infection and increases steadily till third / fourth week after which the decline starts. A positive Widal test may occur because of typhoid vaccination or past typhoid infection and in certain autoimmune diseases. Nonspecific febrile disease may cause titre to increase. The test may be falsely negative in cases of Enteric fever treated with antibiotics in the early stages

Sugessted Clinical Correlation If necesarry Kindly Discuss.

----------End of the Report----------

Authorized Signatory

LAB INCHARGE

9-190/1 A, Opp. Bajaj Electronics, Beside Govt. Hospital, New Market Road, Ambedkar Colony,
PATANCHERU, Sangareddy Dist- 502 319. T.S. : 08455 296155, : 9603496176
: mstardiagnostics@gmail.com. : www.mstardiagnostics.com

M.Star Diagnostics
We are here for you

ISO 9001:2015

Name	:	**MRS. MAHESHWARI**	Bill Number	:	**M6162**
Age/Gender	:	**24YEARS/FEMALE**	Bill Date	:	01-Sep-2024 10:34 AM
Sample Type	:	**SERUM**	Sample Collection	:	01-Sep-2024 11:19 AM
Reff By	:	**DR.L.RAJ KUMAR**	Sample Received	:	01-Sep-2024 11:20 AM
TypedBy	:	Tanveer Fathima	Reporting Date	:	01-Sep-2024 02:37 PM

Dengue NS1 antigen IgG IgM

INVESTIGATION	RESULT	NORMAL RANGE
DENGUE NS1 (Method: Rapid)	NEGATIVE	NEGATIVE
DENGUE - IGG (Method: Rapid)	NEGATIVE	NEGATIVE
DENGUE - IGM (Method: Rapid)	NEGATIVE	NEGATIVE
TECHNOLOGY	RAPID VISUAL TEST FOR THE DETECTIONOF DENGUE	

Interpretation:

The NS1 antigen is typically detectable within 1 to 2 days following infection and up to 9 days following symptom onset.NS1 antigen may also be detectable during secondary dengue virus infection, but for a shorter duration of time (1-4 days following symptom onset).

False-positive Dengue NS results may occur in individuals with active infection due to other flaviviruses, including West Nile virus and yellow fever virus.

Negative NS1 antigen results may occur if the specimen was collected greater than 7 days following symptom onset

Sugessted Clinical Correlation If necesarry Kindly Discuss.

----------End of the Report----------

Authorized Signatory

LAB INCHARGE

9-190/1 A, Opp. Bajaj Electronics, Beside Govt. Hospital, New Market Road, Ambedkar Colony,
PATANCHERU, Sangareddy Dist- 502 319. T.S. : 08455 296155, : 9603496176
: mstardiagnostics@gmail.com. : www.mstardiagnostics.com