Hands-On Identity Operations in Microsoft Entra ID

Identity Hygiene · RBAC v2 · Enterprise Applications · Joiner/Mover/Leaver · Access Review · Conditional Access Design

Project Name	Healthcare IAM Operations Simulation
Organization	Horizon Valley Medical Center (HVMC)
Environment	Microsoft Entra ID tenant (Free tier), 33 accounts; changes made with Microsoft Graph via scripted, ticketed changes
Date	20 October 2026
Document Version	1.0
Prepared By	Sabitha S Karanavar
Cost	$0 — every change used Entra ID Free features

1. Purpose and approach

The Week 1 design (scenario, RBAC matrix, OU structure and group naming) was turned into a working, governed identity environment. Every change followed the same controlled pattern: **a script shows a dry run, the change is approved, then applied under a change ticket, and before/after evidence is saved**. Group membership is the single source of truth: application access is derived from groups, so access always follows the approved design.

Step	Work	Ticket	Result
1	Identity hygiene — managers, employee IDs, contractor attributes, disable shared test account	HVMC-IAM-CHG-101	53 changes
2	RBAC v2 — groups that grant exactly the RBAC matrix	HVMC-IAM-CHG-102	13 groups, 45 memberships
3	Simulated enterprise applications with app roles	HVMC-IAM-CHG-103	10 apps, 75 assignments
4	Joiner, mover and leaver	HVMC-JML-201/202/203	3 lifecycle events + 1 finding fixed
5	Quarterly access review	HVMC-AR-2026-Q4	94 lines reviewed, 1 removal
6	Conditional Access design (report-only, licence-gated)	—	13 policies, 13 test cases

2. Starting baseline (findings)

#	Finding	Why it mattered	Fixed in
F1	No user had a manager	Access reviews and lifecycle approvals need an accountable manager	Step 1
F2	No employee IDs	No link between an account and an HR record (risk R06)	Step 1
F3	One group per department	Secondary access in the RBAC matrix (e.g. doctors reading Pharmacy and LIS) was not grantable	Step 2
F4	Shared test account “Test Nurse - EHR” enabled	Shared account with ePHI access (risk R07)	Steps 1 and 5

F5	Contractor without type, sponsor or end date	Contractor access outlives the contract (risk R06)	Steps 1 and 4
F6	Single Global Administrator	No backup or emergency access (risk R04)	Step 6 design

3. Step 1 — Identity hygiene

Each department lead became the manager of the department; every staff member received an immutable employee ID (`HVMC-<department code><sequence>`); the contractor was typed, sponsored and given an end date; the shared test account was disabled. The administrator's own account was excluded from automated changes.

Department	Manager (lead)	Reports	Employee IDs
Doctors	**Sarah Chen**	Aisha Rahman, James Okafor, Maria Gonzalez, Peter Novak	HVMC-1001 – HVMC-1005
Nursing	**Angela Brooks**	Emily Carter, Lisa Tran, Monica Alvarez, Noah Fischer, Robert Kim, Tyrone Jackson	HVMC-1101 – HVMC-1107
Pharmacy	**David Patel**	Marcus Webb, Nicole Reyes	HVMC-1201 – HVMC-1203
Laboratory	**Elena Petrova**	Priya Nair, Thomas Wright	HVMC-1301 – HVMC-1303
Human Resources	**Daniel Osei**	Karen Smith	HVMC-1401 – HVMC-1402
Finance	**Brian Adeyemi**	Michael Torres	HVMC-1501 – HVMC-1502
IT	**Kevin O'Brien**	Fatima Ali, Jason Park	HVMC-1601 – HVMC-1603
Security	**Denise Coleman**	Anthony Ruiz	HVMC-1701 – HVMC-1702
Reception	**Grace Nguyen**	Victor Mensah	HVMC-1801 – HVMC-1802

Measure	Before	After
Users with a manager	0	21
Users with an employee ID	0	30
Contractor with type, sponsor and end date	0	1
Shared test account enabled	1	0

Contractor Carlos Diaz: employee ID HVMC-C001, type Contractor, sponsor Kevin O'Brien, contract end 31 Dec 2026 (stored in employeeLeaveDateTime).

4. Step 2 — RBAC v2

New groups follow the Week 1 convention `SG-<Department>-<Application>-<Access>`, one per entitlement in the matrix. A coverage check compares every user's groups with the matrix for their department.

Measure	Before	After
Users whose groups exactly match the RBAC matrix	2/30	30/30
Missing entitlements	45	0
Access beyond the matrix	0	0
SG-* security groups	10	23

New groups: SG-Doctors-Pharmacy-Read, SG-Doctors-LIS-Read, SG-Nursing-Pharmacy-Read, SG-Nursing-LIS-Read, SG-Pharmacy-EHR-Read, SG-Lab-EHR-Read, SG-HR-Payroll-RW, SG-Finance-HRPortal-Read, SG-Finance-FinanceERP-RW, SG-IT-Scheduling-Admin, SG-IT-VPN-Read, SG-Reception-EHR-Read, SG-Contractors-ITAdmin-Limited.

Design decisions (RBAC v2 improves on the Week 1 matrix)

Entitlement held back	Decision and reason
SG-Contractors-EHR-Limited	No Business Associate Agreement on file for the contractor (risk R06) - ePHI access held until signed.
SG-IT-EHR-Read	D1 least privilege / HIPAA minimum necessary: IT staff get no standing ePHI access; break-fix access to be just-in-time.
SG-IT-Pharmacy-Read	D1 least privilege / HIPAA minimum necessary: no standing ePHI access for IT.
SG-IT-LIS-Read	D1 least privilege / HIPAA minimum necessary: no standing ePHI access for IT.
SG-IT-SecurityPortal-Admin	D2 separation of duties: only the Security team administers security monitoring of IT's own actions.

5. Step 3 — Simulated enterprise applications

Each business application from the Week 1 list exists as an app registration and enterprise application with **app roles** for its access levels, **assignment required** (unassigned users are refused), **no secrets or API permissions**, and a homepage on the reserved `.example` domain. Entra ID Free cannot assign *groups* to applications, so a sync script derives *user* assignments from group membership — adding missing ones and removing stale ones — which keeps groups the single source of truth.

Application	App roles	Assignment required	Users
HVMC Electronic Health Record	Read, ReadWrite	Yes	20
HVMC Pharmacy Management System	Read, ReadWrite	Yes	15
HVMC Laboratory Information System	Read, ReadWrite	Yes	15
HVMC HR Portal	Read, ReadWrite	Yes	4
HVMC Payroll System	ReadWrite	Yes	4
HVMC Finance ERP	ReadWrite	Yes	2
HVMC IT Administration Console	Limited, Admin	Yes	4
HVMC Security Monitoring Portal	Admin	Yes	2
HVMC Appointment Scheduling	ReadWrite, Admin	Yes	5
HVMC VPN Portal	Read	Yes	4

6. Step 4 — Joiner, mover, leaver

Group membership is derived from the RBAC v2 matrix; the application sync then follows automatically.

Ticket	Event	Groups before	Groups after	Apps before	Apps after	Account
HVMC-JML-201 Joiner	New hire: Olivia Bennett, Registered Nurse, starts 2026-10-21	—	SG-Nursing-EHR-RW, SG-Nursing-LIS-Read, SG-Nursing-Pharmacy-Read	—	Electronic Health Record, Laboratory Information System, Pharmacy Management System	Enabled
HVMC-JML-202 Mover	Transfer: Noah Fischer, Nursing -> Pharmacy as Pharmacy Technician	SG-Nursing-EHR-RW, SG-Nursing-LIS-Read, SG-Nursing-Pharmacy-Read	SG-Pharmacy-EHR-Read, SG-Pharmacy-PharmacySystem-RW	EHR-Simulated, Electronic Health Record, Laboratory Information System, Pharmacy Management System	EHR-Simulated, Electronic Health Record, Pharmacy Management System	Enabled
HVMC-JML-203 Leaver	Termination: contractor Carlos Diaz, engagement ended early (sponsor Kevin O'Brien)	SG-Contractors-ITAdmin-Limited, SG-Contractors-VPN-Read	—	IT Administration Console, VPN Portal	—	**Disabled**

> **Finding F-JML-01:** F-JML-01 legacy app EHR-Simulated (created 2026-10-12, direct user assignments, not group-driven) kept nurse EHR access after the transfer. **Action:** removed 1 EHR-Simulated assignment(s) for Noah Fischer. The joiner's initial password was random, never displayed or stored, with a forced change at first sign-in; the leaver was disabled and all sign-in sessions revoked before groups were removed, and the account kept (disabled) for audit.

7. Step 5 — Access review HVMC-AR-2026-Q4

Scope: every SG-* membership (which drives application access), direct application assignments, directory roles, Azure RBAC roles and disabled accounts. Reviewers: each user's manager; privileged roles and workload identities: the Security Supervisor; department leads and admin/test accounts: the IAM administrator. HIPAA 45 CFR 164.308(a)(3)(ii)(B)–(C) and (a)(4)(ii)(C).

94
review lines

93
kept with justification

1
removed

10
reviewers

Flag	Lines
None (matches RBAC v2)	75
LEGACY / DIRECT	11
WORKLOAD IDENTITY	5
PRIVILEGED	1
PRIVILEGED - SOLE HOLDER	1
DISABLED ACCOUNT	1

Finding	Decision
Disabled shared test account still held Azure role HVMC-Nurse-EHR-ReadOnly on the ePHI storage account — disabling an account does not remove its roles	Removed (reviewer: Security Supervisor)
Legacy app EHR-Simulated (created 12 Oct) assigned per user, outside group control	Brought under group-driven sync from SG-Doctors-EHR-RW and SG-Nursing-EHR-RW; existing assignments kept for continuity of earlier evidence
Single Global Administrator	Kept; action: second admin and two break-glass accounts (Step 6 design)
Microsoft service identities created by Defender/Sentinel onboarding	Kept (platform-managed)

Actions log: Test Nurse - EHR HVMC-Nurse-EHR-ReadOnly on hvmcehrstorage → ok; group-driven app sync (incl. EHR-Simulated) → 1/1 changes applied..

8. Step 6 — Conditional Access design

The tenant runs **security defaults** (confirmed by an AADSTS530035 block on 14 Oct 2026). Conditional Access needs Entra ID P1 (risk policies P2), so the policy set was designed and generated as deployable Microsoft Graph files in report-only state; the deployment script refuses to run without a licence. Full detail: *HVMC_Conditional_Access_Design.pdf*.

ID	Policy	Persona	Licence	Risks
CA001	Global-AllApps-BlockLegacyAuthentication	Everyone	P1	R12
CA002	Admins-AllApps-RequirePhishingResistantMFA	Administrators	P1	R04, R12
CA003	Global-AllApps-RequireMFA	Everyone	P1	R12, R06
CA004	Global-AzureManagement-RequireMFA	Everyone	P1	R02, R15
CA005	Global-ePHIApps-RequireMFAandManagedDevice	Clinical users (EHR, Pharmacy, LIS)	P1 + Intune	R02, R13
CA006	Global-ePHIApps-NoPersistentBrowserOnUnmanaged	Everyone on unmanaged devices	P1	R02
CA007	Contractors-AllExceptAssigned-Block	Contractors	P1	R06
CA008	Contractors-AllApps-MFAEverySession	Contractors	P1	R06
CA009	Global-AllApps-BlockOutsideAllowedCountries	Everyone	P1	R12
CA010	Global-AllApps-BlockDeviceCodeAndAuthTransfer	Everyone	P1	R12
CA011	Global-SecurityInfoRegistration-RequireUSLocationOrMFA	Everyone	P1	R12
CA012	Global-AllApps-HighUserRisk-SecurePasswordChange	Everyone	P2	R12
CA013	Global-AllApps-MediumHighSignInRisk-RequireMFA	Everyone	P2	R12

Rollout: P2 trial → break-glass accounts and US named location → 14 days report-only → IT pilot → everyone (security defaults off) → clinical device policies and risk-based policies. Licence needs: P1: 10 policies; P1 + Intune: 1 policies; P2: 2 policies.

9. Results, lessons learned and next steps

Outcome	Evidence
Every active staff member's access matches the approved RBAC v2 design (30/30), with no excess access	Step 2 coverage check, re-run after Steps 4–5
Application access is group-driven and self-correcting, including the legacy EHR app	Step 3 sync: 0 additions / 0 removals pending
Joiners, movers and leavers are repeatable, ticketed and evidenced	HVMC-JML-201/202/203 evidence files
Quarterly access review produced decisions, justifications and a removal	HVMC-AR-2026-Q4 decided review pack (Excel)
Zero Trust sign-in policy ready to deploy when licensed	13 report-only policy files + 13 test cases

Lessons learned

- **Disabling is not deprovisioning:** a disabled account kept an Azure data role until the access review removed it.
- **Unmanaged apps defeat good group design:** a direct-assigned legacy app kept a transferred nurse's EHR access (F-JML-01).
- **Licences shape the design:** on the Free tier, group-to-app assignment and Conditional Access are unavailable, so automation and documented design fill the gap until a licence is justified.

- **Least privilege needs judgement:** following the Week 1 matrix literally would have given IT standing ePHI access; RBAC v2 records why it does not.

Next steps

Action	Cost	Risk
Restrict user consent to apps, app registration and guest invitations (free tenant settings)	$0	R08
Second Global Administrator and two break-glass accounts	$0	R04
Start the 30-day P2 trial; deploy the 13 policies in report-only; then PIM and native access reviews	$0 (trial)	R04, R12
Week 2: domain controller on the Ubuntu server and mirroring of the 31 identities	$0	—

Appendix — change register and files

Ticket	Date	Description
HVMC-IAM-CHG-101	20 Oct 2026	Identity hygiene, 53 attribute/manager/account changes
HVMC-IAM-CHG-102	20 Oct 2026	RBAC v2, 59 group/membership/description changes
HVMC-IAM-CHG-103	20 Oct 2026	Enterprise applications, 85 app/assignment changes
HVMC-JML-201/202/203	20 Oct 2026	Joiner Olivia Bennett, mover Noah Fischer, leaver Carlos Diaz
HVMC-AR-2026-Q4	20 Oct 2026	Access review: 94 lines, 1 removal, legacy app brought under management

Scripts: step1_identity_hygiene/identity_hygiene.py · step2_rbac_v2/rbac_v2.py · step3_enterprise_apps/enterprise_apps.py · step4_jml/jml.py · step5_access_review/build_review_pack.py, apply_decisions.py · step6_conditional_access/ca_design.py, deploy_ca.py. Each runs as a dry run by default and changes nothing without --apply.