# User Roster & Group Membership Verification

## AccessGuard Health – Healthcare IAM Operations Simulation

*Lab record: verifying the 30 employee accounts, their OUs, groups and properties in HVMC.LAN*

| | |
|---|---|
| **Project Name** | AccessGuard Health |
| **Project Type** | Healthcare IAM Operations Simulation – Home Lab |
| **Organization** | Horizon Valley Medical Center (HVMC) – fictional |
| **Board Tasks** | Create First Batch of User Accounts (Task 31) and Finish the Roster and Verify All 30 Accounts |
| **Document Version** | 1.0 |
| **Prepared By** | Sabitha S Karanavar |
| **Verified On** | November 2, 2026 |

## 1. Purpose

This document records the checks that prove the full **30-employee roster** exists in the HVMC.LAN Active Directory domain and is set up correctly. Three things were verified: every account exists, every account sits in the correct **department OU**, and every account belongs to the correct **role-based security group**. A final check looked at the properties of one account.

Everything here is a fictional training environment: no real patient data or real credentials are used.

## 2. How the Directory Is Organized

| Container | What it holds | Example |
|---|---|---|
| `OU=Users` **with a department OU inside** | Employee accounts, one OU per department (10 OUs) | `CN=Sarah Chen,OU=Doctors,OU=Users,DC=hvmc,DC=lan` |
| `OU=Groups` | The 10 role-based security groups (SG-…) | `CN=SG-Doctors-EHR-RW,OU=Groups,DC=hvmc,DC=lan` |
| `CN=Users` **(default container)** | Built-in accounts: Administrator, Guest, krbtgt | `CN=Administrator,CN=Users,DC=hvmc,DC=lan` |

The OU tells you **where** a person sits in the hospital. The group tells you **what access** they have. A correct setup keeps the two in agreement, which is what the checks below prove. All checks were run on the domain controller **hvmc-dc01** (192.168.56.10) with `samba-tool` over SSH from the Mac Terminal.

## 3. Check 1 – All Accounts Exist

The user list shows every account in the domain.

```
sudo samba-tool user list
```

```
ubuntu@hvmc-dc01:~$ sudo samba-tool user list
[sudo] password for ubuntu:
daniel.osei
emily.carter
monica.alvarez
grace.nguyen
marcus.webb
brian.adeyemi
angela.brooks
nicole.reyes
sarah.chen
denise.coleman
robert.kim
maria.gonzalez
tyrone.jackson
james.okafor
lisa.tran
priya.nair
carlos.diaz
krbtgt
victor.mensah
kevin.obrien
fatima.ali
aisha.rahman
Administrator
karen.smith
thomas.wright
Guest
elena.petrova
david.patel
noah.fischer
anthony.ruiz
peter.novak
jason.park
michael.torres
ubuntu@hvmc-dc01:~$
```

*Figure 1: Full user list: 33 accounts*

The list holds **33 accounts**. Three are built-in (Administrator, Guest and krbtgt), which leaves **30 employee accounts**: the first batch of 15 required by the board task, plus the second half.

## 4. Check 2 – Every Account Is in the Right OU

Adding `--full-dn` prints each account's complete path, so the OU can be read directly.

```
sudo samba-tool user list --full-dn
```

```
ubuntu@hvmc-dc01:~$ sudo samba-tool user list --full-dn
CN=Daniel Osei,OU=Human Resources,OU=Users,DC=hvmc,DC=lan
CN=Emily Carter,OU=Nursing,OU=Users,DC=hvmc,DC=lan
CN=Monica Alvarez,OU=Nursing,OU=Users,DC=hvmc,DC=lan
CN=Grace Nguyen,OU=Reception,OU=Users,DC=hvmc,DC=lan
CN=Marcus Webb,OU=Pharmacy,OU=Users,DC=hvmc,DC=lan
CN=Brian Adeyemi,OU=Finance,OU=Users,DC=hvmc,DC=lan
CN=Angela Brooks,OU=Nursing,OU=Users,DC=hvmc,DC=lan
CN=Nicole Reyes,OU=Pharmacy,OU=Users,DC=hvmc,DC=lan
CN=Sarah Chen,OU=Doctors,OU=Users,DC=hvmc,DC=lan
CN=Denise Coleman,OU=Security,OU=Users,DC=hvmc,DC=lan
CN=Robert Kim,OU=Nursing,OU=Users,DC=hvmc,DC=lan
CN=Maria Gonzalez,OU=Doctors,OU=Users,DC=hvmc,DC=lan
CN=Tyrone Jackson,OU=Nursing,OU=Users,DC=hvmc,DC=lan
CN=James Okafor,OU=Doctors,OU=Users,DC=hvmc,DC=lan
CN=Lisa Tran,OU=Nursing,OU=Users,DC=hvmc,DC=lan
CN=Priya Nair,OU=Laboratory,OU=Users,DC=hvmc,DC=lan
CN=Carlos Diaz,OU=Contractors,OU=Users,DC=hvmc,DC=lan
CN=krbtgt,CN=Users,DC=hvmc,DC=lan
CN=Victor Mensah,OU=Reception,OU=Users,DC=hvmc,DC=lan
CN=Kevin O'Brien,OU=IT,OU=Users,DC=hvmc,DC=lan
CN=Fatima Ali,OU=IT,OU=Users,DC=hvmc,DC=lan
CN=Aisha Rahman,OU=Doctors,OU=Users,DC=hvmc,DC=lan
CN=Administrator,CN=Users,DC=hvmc,DC=lan
CN=Karen Smith,OU=Human Resources,OU=Users,DC=hvmc,DC=lan
CN=Thomas Wright,OU=Laboratory,OU=Users,DC=hvmc,DC=lan
CN=Guest,CN=Users,DC=hvmc,DC=lan
CN=Elena Petrova,OU=Laboratory,OU=Users,DC=hvmc,DC=lan
CN=David Patel,OU=Pharmacy,OU=Users,DC=hvmc,DC=lan
CN=Noah Fischer,OU=Nursing,OU=Users,DC=hvmc,DC=lan
CN=Anthony Ruiz,OU=Security,OU=Users,DC=hvmc,DC=lan
CN=Peter Novak,OU=Doctors,OU=Users,DC=hvmc,DC=lan
CN=Jason Park,OU=IT,OU=Users,DC=hvmc,DC=lan
CN=Michael Torres,OU=Finance,OU=Users,DC=hvmc,DC=lan
ubuntu@hvmc-dc01:~$
```

*Figure 2: Each employee sits in a department OU under OU=Users*

| Department OU | Accounts |
|---|---|
| **Nursing** | 7 |
| **Doctors** | 5 |
| **IT** | 3 |
| **Pharmacy** | 3 |
| **Laboratory** | 3 |
| **Human Resources** | 2 |
| **Reception** | 2 |
| **Finance** | 2 |
| **Security** | 2 |
| **Contractors** | 1 |
| **Total** | 30 |

## 5. Check 3 – Every Account Is in the Right Group

First one group was checked, the Doctors group:

```
sudo samba-tool group listmembers SG-Doctors-EHR-RW
```

```
ubuntu@hvmc-dc01:~$ sudo samba-tool group listmembers SG-Doctors-EHR-RW
maria.gonzalez
aisha.rahman
sarah.chen
peter.novak
james.okafor
ubuntu@hvmc-dc01:~$
```

*Figure 3: Members of SG-Doctors-EHR-RW*

Its five members are exactly the five accounts in the Doctors OU. Then a loop checked all ten groups at once:

```
for g in $(sudo samba-tool group list | grep "^SG-"); do
  echo "== $g"; sudo samba-tool group listmembers "$g"; done
```

```
ubuntu@hvmc-dc01:~$ for g in $(sudo s
== SG-Doctors-EHR-RW
maria.gonzalez
aisha.rahman
sarah.chen
peter.novak
james.okafor
== SG-Reception-Scheduling-RW
grace.nguyen
victor.mensah
== SG-IT-ITAdmin-Admin
jason.park
kevin.obrien
fatima.ali
== SG-Nursing-EHR-RW
emily.carter
robert.kim
monica.alvarez
noah.fischer
angela.brooks
lisa.tran
tyrone.jackson
== SG-HR-HRPortal-RW
daniel.osei
karen.smith
== SG-Pharmacy-PharmacySystem-RW
david.patel
nicole.reyes
marcus.webb
== SG-Lab-LIS-RW
elena.petrova
priya.nair
thomas.wright
== SG-Contractors-VPN-Read
carlos.diaz
== SG-Security-SecurityPortal-Admin
anthony.ruiz
denise.coleman
== SG-Finance-Payroll-RW
brian.adeyemi
michael.torres
ubuntu@hvmc-dc01:~$
```

*Figure 4: Members of all ten security groups*

| Group | Members | Matches OU |
|---|---|---|
| **SG-Nursing-EHR-RW** | 7 | Nursing |
| **SG-Doctors-EHR-RW** | 5 | Doctors |
| **SG-IT-ITAdmin-Admin** | 3 | IT |
| **SG-Pharmacy-PharmacySystem-RW** | 3 | Pharmacy |
| **SG-Lab-LIS-RW** | 3 | Laboratory |
| **SG-Reception-Scheduling-RW** | 2 | Reception |
| **SG-HR-HRPortal-RW** | 2 | Human Resources |
| **SG-Security-SecurityPortal-Admin** | 2 | Security |
| **SG-Finance-Payroll-RW** | 2 | Finance |
| **SG-Contractors-VPN-Read** | 1 | Contractors |
| **Total** | 30 | All match |

The ten groups hold **30 memberships in total**, one per employee, and every person is in the group for their own department. Nobody has extra groups, which supports least privilege.

## 6. Check 4 – Account Properties

One account was inspected in full as a spot check:

```
sudo samba-tool user show sarah.chen
```

```
ubuntu@hvmc-dc01:~$ sudo samba-tool user show sarah.chen
dn: CN=Sarah Chen,OU=Doctors,OU=Users,DC=hvmc,DC=lan
objectClass: top
objectClass: person
objectClass: organizationalPerson
objectClass: user
cn: Sarah Chen
sn: Chen
title: Physician
givenName: Sarah
instanceType: 4
whenCreated: 20261026062128.0Z
displayName: Sarah Chen
uSNCreated: 4319
department: Doctors
name: Sarah Chen
objectGUID: be92da30-7824-4745-b594-5528a5a45755
badPwdCount: 0
codePage: 0
countryCode: 0
badPasswordTime: 0
lastLogoff: 0
primaryGroupID: 513
objectSid: S-1-5-21-3983250965-4202393204-3698431929-1113
accountExpires: 9223372036854775807
sAMAccountName: sarah.chen
sAMAccountType: 805306368
userPrincipalName: sarah.chen@hvmc.lan
objectCategory: CN=Person,CN=Schema,CN=Configuration,DC=hvmc,DC=lan
pwdLastSet: 134374692885713920
userAccountControl: 512
memberOf: CN=SG-Doctors-EHR-RW,OU=Groups,DC=hvmc,DC=lan
lastLogon: 134380640115132640
logonCount: 1
lastLogonTimestamp: 134380640115132640
whenChanged: 20261102033331.0Z
uSNChanged: 4442
distinguishedName: CN=Sarah Chen,OU=Doctors,OU=Users,DC=hvmc,DC=lan
```

*Figure 5: Properties of the account sarah.chen*

| Property | Value | Meaning |
|---|---|---|
| **dn** | CN=Sarah Chen,OU=Doctors,OU=Users,DC=hvmc,DC=lan | Located in the Doctors OU |
| **title / department** | Physician / Doctors | Job details are filled in |
| **userPrincipalName** | sarah.chen@hvmc.lan | The domain sign-in name |
| **memberOf** | SG-Doctors-EHR-RW | Her single role group |
| **userAccountControl** | 512 | A normal, enabled account |
| **accountExpires** | 9223372036854775807 | Never expires (the value Windows uses for “no date”) |

## 7. Security Considerations

- All names, departments and users are **fictional**; no real patient or employee data is used.
- Access comes from **group membership**, and each person has exactly one group, so access matches job role (least privilege).

- Built-in accounts (Administrator, Guest, krbtgt) are kept out of the department OUs and are not given role groups.
- Only the IT and Security groups hold admin access; the Contractors group is read-only.
- Regular reviews like this one are the basis of the quarterly access review later in the project.

## 8. Key Outcomes

- Confirmed all **30 employee accounts** exist (33 accounts including 3 built-in).
- Confirmed every account is in the correct department OU.
- Confirmed all 10 security groups hold the correct members: 30 memberships, one per employee.
- Checked the properties of one account and found it enabled and correctly filled in.

## 9. Board Status

| Board task | Status |
|---|---|
| **Create First Batch of User Accounts (Task 31)** | Completed – 30 of 30 created, more than the 15 required |
| **Finish the roster and verify all 30 accounts** | Completed – roster, OUs, groups and properties verified |

## 10. Next Steps

- Run the onboarding activity (Task 38): create a new user and assign the correct OU and group.
- Create the matching 30 cloud users in Microsoft Entra ID (Task 34) after the tenant is set up.
- Attach a real resource to a group, such as a shared folder only the Doctors group can open, to show the access in action.

## 11. Deliverables

- User Roster & Group Membership Verification: Lab Documentation for GitHub Portfolio (this document).
- Screenshots: full user list, user list with OUs, Doctors group members, all ten groups and the sarah.chen properties.