

**LAPORAN ANALISIS STORED PROCEDURE DATABASE
PERIKANAN**



**DI SUSUN OLEH :
M.SALSABIL FADILAH
2502016**

**Dosen pengampu :
Muhamad Ainurohman S.kom**

. Procedure Menampilkan Data Ikan

Tujuan

Menampilkan seluruh data pada tabel ikan.

```
MariaDB [perikanan]> DELIMITER $$
MariaDB [perikanan]>
MariaDB [perikanan]> CREATE PROCEDURE P_TAMPIL_IKAN()
  -> BEGIN
  ->     SELECT * FROM ikan;
  -> END $$
Query OK, 0 rows affected (0.015 sec)
```

Procedure Menambah Data Ikan

Tujuan

Menambahkan data ikan baru ke dalam tabel.

```
MariaDB [perikanan]> CREATE PROCEDURE P_TAMBAH_IKAN(
  -> IN p_nama VARCHAR(100),
  -> IN p_spesies VARCHAR(50),
  -> IN p_harga DECIMAL(10,2),
  -> IN p_stok INT
  -> )
  ->
  -> BEGIN
  ->
  -> INSERT INTO ikan
  -> (nm_ikan, spesies, harga, stok)
  ->
  -> VALUES
  -> (p_nama, p_spesies, p_harga, p_stok);
  ->
  -> END $$
Query OK, 0 rows affected (0.014 sec)

MariaDB [perikanan]>
```

Procedure Mengubah Data

Tujuan

Mengubah informasi ikan berdasarkan ID.

```
MariaDB [perikanan]> CREATE PROCEDURE P_UPDATE_IKAN(
  ->
  -> IN p_id INT,
  -> IN p_nama VARCHAR(100),
  -> IN p_spesies VARCHAR(50),
  -> IN p_harga DECIMAL(10,2),
  -> IN p_stok INT
  -> )
  ->
  -> BEGIN
  ->
  -> UPDATE ikan
  ->
  -> SET
  ->
  -> nm_ikan=p_nama,
  -> spesies=p_spesies,
  -> harga=p_harga,
  -> stok=p_stok
  ->
  -> WHERE id_ikan=p_id;
  ->
  -> END $$
Query OK, 0 rows affected (0.014 sec)

MariaDB [perikanan]>
```

. Procedure Mencari Data

Tujuan

Mencari ikan berdasarkan nama.

```
MariaDB [perikanan]> CREATE PROCEDURE P_CARI_IKAN(  
-> IN p_nama VARCHAR(100)  
-> )  
-> BEGIN  
-> SELECT *  
-> FROM ikan  
-> WHERE nm_ikan LIKE CONCAT('%',p_nama,'%');  
-> END $$  
Query OK, 0 rows affected (0.014 sec)
```

Procedure Backup Data Kolam

Tujuan

Mencadangkan data dari tabel kolam ke tabel kolam_backup.

```
MariaDB [perikanan]> CREATE PROCEDURE P_BACKUP_KOLAM()  
-> BEGIN  
-> INSERT INTO kolam_backup  
-> SELECT *  
-> FROM kolam;  
-> END $$  
ERROR 1304 (42000): PROCEDURE P_BACKUP_KOLAM already exists  
MariaDB [perikanan]>  
MariaDB [perikanan]> DELIMITER ;  
MariaDB [perikanan]> CALL P_BACKUP_KOLAM();  
Query OK, 4 rows affected (0.013 sec)
```

Cara Melihat Daftar Stored Procedure

```
MariaDB [perikanan]> SHOW PROCEDURE STATUS  
-> WHERE Db='perikanan';
```

Db	Name	Type	Definer	Modified	Created	Security_type	Comment	character_set_client	collation_connection	Database Collation
perikanan	P_BACKUP_KOLAM	PROCEDURE	root@localhost	2026-07-02 14:05:08	2026-07-02 14:05:08	DEFINER		cp850	cp850_general_ci	utf8mb4_general_ci
perikanan	P_CARI_IKAN	PROCEDURE	root@localhost	2026-07-02 14:12:15	2026-07-02 14:12:15	DEFINER		cp850	cp850_general_ci	utf8mb4_general_ci
perikanan	P_TAMBAH_IKAN	PROCEDURE	root@localhost	2026-07-02 14:11:22	2026-07-02 14:11:22	DEFINER		cp850	cp850_general_ci	utf8mb4_general_ci
perikanan	P_TAMPIL_IKAN	PROCEDURE	root@localhost	2026-07-02 14:11:01	2026-07-02 14:11:01	DEFINER		cp850	cp850_general_ci	utf8mb4_general_ci
perikanan	P_UPDATE_IKAN	PROCEDURE	root@localhost	2026-07-02 14:11:46	2026-07-02 14:11:46	DEFINER		cp850	cp850_general_ci	utf8mb4_general_ci
perikanan	tampil_data_ikan	PROCEDURE	root@localhost	2026-07-02 13:48:57	2026-07-02 13:48:57	DEFINER		cp850	cp850_general_ci	utf8mb4_general_ci
perikanan	update_ikan	PROCEDURE	root@localhost	2026-07-02 13:51:03	2026-07-02 13:51:03	DEFINER		cp850	cp850_general_ci	utf8mb4_general_ci

```
7 rows in set (0.021 sec)  
  
MariaDB [perikanan]>
```