Question 1 Given an array of integers, reverse the given array in place using an index and loop rather than a built-in function. Correct Example Marked out of arr = [1, 3, 2, 4, 5] 1.00 Return the array [5, 4, 2, 3, 1] which is the reverse of the input array. □ Flag question **Function Description** Complete the function reverseArray in the editor below. reverseArray has the following parameter(s): int arr[n]: an array of integers Return int[n]: the array in reverse order Constraints 1 s n s 100 0 < arr[i] ≤ 100 Input Format For Custom Testing The first line contains an integer, n, the number of elements in arr. Each line i of the n subsequent lines (where $0 \le i < n$) contains an integer, arr[i]. Sample Case 0 Sample Input For Custom Testing 3 2 4 5 Sample Output 4 2 3 The input array is [1, 3, 2, 4, 5], so the reverse of the input array is [5, 4, 2, 3, 1]. Sample Case 1 Sample Input For Custom Testing 17 10 21 45 Sample Output

The input array is [17, 10, 21, 45], so the reverse of the input array is [45, 21, 10, 17].

10 17 Explanation

```
Answer: (penalty regime: 0 %)

Reset answer

/*

* Complete the 'reverseArray' function below.

* The function is expected to return an INTEGER_ARRAY.

* The function accepts INTEGER_ARRAY arr as parameter.

*/

/*

* To return the integer array from the function, you should:

* - Store the size of the array to be returned in the result_count variable

* - Allocate the array statically or dynamically

* For example,


* int* return_integer_array_using_static_allocation(int* result_count) {
```

```
*result_count = 5;
     static int a[5] = {1, 2, 3, 4, 5};
     return a;
+ }
* int* return_integer_array_using_dynamic_allocation(int* result_count) {
      *result_count = 5;
     int *a = malloc(5 * sizeof(int));
     for (int i = 0; i < 5; i++) {
         +(a + i) = i + 1;
      return a;
+ }
#include<stdio.h>
#include<stdio.h>
#include<stdlib.h>
int* reverseArray(int arr_count, int *arr, int *result_count) {
  int* result =(int*)malloc(arr_count * sizeof(int));
   if(result ==NULL){
       return NULL;
   for(int i=0;i<arr_count;i++)
       result[i]=arr[arr_count-i-1];
```

*result_count =arr_count;

return result;

Result



```
An automated cutting machine is used to cut rods into segments. The cutting machine can only hold a rod of minlength or more, and it can only make one cut at a time. Given the array lengths[] representing the delired lengths of each segment, determine if it is possible to make the necessary cuts using this machine. The rod is marked into lengths already, in the order given.
  The rod is initially sumilingrith; = 4 + 3 + 2 = 9 units long. First cut off the segment of length 4 + 3 = 7 leaving a rod 9 - 7 = 2. Then check that the length 7 rod can be out into segment of lengths 4 and 3. Since 7 is greater than or equal to mickegin = 7, the final cut can be made. Return "Despite"
  Example
  n = 3
lengths = [4, 2, 3]
minLength = 7
  The rod is initially sumflengthui = 4 + 2 + 3 = 9 units long. In this case, the initial out can be of length 4 or 4 + 2 = 6. Regardless of the length of the first cut the remaining piece will be shorter than minutength. Because n - 1 = 2 cuts cannot be made, the answer is 'In
  Complete the function cutThemAll in the editor below
  cutThemAll has the following parameter(s):
int lengths(n): the lengths of the segments, in order
int minLength: the minimum length the machine can accept
  Returns string: "Possible" if all n-1 cuts can be made. Otherwise, return the string "Imp
    2 en e 10<sup>1</sup>
1 et e 10<sup>0</sup>
1 et e 10<sup>0</sup>
1 e lengthst() e 10<sup>0</sup>
1 e lengthst() e 10<sup>0</sup>
The sum of the elements of lengths equals the uncut rod length.
  Input Format For Custom Testing
  The first line contains an integer, n, the number of elements in lengths.
  Each line i of the n subsequent lines (where 0 \le i < n) contains an integer, lengths[ij].
  The next line contains an integer, minLength, the minimum length accepted by the machine.
  Sample Case 0
Sample Input For Custom Testing
  STDIN Function
4 → lengths[] size n = 4
```

```
Sample Case 0
Sample Input For Custom Testing
4 → lengths[] size n = 4
3 → lengths[] = [3, 5, 4, 3]
9 → minLength= 9
Sample Output
Possible
The uncut rod is 3+5+4+3=15 units long. Cut the rod into lengths of 3+5+4=12 and 3. Then cut the 12 unit piece into lengths 3 and 5+4=9. The remaining segment is 5+4=9 units and that is long enough to make the final cut.
Sample Case 1
Sample Input For Custom Testing
STDIN Function
3 → lengths[] size n = 3
5 → lengths[] = [5, 6, 2]
12 → minLength= 12
Sample Output
Impossible
Explanation
The uncut rod is 5 + 6 + 2 = 13 units long. After making either cut, the rod will be too short to make the second cut.
```

Source Code

```
Answer: (penalty regime: 0 %)
```

```
Reset answer

/*
    * Complete the 'cutThemAll' function below.
    *
    * The function is expected to return a STRING.
    * The function accepts following parameters:
    * 1. LONG_INTEGER_ARRAY lengths
    * 2. LONG_INTEGER minLength
    */

/*
    * To return the string from the function, you should either do static allocation or dynamic allocation
    *
    * For example,
    * char* return_string_using_static_allocation() {
        * static char s[] = "static allocation of string";
    *
        * return s;
    *
}
```

```
* char* return_string_using_dynamic_allocation() {
char* s = malloc(100 * sizeof(char));
    s = "dynamic allocation of string";
     return s;
4 }
#include<stdio.h>
char* cutThemAll(int lengths_count, long *lengths, long minLength) {
  for(int i=0;i<lengths_count-1;i++){
      t+=lengths[i];
   }
   do{
       if(t-lengths[lengths_count-1]<minLength){
          return "Impossible";
       }
       i++;
   }while(i<lengths_count-1);
   return "Possible";
```

Result

	Test	Expected	Got	
~	long lengths[] = {3, 5, 4, 3}; printf("%s", cutThemAll(4, lengths, 9))	Possible	Possible	~
~	long lengths[] = {5, 6, 2}; printf("%s", cutThemAll(3, lengths, 12))	Impossible	Impossible	~