



Started on	Thursday, 20 November 2025, 2:17 PM
State	Finished
Completed on	Thursday, 20 November 2025, 2:24 PM
Time taken	7 mins 27 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00**Problem Statement**

Given an array of 1s and 0s this has all 1s first followed by all 0s. Aim is to find the number of 0s. Write a program using Divide and Conquer to Count the number of zeroes in the given array.

Input Format

First Line Contains Integer m – Size of array

Next m lines Contains m numbers – Elements of an array

Output Format

First Line Contains Integer – Number of zeroes present in the given array.

Answer: (penalty regime: 0 %)

```

1  #include <stdio.h>
2  int countZeros(int arr[], int left, int right) {
3      if (left > right) { return 0;
4      } if (arr[left] == 0) {
5          return right - left + 1;
6      }
7          int mid = (left + right) / 2;
8      if (arr[mid] == 1) {
9          return countZeros(arr, mid + 1, right);
10     } else {
11         return countZeros(arr, left, mid - 1);
12     }
13 }
14 int main(){
15     int m;
16     scanf("%d",&m);
17     int arr[m];
18     for(int i=0;i<=m;i++){
19         scanf("%d", &arr[i]);
20     } int result = countZeros(arr, 0, m - 1);
21     printf("%d\n", result);
22     return 0;
23 }
```

	Input	Expected	Got	
✓	5 1 1 1 0 0	2	2	✓

	Input	Expected	Got	
✓	10 1 1 1 1 1 1 1 1 1 1 1 1	0	0	✓
✓	8 0 0 0 0 0 0 0 0 0 0	8	8	✓
✓	17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 0 0	2	2	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)



Started on	Thursday, 20 November 2025, 2:25 PM
State	Finished
Completed on	Thursday, 20 November 2025, 2:27 PM
Time taken	2 mins 18 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Given an array `nums` of size `n`, return *the majority element*.

The majority element is the element that appears more than $\lfloor n / 2 \rfloor$ times. You may assume that the majority element always exists in the array.

Example 1:

Input: `nums = [3,2,3]`
Output: `3`

Example 2:

Input: `nums = [2,2,1,1,1,2,2]`
Output: `2`

Constraints:

- `n == nums.length`
- `1 <= n <= 5 * 104`
- `-231 <= nums[i] <= 231 - 1`

For example:

Input	Result
3 3 2 3	3
7 2 2 1 1 1 2 2	2

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2
3 int majorityElement(int nums[], int n) {
4     int candidate = nums[0], count = 1;
5
6     for (int i = 1; i < n; i++) {
7         if (nums[i] == candidate) {
8             count++;
9         } else {
10            count--;
11        }
12
13        if (count == 0) {
14            candidate = nums[i];
15            count = 1;
16        }
17    }
18
19    return candidate;
20 }
21
22 int main() {
23     int n;
24     scanf("%d", &n);
25
26     int nums[n];
```

```
27 | for (int i = 0; i < n; i++) {
28 |     scanf("%d", &nums[i]);
29 | }
30 |
31 | int result = majorityElement(nums, n);
32 | printf("%d\n", result);
33 |
34 | return 0;
35 | }
```

	Input	Expected	Got	
✓	3	3	3	✓
	3 2 3			

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)



Started on	Thursday, 20 November 2025, 2:28 PM
State	Finished
Completed on	Thursday, 20 November 2025, 2:30 PM
Time taken	1 min 45 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00**Problem Statement:**

Given a sorted array and a value x, the floor of x is the largest element in array smaller than or equal to x. Write divide and conquer algorithm to find floor of x.

Input Format

First Line Contains Integer n – Size of array

Next n lines Contains n numbers – Elements of an array

Last Line Contains Integer x – Value for x

Output Format

First Line Contains Integer – Floor value for x

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2
3 int findFloor(int arr[], int n, int x) {
4     int low = 0, high = n - 1;
5     int result = -1;
6
7     while (low <= high) {
8         int mid = low + (high - low) / 2;
9
10        if (arr[mid] == x) {
11            return arr[mid];
12        } else if (arr[mid] < x) {
13            result = arr[mid];
14            low = mid + 1;
15        } else {
16            high = mid - 1;
17        }
18    }
19
20    return result;
21 }
22
23 int main() {
24     int n;
25     scanf("%d", &n);
26
27     int arr[n];
28     for (int i = 0; i < n; i++) {
29         scanf("%d", &arr[i]);
30     }
31
32     int x;
33     scanf("%d", &x);
34
35     int result = findFloor(arr, n, x);
36     printf("%d\n", result);
37
38     return 0;
39 }
```


	Input	Expected	Got	
✓	6	2	2	✓
	1			
	2			
	8			
	10			
	12			
	19			
	5			
✓	5	85	85	✓
	10			
	22			
	85			
	108			
	129			
	100			
✓	7	9	9	✓
	3			
	5			
	7			
	9			
	11			
	13			
	15			
	10			

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)



Started on	Thursday, 20 November 2025, 2:30 PM
State	Finished
Completed on	Thursday, 20 November 2025, 2:32 PM
Time taken	1 min 39 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00**Problem Statement:**

Given a sorted array of integers say arr[] and a number x. Write a recursive program using divide and conquer strategy to check if there exist two elements in the array whose sum = x. If there exist such two elements then return the numbers, otherwise print as "No".

Note: Write a Divide and Conquer Solution

Input Format

First Line Contains Integer n – Size of array

Next n lines Contains n numbers – Elements of an array

Last Line Contains Integer x – Sum Value

Output Format

First Line Contains Integer – Element1

Second Line Contains Integer – Element2 (Element 1 and Elements 2 together sums to value "x")

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2
3 int findPair(int arr[], int left, int right, int x) {
4     if (left >= right) {
5         return 0;
6     }
7     int sum = arr[left] + arr[right];
8     if (sum == x) {
9         printf("%d\n", arr[left]);
10        printf("%d\n", arr[right]);
11        return 1;
12    } else if (sum < x) {
13        return findPair(arr, left + 1, right, x);
14    } else {
15        return findPair(arr, left, right - 1, x);
16    }
17 }
18
19 int main() {
20     int n;
21     scanf("%d", &n);
22
23     int arr[n];
24     for (int i = 0; i < n; i++) {
25         scanf("%d", &arr[i]);
26     }
27
28     int x;
29     scanf("%d", &x);
30
31     if (!findPair(arr, 0, n - 1, x)) {
32         printf("No\n");
33     }
34
35     return 0;
36 }
```

	Input	Expected	Got	
✓	4	4	4	✓
	2	10	10	
	4			
	8			
	10			
	14			
✓	5	No	No	✓
	2			
	4			
	6			
	8			
	10			
	100			

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)



Started on	Thursday, 20 November 2025, 2:35 PM
State	Finished
Completed on	Thursday, 20 November 2025, 2:36 PM
Time taken	25 secs
Marks	1.00/1.00
Grade	10.00 out of 10.00 (100%)

Question 1 | Correct Mark 1.00 out of 1.00

Write a Program to Implement the Quick Sort Algorithm

Input Format:

The first line contains the no of elements in the list-n

The next n lines contain the elements.

Output:

Sorted list of elements

For example:

Input	Result
5 67 34 12 98 78	12 34 67 78 98

Answer:

```

1  #include <stdio.h>
2
3  void quick_sort(int arr[], int low, int high) {
4      if (low < high) {
5          int pivot = arr[low];
6          int left = low + 1;
7          int right = high;
8
9          while (left <= right) {
10             while (arr[left] <= pivot && left <= high) {
11                 left++;
12             }
13             while (arr[right] > pivot && right >= low) {
14                 right--;
15             }
16             if (left < right) {
17                 int temp = arr[left];
18                 arr[left] = arr[right];
19                 arr[right] = temp;
20             }
21         }
22
23         arr[low] = arr[right];
24         arr[right] = pivot;
25
26         quick_sort(arr, low, right - 1);
27         quick_sort(arr, right + 1, high);
28     }
29 }
30
31 int main() {
32     int n;
33     scanf("%d", &n);
34
35     int arr[n];
36     for (int i = 0; i < n; i++) {
37         scanf("%d", &arr[i]);
38     }
39
40     quick_sort(arr, 0, n - 1);
41
42     for (int i = 0; i < n; i++) {
43         printf("%d ", arr[i]);
44     }
45     printf("\n");
46 }

```

```
47 |      return 0;
48 | }
```

	Input	Expected	Got	
✓	5 67 34 12 98 78	12 34 67 78 98	12 34 67 78 98	✓
✓	10 1 56 78 90 32 56 11 10 90 114	1 10 11 32 56 56 78 90 90 114	1 10 11 32 56 56 78 90 90 114	✓
✓	12 9 8 7 6 5 4 3 2 1 10 11 90	1 2 3 4 5 6 7 8 9 10 11 90	1 2 3 4 5 6 7 8 9 10 11 90	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)