



Procedure:


1. Go to AWS Services- Under Storage service click on S3



2. Following page will appear- Click on Create Bucket



3. Fill in the following details -Bucket name if you want to use existing bucket then choose bucket



S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.

☒ Block public and cross-account access to buckets and objects through any public bucket or access point policies

S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

☒ Disable

☐ Enable

Tags (0) - optional

Track storage cost or other criteria by tagging your bucket. [Learn more](#)

No tags associated with this bucket.

[Add tag](#)

Default encryption

Automatically encrypt new objects stored in this bucket. [Learn more](#)

4. Keep all the things by default and click on Create Bucket

Tags (0) - optional

Track storage cost or other criteria by tagging your bucket. [Learn more](#)

No tags associated with this bucket.

[Add tag](#)

Default encryption

Automatically encrypt new objects stored in this bucket. [Learn more](#)

Server-side encryption

☒ Disable

☐ Enable

► **Advanced settings**

After creating the bucket you can upload files and folders to the bucket, and configure additional bucket settings.

[Cancel](#) [Create bucket](#)

5. Bucket Created

Amazon S3 ×

Successfully created bucket "newbucket777"

To upload files and folders, or to configure additional bucket settings choose [View details](#).

Amazon S3 > Buckets

► **Account snapshot** [View Storage Lens dashboard](#)



Storage lens provides visibility into storage usage and activity trends. [Learn more](#)

Buckets (2) [Info](#) [Refresh](#) [Copy ARN](#) [Empty](#) [Delete](#) [Create bucket](#)

Buckets are containers for data stored in S3. [Learn more](#)

	Name	AWS Region	Access	Creation date
<input type="radio"/>	elasticbeanstalk-ap-south-1-533090485721	Asia Pacific (Mumbai) ap-south-1	Objects can be public	February 1, 2022, 14:31:57 (UTC+05:30)
<input type="radio"/>	newbucket777	US East (N. Virginia) us-east-1	Bucket and objects not public	August 14, 2022, 22:44:45 (UTC+05:30)

6. Click on the created bucket and click on Object tab to upload anything in bucket and click on upload. Browse files or folders and Click on Upload



7. You can see uploaded file in the Object Tab

