

DYNACARE LABORATORIES
115 MIDAIR CT, BRAMPTON L6T5MB

CUSTOMER SERVICE PHONE/FAX REPORT

COLLECTION TIME 10-55982987 FINAL
2025/09/26 09:55
2025/09/26 2025/09/26

5935881226 AL DR. A. OUELLET-DECOSTE
1989/02/13 1172 RUE SHERBROOKE O
F 36 Y MONTRÉAL, QC 994
H3A 1H6
PHONE: 514-576-7471

FASTING

OUTSIDE
NORMAL
LIMITS

CODES TEST DESCRIPTION	RESULTS	REFERENCE RANGE	LIMITS
------------------------	---------	-----------------	--------

This report is intended only for the use of the addressee and contains confidential information. Any dissemination of this information is prohibited. If you have received this report in error please notify the sender at (905)790-3030 or 1-800-565-5721 and forward all documentation to Customer Service, 115 MIDAIR COURT, BRAMPTON, Ontario, L6T 5M3

C H E M I S T R Y

GLUCOSE SERUM FASTING	4.8	mmol/L
3.6 - 6.0 NORMAL FASTING GLUCOSE		
6.1 - 6.9 IMPAIRED FASTING GLUCOSE		
>6.9 PROVISIONAL DIAGNOSIS OF DIABETES MELLITUS		

CREATININE	84.	50 - 100 umol/L
eGFR	80.	>=60. mL/min/1.73m**2
eGFR is calculated using the CKD-EPI 2021 equation which does not use a race-based adjustment.		

An eGFR result >=60 ml/min/1.73m**2 rules out CKD stage 3-5. Assessment of urine ACR is required to definitively rule out or confirm CKD diagnosis. The KidneyWise toolkit (kidneywise.ca) recommends remeasuring eGFR and urine ACR annually for people with diabetes mellitus and less frequently in others unless clinical circumstances dictate otherwise.

MAGNESIUM	0.81	0.65 - 1.05 mmol/L
URATE	243.	149 - 422 umol/L

The target for treatment of gout is a serum urate level < 360 umol/L (minimum). Lower serum concentrations may be required for alleviation of symptoms.
[Arthritis Care Research 64 (2012) 1431-1446]

HOURS FASTING	12.	hours
CHOLESTEROL	3.98	< 5.20 mmol/L
Total cholesterol and HDL-C used for risk assessment and to calculate non-HDL-C.		

DYNACARE LABORATORIES
115 MIDAIR CT, BRAMPTON L6T5MB

CUSTOMER SERVICE PHONE/FAX REPORT

COLLECTION TIME 10-55982987 FINAL
2025/09/26 09:55
2025/09/26 2025/09/26

5935881226 AL DR. A. OUELLET-DECOSTE
1989/02/13 1172 RUE SHERBROOKE O
F 36 Y MONTRÉAL, QC 994
H3A 1H6
PHONE: 514-576-7471



FASTING

OUTSIDE
NORMAL
LIMITS

CODES TEST DESCRIPTION	RESULTS	REFERENCE RANGE	LIMITS

This report is intended only for the use of the addressee and contains confidential information. Any dissemination of this information is prohibited. If you have received this report in error please notify the sender at (905)790-3030 or 1-800-565-5721 and forward all documentation to Customer Service, 115 MIDAIR COURT, BRAMPTON, Ontario, L6T 5M3			

TRIGLYCERIDES	0.78	< 1.70 mmol/L	
If nonfasting, triglycerides <2.00 mmol/L desired.			
HDL CHOLESTEROL	1.25	mmol/L	1.25
F: >=1.30 mmol/L			
HDL-C <1.30 mmol/L indicates risk for metabolic syndrome.			
LDL CHOLESTEROL CALC.	2.38	< 3.50 mmol/L	
LDL-C was calculated using the NIH equation.			
For additional LDL-C and non-HDL-C thresholds based on risk stratification, refer to 2021 CCS Guidelines.			
NON-HDL-CHOLESTEROL (CALC)	2.73	< 4.20 mmol/L	
TC/HDL-C RATIO	3.2		
APOLIPOPROTEIN B	0.90	< 1.05 g/L	
For additional ApoB thresholds based on risk stratification, refer to the 2021 CCS Guidelines.			
ApoB was measured using the Roche immunoturbidimetric method.			

DYNACARE LABORATORIES
115 MIDAIR CT, BRAMPTON L6T5MB

CUSTOMER SERVICE PHONE/FAX REPORT

COLLECTION TIME 10-55982987 FINAL
2025/09/26 09:55
2025/09/26 2025/09/26

5935881226 AL DR. A. OUELLET-DECOSTE

1989/02/13 1172 RUE SHERBROOKE O
MONTRÉAL, QC

F 36 Y H3A 1H6 994

PHONE: 514-576-7471

FASTING

OUTSIDE
NORMAL
LIMITS

CODES TEST DESCRIPTION	RESULTS	REFERENCE RANGE	LIMITS

This report is intended only for the use of the addressee and contains confidential information. Any dissemination of this information is prohibited. If you have received this report in error please notify the sender at (905)790-3030 or 1-800-565-5721 and forward all documentation to Customer Service, 115 MIDAIR COURT, BRAMPTON, Ontario, L6T 5M3			

HIGH SENSITIVITY CRP	0.4	mg/L	
hs-CRP Value	Risk of cardiovascular event		
< 1.0 mg/L	Low risk		
1.0-3.0 mg/L	Average risk		
> 3.0 mg/L	High risk		
Note: hs-CRP values > 7.9 mg/L may be due to acute inflammation.			
In intermediate CVD risk subjects, hsCRP >=2.0 mg/L may warrant further investigation.			
Refer to Can J Cardiol 32 (2016) 1268.			
FERRITIN	86.	30 - 109 ug/L	
In patients with concomitant inflammation, use Iron studies, including TIBC and Transferrin Saturation, to assess Iron Deficiency status.			
In absence of concomitant inflammation, Ferritin levels can be interpreted as follows:			
30-50: Probable iron deficiency			
51-100: Possible iron deficiency, if risk factors are present			
101-300: Iron deficiency unlikely			
For guidance, see www.hemequity.com/raise-the-bar			
SODIUM	141.	136 - 146 mmol/L	
POTASSIUM	5.6	3.7 - 5.4 mmol/L	5.6
CHLORIDE	103.	95 - 108 mmol/L	
ALT	15.	<36 U/L	
TSH	1.67	0.35 - 5.00 mIU/L	

DYNACARE LABORATORIES
115 MIDAIR CT, BRAMPTON L6T5MB

CUSTOMER SERVICE PHONE/FAX REPORT

COLLECTION TIME 10-55982987 FINAL
2025/09/26 09:55
2025/09/26 2025/09/26

5935881226 AL DR. A. OUELLET-DECOSTE

1989/02/13 1172 RUE SHERBROOKE O
MONTRÉAL, QC

F 36 Y H3A 1H6 994

PHONE: 514-576-7471

FASTING

OUTSIDE
NORMAL
LIMITS

CODES TEST DESCRIPTION	RESULTS	REFERENCE RANGE	LIMITS

This report is intended only for the use of the addressee and contains confidential information. Any dissemination of this information is prohibited. If you have received this report in error please notify the sender at (905)790-3030 or 1-800-565-5721 and forward all documentation to Customer Service, 115 MIDAIR COURT, BRAMPTON, Ontario, L6T 5M3			

HEMOGLOBIN A1c	5.5	%	
	NON-DIABETIC:	< 6.0	%
	PREDIABETES:	6.0 - 6.4	%
	DIABETIC:	> 6.4	%
	OPTIMAL CONTROL:	< 7.0	%
	SUB-OPTIMAL CONTROL:	7.0 - 8.4	%
	INADEQUATE CONTROL:	> 8.4	%
LH	7.0	IU/L	
	Follicular:	1.9 - 14.6	
	Ovulatory:	12.2 - 118.0	
	Luteal:	0.7 - 12.9	
	Post-menopausal:	5.3 - 65.4	
CORTISOL am	210.	130 - 540	nmol/L
DHEAS	4.1	1.65 - 9.15	umol/L
FSH	10.		IU/L
	Follicular:	3 - 15	
	Ovulatory:	5 - 23	
	Luteal:	1 - 9	
	Post-menopausal:	16 - 157	
TESTOSTERONE	0.8	F: < 2.0	nmol/L
PROLACTIN	8.	< 24	ug/L
Roche Diagnostics Electrochemiluminescence Immunoassay (ECLIA).			
Values obtained with different assay methods or kits may not be comparable and cannot be used interchangeably.			
PROGESTERONE	1.3		nmol/L
	Follicular:	< 3.7	
	Ovulatory:	< 57.2	
	Luteal:	3.4 - 83.6	
	Post-menopausal:	< 0.7	

POSTING

1-800-565-5721

DYNACARE LABORATORIES 115 MIDAIR CT, BRAMPTON L6T5MB		CUSTOMER SERVICE PHONE/FAX REPORT	
		COLLECTION TIME 2025/09/26 09:55	10-55982987 FINAL 2025/09/26 2025/09/26
SARALAYA, RADHIKA 18 GLEN RD YORK ONTARIO M6C 3G1	5935881226 AL 1989/02/13 F 36 Y	DR. A. OUELLET-DECOSTE 1172 RUE SHERBROOKE O MONTRÉAL, QC H3A 1H6 994	
PHONE: 647-467-3102 FASTING		PHONE: 514-576-7471	

			OUTSIDE NORMAL LIMITS
CODES TEST DESCRIPTION	RESULTS	REFERENCE RANGE	

This report is intended only for the use of the addressee and contains confidential information. Any dissemination of this information is prohibited. If you have received this report in error please notify the sender at (905)790-3030 or 1-800-565-5721 and forward all documentation to Customer Service, 115 MIDAIR COURT, BRAMPTON, Ontario, L6T 5M3			

ESTRADIOL	162.	pmol/L	
	Follicular:	45 - 854	
	Ovulatory:	151 - 1461	
	Luteal:	82 - 1251	
	Post-menopausal:	< 202	
INSULIN	30.	FASTING: 15 - 174 pmol/L	
H E M A T O L O G Y			

HEMOGLOBIN	131.	110 - 147 g/L	
HEMATOCRIT	0.39	0.33 - 0.44 l/l	
RBC	4.8	3.8 - 5.2 x 10E12/L	
RBC INDICES: MCV	82.	76 - 98 fl	
MCH	28.	24 - 33 pg	
MCHC	338.	313 - 344 g/L	
RDW	13.9	12.5 - 17.3	
WBC	5.4	3.2 - 9.4 x 10E9/L	
PLATELETS	232.	155 - 372 x 10E9/L	
MPV	9.7	4.0 - 14.0 fl	
DIFFERENTIAL WBC'S :			
NEUTROPHILS	3.5	1.4 -6.3 x10E9/L	
LYMPHOCYTES	1.4	1.0 -2.9 x10E9/L	
MONOCYTES	0.4	0.2 -0.8 x10E9/L	
EOSINOPHILS	0.1	0.0 -0.5 x10E9/L	
BASOPHILS	0.00	0.00-0.09x10E9/L	
T E S T (S) T O F O L L O W			

FREE TESTOSTERONE 25 HYDROXY VITAMIN D			