A Comprehensive Study on Online Library Management System (OLMS)

by

Samia Akhter
ID: CSE1803015019

Md. Oliul Alam
ID: CSE1803015020

Kakoli Rani
ID: CSE1803015043

Md. Aminul Islam
ID: CSE1803015044

Tapsina Hasneen
ID: CSE1803015098

Supervised by
Sadia Tasnim Barsha

Submitted in partial fulfillment of the requirements for the degree of
Bachelor of Science in Computer Science and Engineering.

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
SONARGAON UNIVERSITY (SU)

September 2022

A Comprehensive Study on Online Library Management System (OLMS)

by

Samia Akhter
ID: CSE1803015019

Md. Oliul Alam
ID: CSE1803015020

Kakoli Rani
ID: CSE1803015043

Md. Aminul Islam
ID: CSE1803015044

Tapsina Hasneen
ID: CSE1803015098

Supervised by
Sadia Tasnim Barsha

Submitted in partial fulfillment of the requirements for the degree of
Bachelor of Science in Computer Science and Engineering.

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
SONARGAON UNIVERSITY (SU)

September 2022

APPROVAL

The Project titled "**A Comprehensive Study on Online Library Management System (OLMS)"** submitted by Samia Akter (CSE1803015019), Md. Oliul Alam (CSE1803015020), Kakoli Rani (CSE1803015043), Md. Aminul Islam (CSE1803015044) and Tapsina Hasneen (CSE1803015098) to the Department of Computer Science and Engineering, Sonargaon University (SU), has been accepted as satisfactory for the partial fulfillment of the requirements for the degree of Bachelor of Science in Computer Science and Engineering and approved as to its style and contents.

Board of Examiners

Sadia Tasnim Barsha
Lecturer & Exam Coordinator,
Department of Computer Science and Engineering
Sonargaon University (SU)
Supervisor

(Examiner Name & Signature)
Department of Computer Science
and Engineering
Sonargaon University (SU)
Examiner 1

(Examiner Name & Signature)
Department of Computer Science
and Engineering
Sonargaon University (SU)
Examiner 2

(Examiner Name & Signature)
Department of Computer Science
and Engineering
Sonargaon University (SU)
Examiner 3

(Examiner Name & Signature)
Department of Computer Science
and Engineering
Sonargaon University (SU)
Examiner 4

(Examiner Name & Signature)
Department of Computer Science
and Engineering
Sonargaon University (SU)
Examiner 5

DECLARATION

We, hereby, declare that the work presented in this report is the outcome of the investigation performed by us under the supervision of **Sadia Tasnim Barsha, Lecturer & Coordinator,** Department of Computer Science and Engineering, Sonargaon University, Dhaka, Bangladesh. We reaffirm that no part of this project has been or is being submitted elsewhere for the award of any degree or diploma.

Countersigned

(Sadia Tasnim Barsha)
Supervisor

Signature

Samia Akter
ID: CSE1803015019

Md. Oliul Alam
ID: CSE1803015020

Kakoli Rani
ID: CSE1803015043

Md. Aminul Islam
ID: CSE1803015044

Tapsina Hasneen
ID: CSE1803015098

ABSTRACT

Library management system is a project which aims in developing a computerized system to maintain all the daily work of library. This project has many features which are generally not available in normal library management systems like facility of user login and a facility of teachers login. It also has a facility of admin login through which the admin can monitor the whole system. It also has facility of an online notice board where teachers can student can put up information about workshops or seminars being held in our colleges or nearby colleges and librarian after proper verification from the concerned institution organizing the seminar can add it to the notice board. It has also a facility where student after logging in their accounts can see list of books issued and its issue date and return date and also the students can request the librarian to add new books by filling the book request. Overall this project of ours is being developed to help the students as well as staff of library to maintain the library in the best way possible and also reduce the human efforts.

ACKNOWLEDGMENT

At the very beginning, we would like to express my deepest gratitude to the Almighty Allah for giving us the ability and the strength to finish the task successfully within the schedule time.

We are auspicious that we had the kind association as well as supervision of **Sadia Tasnim Barsha**, Lecturer & Exam Coordinator, Department of Computer Science and Engineering, Sonargaon University whose hearted and valuable support with best concern and direction acted as necessary recourse to carry out our project.

We would like to convey our special gratitude to **Prof. Dr Md Alamgir Hossain,** Dean, Faculty of Science and Engineering for his kind concern and precious suggestions.

We are also thankful to all our teachers during our whole education, for exposing us to the beauty of learning.

Finally, our deepest gratitude and love to my parents for their support, encouragement, and endless love.

LIST OF ABBREVIATIONS

CSS	Cascading Style Sheets
HTML	Hyper Text Markup Language
JS	Java Script
PHP	Hypertext Preprocessor
SQL	Structured Query Language

TABLE OF CONTENTS

Title Page No.

DECLARATION ……..…….. ii
ABSTRACT ……...…….. ….. iii
ACKNOWLEDGEMENT …….…… iv
LIST OF ABBREVIATIONS…….……...……... v

CHAPTER 1 1
INTRODUCTION TO OLMS

1.1 Project aims and objevtive……..……..... 1

1.2 Background of project ……...…….. 1

1.3 Operation environment ……..... 1

CHAPTER 2 1 – 8
SYSTEM ANALYSIS

2.1 Introduction …….…..... 1

2.2 Software requirement specification ….…… …….. 1

2.2.1 General description …….…..…… 1

2.2.2 System objectives……..…….…….…….. 2

2.2.3 System requirements…….…… 2

2.2.4 Software and hardware requirements ……... 5

2.3 Existing vs proposed system….……... 5

2.4 Software tools used…….…..……. . 6

2.4.1 Front end…….. 6

2.4.2 Back end…… 8

CHAPTER 3 9-16

SYSTEM DESIGN

3.1 Table design ……..... 9

3.2 Data flow diagram ……..... 14

3.3 Use case diagram for use …….…… 15

3.4 Use case diagram for admin…….……..... 16

CHAPTER 4 **17- 22**

SYSTEM IMPLEMENTATION

4.1 Screenshot of admin login form…… 17

4.2 Screenshot of user signup……. 18

4.3 Screenshot of user login …….…….… 18

4.4 Screenshot of dashboard…….. 19

4.5 Screenshot of categories…...…….…... 20

4.6 Screenshot of authors…….…….. 21

4.7 Screenshot of books …….…… 21

4.8 Screenshot of books …….…….… 22

4.9 Screenshot of books …….…….. 22

CHAPTER 5 **23-24**

SYSTEM TESTING

5.1 Unit testing ……..……. 23

5.2 Integration testing…….. 24

CHAPTER 6 **24**

CONCLUSION & FUTURE SCOPE

REFERENCES 25

APPENDIX …….. 26-54

CHAPTER 1
INTRODUCTION TO OLMS

This chapter gives an overview about the aim, objectives, background and operation environment of the system.

1.1 Project aims and objectives

The project aims and objectives that will be achieved after completion of this project are - discussed in this subchapter. The aims and objectives are as follows:

- Online book issue.
- Request column for librarian for providing new books.
- A separate column for digital library.
- Student login page where student can find books issued by him/her and date of return.
- A search column to search availability of books.
- A teacher login page where teacher can add any events being organized in the college. and important suggestions regarding books.
- Online dashboard about the workshop.

1.2 Background of project

Library Management System is an application which refers to library systems which are generally small or medium in size. It is used by librarian to manage the library using a computerized system where he/she can record various transactions like issue of books, return of books, addition of new books, addition of new students etc.

Books and student maintenance modules are also included in this system which would keep track of the students using the library and also a detailed description about the books a library contains. With this computerized system there will be no loss of book record or member record which generally happens when a non computerized system is used.

In addition, report module is also included in Library Management System. If user's position is admin, the user is able to generate different kinds of reports like lists of students registered, list of books, issue and return reports.

All these modules are able to help librarian to manage the library with more convenience and in a more efficient way as compared to library systems which are not computerized.

1.3 Operation environment

PROCESSOR	INTEL CORE PROCESSOR OR BETTER PERFORMANCE.
OPERATING SYSTEM	WINDOWS VISTA, WINDOWS7, UBUNTU.
MEMORY	1GB RAM OR MORE.
HARD DISK SPACE	MINIMUM 3 GB FOR DATABASE USAGE FOR FUTURE.
DATABASE	MY SQL.

CHAPTER 2
SYSTEM ANALYSIS

2.1 Introduction

In this chapter, we will discuss and analyze about the developing process of Online Library Management System including software requirement specification (SRS) and comparison between existing and proposed system. The functional and nonfunctional requirements are included in SRS part to provide complete description and overview of system requirement before the developing process is carried out. Besides that, existing vs proposed provides a view of how the proposed system will be more efficient than the existing one.

2.2 Software requirement specification

2.2.1 General description

Product description:

Library Management System is a computerized system which helps user(librarian) to manage the library daily activity in electronic format. It reduces the risk of paper work such as file lost, file damaged and time consuming. It can help user to manage the transaction or record more effectively and time saving.

Problem statement:

The problem occurred before having computerized system includes:

- File lost

When computerized system is not implemented file is always lost because of human environment. Sometimes due to some human error there may be a loss of records.

- File damaged

When a computerized system is not their file is always lost due to some accident like spilling of water by some member on file accidentally. Besides some natural disaster like floods or fires may also damage the files.

- Difficult to search record

When there is no computerized system there is always a difficulty in searching of records if the records are large in number.

- Space consuming

After the number of records become large the space for physical storage of file and records also increases if no computerized system is implemented.

- Cost consuming

As there is no computerized system the to add each record paper will be needed which will increase the cost for the management of library.

2.2.2. System objectives

- Improvement in control and performance

The system is developed to cope up with the current issues and problems of library. The system can add user, validate user and is also bug free.

- Save cost

After computerized system is implemented less human force will be required to maintain the library thus reducing the overall cost.

- Save time

Librarian is able to search record by using few clicks of mouse and few search keywords thus saving his valuable time.

2.2.3 System requirements

2.2.3.1 Non-functional requirements

- Product Requirements

<u>Efficiency requirement</u>

When a library management system will be implemented librarian and user will easily access library as searching and book transaction will be very faster.

Reliability requirement

The system should accurately performs member registration, member validation, report generation, book transaction and search.

Usability requirement

The system is designed for a user friendly environment so that student and staff of library can perform the various tasks easily and in an effective way.

Implementation requiremnts

In implementing whole system it uses html in front end with php as server side scripting language which will be used for database connectivity and the backend i.e the database part is developed using mySQL.

2.2.3.2 Functional requirements

1. Normal user

2.1 User login

Description of feature

This feature used by the user to login into system. They are required to enter user id and password before they are allowed to enter the system .The user id and password will be verified
and if invalid id is there user is allowed to not enter the system.

Functional requirements

- User id is provided when they register.
- The system must only allow user with valid id and password to enter the system.
- The system performs authorization process which decides what user level can access to.
- The user must be able to logout after they finished using system.

2.2 Register new user

Description of feature

This feature can be performed by all users to register new user to create account.

Functional requirements

- System must be able to verify information.
- System must be able to delete information if information is wrong.

2.3 Register new book

Description of feature

This feature allows to add new books to the library.

Functional requirements

- System must be able to verify information.
- System must be able to not allow two books having same book id.

2.4 SEARCH BOOK

Description of feature

This feature is found in book maintenance part. We can search book based on book id, book name , publication or by author name.

2.5 Issue books and return books

Description of feature

This feature allows to issue and return books and also view reports of book issued.

Functional requirements

- System must be able to enter issue information in database.
- System must be able to update number of books.
- System must be able to search if book is available or not before issuing books.
- System should be able to enter issue and return date information.

2.6 Event addition

Description of feature

This feature allows teacher and student to add information about various workshops being conducted in college and colleges nearby.

2.2.4 Software and hardware requirements

This section describes the software and hardware requirements of the system.

2.2.4.1 Software requirements

•Operating system -
Windows 7 is used as the operating system as it is stable and supports more features and is more user friendly.
•Database MYSQL –
MYSQL is used as database as it easy to maintain and retrieve records by simple queries which are in English language which are easy to understand and easy to write.
•Development tools and Programming language –
HTML is used to write the whole code and develop webpages with CSS, Java Script for styling work and PHP for sever side scripting.

2.2.4.2 Hardware requirements

• Intel core i5 2nd generation is used as a processor because it is fast than other processors an provide reliable and stable and we can run our pc for longtime. By using this processor we can keep on developing our project without any worries.
• Ram 1 GB is used as it will provide fast reading and writing capabilities and will in turn support in processing.

2.3 Existing vs proposed system

i. Existing system does not have any facility of teachers login or student login where as proposed system will have a facility of student login as well as teacher's login.

ii. Existing system does not have a facility of online reservation of books whereas proposed system has a facility of online reservation of books.

iii. Existing system does not have any facility of online notice board where description of workshops happening in our college as well as nearby colleges is being provided.

iv. Existing system does not has any option of lectures notes uploaded by teachers whereas proposed system will have this facility.

v. Existing system does not have any facility to generate student reports as well book issue reports whereas proposed system provides librarian with a tool to generate reports.

vi. Existing system does not has any facility for book request and suggestions where as in proposed system after logging in to their accounts student can request books as well as provide suggestions to improve library.

2.4 Software tools used

The whole Project is divided in two parts the front end and the back end.

2.4.1 Front end

The front end is designed using of HTML, PHP, CSS, Java Script.

• HTML

HTML or Hyper Text Markup Language is the main markup language for creating web pages and other information that can be displayed in a web browser.HTML is written in the form of HTML elements consisting of *tags* enclosed in angle bracket (like <html>), within the web page content. HTML tags most commonly come in pairs like <h1> and </h1>, although some tags represent *empty elements* and so are unpaired, for example <img>. The first tag in a pair is the *start tag*, and the second tag is the *end tag* (they are also called *opening tags* and *closing tags*). In between these tags web designers can add text, further tags, comments and other types of text-based content. The purpose of a web browser is to read HTML documents and compose them into visible or audible web pages. The browser does not display the HTML tags, but uses the tags to interpret the content of the page.HTML elements form the building blocks of all websites. HTML allows images and objects to be embedded and can be used to create interactive forms. It provides a means to create structured documents by denoting structural semantics for text such as headings, paragraphs, lists, links, quotes and other items. It can embed scripts written in languages such as JavaScript which affect the behavior of HTML web pages.

• CSS

Cascading Style Sheets (CSS) is a style sheet language used for describing the look and formatting of a document written in a markup language. While most often used to style web pages and interfaces written in HTML and XHTML, the language can be applied to any kind of XML document, including plain XML, SVG and XUL. CSS is a cornerstone specification of the web and almost all web pages use CSS style sheets to describe their presentation.CSS is designed primarily to enable the separation of document content from document presentation, including

elements such as the layout, colors, and fonts. This separation can improve content accessibility, provide more flexibility and control in the specification of presentation characteristics, enable multiple pages to share formatting, and reduce complexity and repetition in the structural content (such as by allowing for table less web design).CSS can also allow the same markup page to be presented in different styles for different rendering methods, such as on-screen, in print, by voice (when read out by a speech-based browser or screen reader) and on Braille-based, tactile devices. It can also be used to allow the web page to display differently depending on the screen size or device on which it is being viewed. While the author of a document typically links that document to a CSS file, readers can use a different style sheet, perhaps one on their own computer, to override the one the author has specified. However if the author or the reader did not link the document to a specific style sheet the default style of the browser will be applied.CSS specifies a priority scheme to determine which style rules apply if more than one rule matches against a particular element. In this so-called *cascade*, priorities or *weights* are calculated and assigned to rules, so that the results are predictable.

• JAVA SCRIPT

JavaScript (JS) is a dynamic computer programming language. It is most commonly used as part of web browsers, whose implementations allow client-side scripts to interact with the user, control the browser, communicate asynchronously, and alter the document content that is displayed. It is also being used in server-side programming, game development and the creation of desktop and mobile applications. JavaScript is a prototype-based scripting language with dynamic typing and has first class functions. Its syntax was influenced by C. JavaScript copies many names and naming conventions from Java, but the two languages are otherwise unrelated and have very different semantics. The key design principles within JavaScript are taken from the Self and Scheme programming languages. It is a multi-paradigm language, supporting object-oriented, imperative, and functional programming styles. The application of JavaScript to use outside of web pages—for example, in PDF documents, site-specific browsers, and desktop widgets—is also significant. Newer and faster JavaScript VMs and platforms built upon them (notably Node.js) have also increased the popularity of JavaScript for server-side web applications.

• PHP

PHP is a server-side scripting language designed for web development but also used as a general-purpose programming language. PHP is now installed on more than 244 million websites and 2.1 million web servers. Originally created by Rasmus Lerdorf in 1995, the reference implementation of PHP is now produced by The PHP Group. While PHP originally stood for *Personal Home Page*, it now stands for *PHP*: Hypertext Preprocessor, a recursive backronym. PHP code is interpreted by a web server with a PHP processor module, which generates the resulting web page: PHP commands can be embedded directly into an HTML source document rather than calling an

external file to process data. It has also evolved to include a command-line interface capability and can be used in standalone graphical applications. PHP is free software released under the PHP License. PHP can be deployed on most web servers and also as a
standalone shell on almost every operating system and platform, free of charge.

2.4.2 Back end

The back end is designed using mySQL which is used to design the
Databases.

• MYSQL

MySQL ("My S-Q-L", officially, but also called "My Sequel") is (as of July 2013) the world's second most widely used open-source relational database management system (RDBMS). It is named after co-founder Michael Widenius daughter, My. The SQL phrase stands for Structured Query Language. The MySQL development project has made its source code available under the terms of the GNU General Public License, as well as under a variety of proprietary agreements. MySQL was owned and sponsored by a single for profit firm, the Swedish company MySQL AB, now owned by Oracle Corporation. MySQL is a popular choice of database for use in web applications, and is a central component of the widely used LAMP open source web application software stack (and other 'AMP' stacks). LAMP is an acronym for "Linux, Apache, MySQL, Perl/PHP/Python." Free-software-open source projects that require a full-featured database management system often use MySQL. For commercial use, several paid editions are available, and offer additional functionality.

Applications which use MySQL databases-

include: TYPO3, MODx, Joomla, WordPress, phpBB, MyBB, Drupal and other software. MySQL is also used in many high-profile, large-scale websites, including Wikipedia, Google (though not for searches), Facebook, Twitter, Flickr, and YouTube.

CHAPTER 3
SYSTEM DESIGN

3.1 Table design

<u>Various tables to maintain information-</u>

➢ Library table from database



➢ Admin table from database



➢ Authors table from database



➢ Books table from database



id	BookName	CatId	AuthorId	ISBNNumber	BookPrice	RegDate	UpdationDate
1	Introduction to Computer	8	13	1	200	2022-08-30 01:05:24	2022-08-31 21:18:09
2	Computer Fundamentals	8	14	2	300	2022-08-30 01:05:56	NULL
3	System Analysis and Design	8	15	3	120	2022-08-30 01:06:32	2022-08-31 21:18:40
4	C Programming	8	18	4	220	2022-08-31 21:07:41	NULL
5	Computer Architecture	8	19	5	250	2022-08-31 21:08:38	NULL
6	Data Structure	8	20	6	450	2022-08-31 21:09:16	NULL
7	Unix and Shell Programming	8	11	7	130	2022-08-31 21:10:16	NULL
8	Java	8	12	8	340	2022-08-31 21:10:48	NULL
9	Introduction to Graphics	8	13	9	220	2022-08-31 21:11:42	NULL
10	Operating System & Concepts	8	14	10	440	2022-08-31 21:12:23	NULL

➢ Category table from database



➢ Issu book details table from database



➢ Students table from database



3.2 Data flow diagrams



After entering to the home page of the website, user can choose the user Login option where they are asked to enter username & password , and if he/she is a valid user then a admin login page will be displayed.

3.3 Use case diagram for user



After entering to the home page of the website, student can choose the USER LOGIN option where they are asked to enter username & password , and if he/she is a valid user then a student login page will be displayed.

3.4 Use case diagram for admin



CHAPTER 4
SYSTEM IMPLEMENTATION

4.1 Screenshot of admin login form



4.2 Screenshot of user signup



4.3 Screenshot of user login



4.4 Screenshot of dashboard



4.5 Screenshot of categories



4.6 Screenshot of authors



4.7 Screenshot of books



4.8 Screenshot of issu books



4.9 Screenshot of reg students



CHAPTER 5
SYSTEM TESTING

The aim of the system testing process was to determine all defects in our project. The program was subjected to a set of test inputs and various observations were made and based on these observations it will be decided whether the program behaves as expected or not. Our Project went through two levels of testing.

1.Unit testing
2.integration testing

5.1 Unit Testing

Unit testing is undertaken when a module has been created and successfully reviewed. In order to test a single module we need to provide a complete environment i.e besides the module we would require.

- The procedures belonging to other modules that the module under test calls.
- Non local data structures that module accesses.
- A procedure to call the functions of the module under test with appropriate parameters.

Unit testing was done on each and every module that is described under module description of chapter 4.

1. Test For the admin module -

- Testing admin login form-This form is used for log in of administrator of the system.In this we enter the username and password if both are correct administration page will open other wise if any of data is wrong it will get redirected back to the login page and again ask for username and password.

- Student account addition- In this section the admin can verify student details from student academic info and then only add student details to main library database it contains add and delete buttons if user click add button data will be added to student database and if he clicks delete button the student data will be deleted.

- Book Addition- Admin can enter details of book and can add the details to the main book table also he can view the books requests.

2. **Test for Student login module -**

- Test for Student login Form-This form is used for log in of Student. In this we enter the library id, username and password if all these are correct student login page will open other wise if any of data is wrong it will get redirected back to the login page and again ask for library id, username and password.

5.2 Integration Testing

In this type of testing we test various integration of the project module by providing the input. The primary objective is to test the module interfaces in order to ensure that no errors are occurring when one module invokes the other module.

CHAPTER 6
CONCLUSION & FUTURE SCOPE

This website provides a computerized version of library management system which will benefit the students as well as the staff of the library. It makes entire process online where student can search books, staff can generate reports and do book transactions. It also has a facility for student login where student can login and can see status of books issued as well request for book or give some suggestions. It has a facility of admin's login where admins can add lectures notes and also give necessary suggestion to library and also add info about workshops or events happening in our college or nearby college in the online notice board.

There is a future scope of this facility that many more features such as online books can be added by admin as well as online assignments submission facility , a feature Of group chat where students can discuss various issues of engineering can be added to this project thus making it more interactive more user friendly and project which fulfills each users need in the best way possible.

REFERENCES

1. http://www.w3schools.com/html/html_intro.asp
2. http://www.w3schools.com/css/css_background.asp
3. http://www.w3schools.com/js/js_datatypes.asp
4. http://www.w3schools.com/php/php_forms.asp
5. Fundamentals of software engineering by Rajib mall, PHIlearning.

APENDIX

Admin login.php

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if($_SESSION['alogin']!=''){
$_SESSION['alogin']='';
}
if(isset($_POST['login']))
{

$username=$_POST['username'];
$password=md5($_POST['password']);
$sql ="SELECT UserName,Password FROM admin WHERE UserName=:username and Password=:password";
$query= $dbh -> prepare($sql);
$query-> bindParam(':username', $username, PDO::PARAM_STR);
$query-> bindParam(':password', $password, PDO::PARAM_STR);
$query-> execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() >= 0)
{
$_SESSION['alogin']=$_POST['username'];
echo "<script type='text/javascript'> document.location ='admin/dashboard.php'; </script>";
} else{
echo "<script>alert('Invalid Details');</script>";
}
}

?>
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
   <meta charset="utf-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />



   <meta name="description" content="" />
```

```
    <meta name="author" content="" />
    <title>Online Library Management System</title>

    <link href="assets/css/bootstrap.css" rel="stylesheet" />

    <link href="assets/css/font-awesome.css" rel="stylesheet" />

    <link href="assets/css/style.css" rel="stylesheet" />

    <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet' type='text/css'
/>

</head>
<body>
    <!------MENU SECTION START-->
<?php include('includes/header.php');?>
<!-- MENU SECTION END-->
<div class="content-wrapper">
<div class="container">
<div class="row pad-botm">
<div class="col-md-12">
<h4 class="header-line">ADMIN LOGIN FORM</h4>
</div>
</div>

<!--LOGIN PANEL START-->
<div class="row">
<div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3" >
<div class="panel panel-info">
<div class="panel-heading">
 LOGIN FORM
</div>
<div class="panel-body">
<form role="form" method="post">

<div class="form-group">
<label>Enter Username</label>
<input class="form-control" type="text" name="username" autocomplete="off" required />
</div>
<div class="form-group">
<label>Password</label>
<input class="form-control" type="password" name="password" autocomplete="off" required />
</div>


 <button type="submit" name="login" class="btn btn-info">LOGIN </button>
```

```
</form>
 </div>
</div>
</div>
</div>
<!---LOGIN PANEL END-->

  </div>
    </div>
     <!-- CONTENT-WRAPPER SECTION END-->
 <?php include('includes/footer.php');?>

    <script src="assets/js/jquery-1.10.2.js"></script>

    <script src="assets/js/bootstrap.js"></script>

    <script src="assets/js/custom.js"></script>
</script>
</body>
</html>
```

User SignUp.php

```
<?php
session_start();
include('includes/config.php');
error_reporting(0);
if(isset($_POST['signup']))
{

//Code for student ID
$count_my_page = ("studentid.txt");
$hits = file($count_my_page);
$hits[0] ++;
$fp = fopen($count_my_page , "w");
fputs($fp , "$hits[0]");
fclose($fp);
$StudentId= $hits[0];
$fname=$_POST['fullanme'];
$mobileno=$_POST['mobileno'];
$email=$_POST['email'];
$password=md5($_POST['password']);
$status=1;
```

```
$sql="INSERT INTO  tblstudents(StudentId,FullName,MobileNumber,EmailId,Password,Status)
VALUES(:StudentId,:fname,:mobileno,:email,:password,:status)";
$query = $dbh->prepare($sql);
$query->bindParam(':StudentId',$StudentId,PDO::PARAM_STR);
$query->bindParam(':fname',$fname,PDO::PARAM_STR);
$query->bindParam(':mobileno',$mobileno,PDO::PARAM_STR);
$query->bindParam(':email',$email,PDO::PARAM_STR);
$query->bindParam(':password',$password,PDO::PARAM_STR);
$query->bindParam(':status',$status,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
{
echo '<script>alert("Your Registration successfull and your student id is
"+".$StudentId.")</script>';
}
else
{
echo "<script>alert('Something went wrong. Please try again');</script>";
}
}

?>

<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
   <meta charset="utf-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
   <meta name="description" content="" />
   <meta name="author" content="" />
   <!--[if IE]>
      <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">
      <![endif]-->
   <title>Online Library Management System | Student Signup</title>

   <link href="assets/css/bootstrap.css" rel="stylesheet" />

   <link href="assets/css/font-awesome.css" rel="stylesheet" />

   <link href="assets/css/style.css" rel="stylesheet" />

   <link href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet' type='text/css'
/>
<script type="text/javascript">
function valid()
```

```
{
if(document.signup.password.value!= document.signup.confirmpassword.value)
{
alert("Password and Confirm Password Field do not match  !!");
document.signup.confirmpassword.focus();
return false;
}
return true;
}
</script>
<script>
function checkAvailability() {
$("#loaderIcon").show();
jQuery.ajax({
url: "check_availability.php",
data:'emailid='+$("#emailid").val(),
type: "POST",
success:function(data){
$("#user-availability-status").html(data);
$("#loaderIcon").hide();
},
error:function (){}
});
}
</script>

</head>
<body>
   <!------MENU SECTION START-->
<?php include('includes/header.php');?>
<!-- MENU SECTION END-->
   <div class="content-wrapper">
       <div class="container">
      <div class="row pad-botm">
         <div class="col-md-12">
            <h4 class="header-line">User Signup</h4>

                     </div>

      </div>
          <div class="row">

<div class="col-md-9 col-md-offset-1">
            <div class="panel panel-danger">
                  <div class="panel-heading">
                     SIGNUP FORM
```

```
                    </div>
                    <div class="panel-body">
                        <form name="signup" method="post" onSubmit="return valid();">
<div class="form-group">
<label>Enter Full Name</label>
<input class="form-control" type="text" name="fullanme" autocomplete="off" required />
</div>


<div class="form-group">
<label>Mobile Number :</label>
<input class="form-control" type="text" name="mobileno" maxlength="10" autocomplete="off"
required />
</div>

<div class="form-group">
<label>Enter Email</label>
<input class="form-control" type="email" name="email" id="emailid"
onBlur="checkAvailability()" autocomplete="off" required />
  <span id="user-availability-status" style="font-size:12px;"></span>
</div>

<div class="form-group">
<label>Enter Password</label>
<input class="form-control" type="password" name="password" autocomplete="off" required />
</div>

<div class="form-group">
<label>Confirm Password </label>
<input class="form-control" type="password" name="confirmpassword" autocomplete="off"
required />
</div>
 <div class="form-group">
                        -->
<button type="submit" name="signup" class="btn btn-danger" id="submit">Register Now
</button>

                        </form>
                    </div>
                </div>
                    </div>
      </div>
   </div>
   </div>

   <?php include('includes/footer.php');?>
```

```
    <script src="assets/js/jquery-1.10.2.js"></script>

    <script src="assets/js/bootstrap.js"></script>

    <script src="assets/js/custom.js"></script>
</body>
</html>
```

User profile.php

```
<?php
session_start();
include('includes/config.php');
error_reporting(0);
if(strlen($_SESSION['login'])==0)
    {
header('location:index.php');
}
else{
if(isset($_POST['update']))
{
$sid=$_SESSION['stdid'];
$fname=$_POST['fullanme'];
$mobileno=$_POST['mobileno'];

$sql="update tblstudents set FullName=:fname,MobileNumber=:mobileno where StudentId=:sid";
$query = $dbh->prepare($sql);
$query->bindParam(':sid',$sid,PDO::PARAM_STR);
$query->bindParam(':fname',$fname,PDO::PARAM_STR);
$query->bindParam(':mobileno',$mobileno,PDO::PARAM_STR);
$query->execute();

echo '<script>alert("Your profile has been updated")</script>';
}

?>

<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <!--[if IE]>
```

```
        <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">
        <![endif]-->
    <title>Online Library Management System | Student Signup</title>
    <!-- BOOTSTRAP CORE STYLE  -->
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
    <!-- FONT AWESOME STYLE  -->
    <link href="assets/css/font-awesome.css" rel="stylesheet" />
    <!-- CUSTOM STYLE  -->
    <link href="assets/css/style.css" rel="stylesheet" />
    <!-- GOOGLE FONT -->
    <link  href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet' type='text/css'
/>

</head>
<body>
    <!------MENU SECTION START-->
<?php include('includes/header.php');?>
<!-- MENU SECTION END-->
    <div class="content-wrapper">
         <div class="container">
        <div class="row pad-botm">
            <div class="col-md-12">
                <h4 class="header-line">My Profile</h4>

                        </div>

        </div>
            <div class="row">

<div class="col-md-9 col-md-offset-1">
              <div class="panel panel-danger">
                      <div class="panel-heading">
                        My Profile
                      </div>
                      <div class="panel-body">
                          <form name="signup" method="post">
<?php
$sid=$_SESSION['stdid'];
$sql="SELECT StudentId,FullName,EmailId,MobileNumber,RegDate,UpdationDate,Status from
tblstudents  where StudentId=:sid ";
$query = $dbh -> prepare($sql);
$query-> bindParam(':sid', $sid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
```

```
{
foreach($results as $result)
{               ?>

<div class="form-group">
<label>Student ID : </label>
<?php echo htmlentities($result->StudentId);?>
</div>

<div class="form-group">
<label>Reg Date : </label>
<?php echo htmlentities($result->RegDate);?>
</div>
<?php if($result->UpdationDate!="){?>
<div class="form-group">
<label>Last Updation Date : </label>
<?php echo htmlentities($result->UpdationDate);?>
</div>
<?php } ?>


<div class="form-group">
<label>Profile Status : </label>
<?php if($result->Status==1){?>
<span style="color: green">Active</span>
<?php } else { ?>
<span style="color: red">Blocked</span>
<?php }?>
</div>


<div class="form-group">
<label>Enter Full Name</label>
<input class="form-control" type="text" name="fullanme" value="<?php echo
htmlentities($result->FullName);?>" autocomplete="off" required />
</div>


<div class="form-group">
<label>Mobile Number :</label>
<input class="form-control" type="text" name="mobileno" maxlength="10" value="<?php echo
htmlentities($result->MobileNumber);?>" autocomplete="off" required />
</div>

<div class="form-group">
<label>Enter Email</label>
```

```
<input class="form-control" type="email" name="email" id="emailid" value="<?php echo htmlentities($result->EmailId);?>"  autocomplete="off" required readonly />
</div>
<?php }} ?>

<button type="submit" name="update" class="btn btn-primary" id="submit">Update Now
</button>

                        </form>
                    </div>
                </div>
                    </div>
        </div>
    </div>
    </div>

    <?php include('includes/footer.php');?>
    <script src="assets/js/jquery-1.10.2.js"></script>

    <script src="assets/js/bootstrap.js"></script>

    <script src="assets/js/custom.js"></script>
</body>
</html>
<?php } ?>
```

Dashboard.php

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['login'])==0)
  {
header('location:index.php');
}
else{?>
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>Online Library Management System | User Dash Board</title>
    <!-- BOOTSTRAP CORE STYLE  -->
```

```
   <link href="assets/css/bootstrap.css" rel="stylesheet" />
   <!-- FONT AWESOME STYLE  -->
   <link href="assets/css/font-awesome.css" rel="stylesheet" />
   <!-- CUSTOM STYLE  -->
   <link href="assets/css/style.css" rel="stylesheet" />
   <!-- GOOGLE FONT -->
   <link  href='http://fonts.googleapis.com/css?family=Open+Sans'  rel='stylesheet'  type='text/css'
/>

</head>
<body>
     <!------MENU SECTION START-->
<?php include('includes/header.php');?>
<!-- MENU SECTION END-->
   <div class="content-wrapper">
        <div class="container">
       <div class="row pad-botm">
          <div class="col-md-12">
             <h4 class="header-line">User DASHBOARD</h4>

                        </div>

       </div>

           <div class="row">




              <div class="col-md-3 col-sm-3 col-xs-6">
                  <div class="alert alert-info back-widget-set text-center">
                        <i class="fa fa-bars fa-5x"></i>
<?php
$sid=$_SESSION['stdid'];
$sql1 ="SELECT id from tblissuedbookdetails where StudentID=:sid";
$query1 = $dbh -> prepare($sql1);
$query1->bindParam(':sid',$sid,PDO::PARAM_STR);
$query1->execute();
$results1=$query1->fetchAll(PDO::FETCH_OBJ);
$issuedbooks=$query1->rowCount();
?>

                        <h3><?php echo htmlentities($issuedbooks);?> </h3>
                        Book Issued
                    </div>
                </div>
```

```
            <div class="col-md-3 col-sm-3 col-xs-6">
                <div class="alert alert-warning back-widget-set text-center">
                    <i class="fa fa-recycle fa-5x"></i>
<?php
$rsts=0;
$sql2 ="SELECT id from tblissuedbookdetails where StudentID=:sid and RetrunStatus=:rsts";
$query2 = $dbh -> prepare($sql2);
$query2->bindParam(':sid',$sid,PDO::PARAM_STR);
$query2->bindParam(':rsts',$rsts,PDO::PARAM_STR);
$query2->execute();
$results2=$query2->fetchAll(PDO::FETCH_OBJ);
$returnedbooks=$query2->rowCount();
?>

                    <h3><?php echo htmlentities($returnedbooks);?></h3>
                  Books Not Returned Yet
                 </div>
               </div>
      </div>



   </div>
   </div>

<?php include('includes/footer.php');?>

   <!-- JAVASCRIPT FILES PLACED AT THE BOTTOM TO REDUCE THE LOADING TIME
-->

   <script src="assets/js/jquery-1.10.2.js"></script>

   <script src="assets/js/bootstrap.js"></script>

   <script src="assets/js/custom.js"></script>
</body>
</html>
<?php } ?>
```

Category.php

```
<?php
```

```
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
    {
header('location:index.php');
}
else{

if(isset($_POST['update']))
{
$category=$_POST['category'];
$status=$_POST['status'];
$catid=intval($_GET['catid']);
$sql="update  tblcategory set CategoryName=:category,Status=:status where id=:catid";
$query = $dbh->prepare($sql);
$query->bindParam(':category',$category,PDO::PARAM_STR);
$query->bindParam(':status',$status,PDO::PARAM_STR);
$query->bindParam(':catid',$catid,PDO::PARAM_STR);
$query->execute();
$_SESSION['updatemsg']="Brand updated successfully";
header('location:manage-categories.php');


}
?>
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>Online Library Management System | Edit Categories</title>

    <link href="assets/css/bootstrap.css" rel="stylesheet" />

    <link href="assets/css/font-awesome.css" rel="stylesheet" />

    <link href="assets/css/style.css" rel="stylesheet" />

    <link  href='http://fonts.googleapis.com/css?family=Open+Sans'  rel='stylesheet'  type='text/css'
/>

</head>
<body>
```

```
    <!------MENU SECTION START-->

<?php include('includes/header.php');?>
<!-- MENU SECTION END-->
   <div class="content-wra
   <div class="content-wrapper">
       <div class="container">
      <div class="row pad-botm">
         <div class="col-md-12">
            <h4 class="header-line">Edit category</h4>

                    </div>

</div>
<div class="row">
<div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3"">
<div class="panel panel-info">
<div class="panel-heading">
Category Info
</div>

<div class="panel-body">
<form role="form" method="post">
<?php
$catid=intval($_GET['catid']);
$sql="SELECT * from tblcategory where id=:catid";
$query=$dbh->prepare($sql);
$query-> bindParam(':catid',$catid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($query->rowCount() > 0)
{
foreach($results as $result)
{
  ?>
<div class="form-group">
<label>Category Name</label>
<input class="form-control" type="text" name="category" value="<?php echo
htmlentities($result->CategoryName);?>" required />
</div>
<div class="form-group">
<label>Status</label>
<?php if($result->Status==1) {?>
 <div class="radio">
<label>
<input type="radio" name="status" id="status" value="1" checked="checked">Active
```

```
</label>
</div>
<div class="radio">
<label>
<input type="radio" name="status" id="status" value="0">Inactive
</label>
</div>
<?php } else { ?>
<div class="radio">
<label>
<input type="radio" name="status" id="status" value="0" checked="checked">Inactive
</label>
</div>
 <div class="radio">
<label>
<input type="radio" name="status" id="status" value="1">Active
</label>
</div
<?php } ?>
</div>
<?php }} ?>
<button type="submit" name="update" class="btn btn-info">Update </button>

                                </form>
                            </div>
                        </div>
                            </div>

        </div>

    </div>
    </div>
     <!-- CONTENT-WRAPPER SECTION END-->


  <?php include('includes/footer.php');?>

    <script src="assets/js/jquery-1.10.2.js"></script>
    <!-- BOOTSTRAP SCRIPTS  -->
    <script src="assets/js/bootstrap.js"></script>

    <script src="assets/js/custom.js"></script>
</body>
</html>
<?php } ?>
```

Author.php

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
    {
header('location:index.php');
}
else{

if(isset($_POST['update']))
{
$athrid=intval($_GET['athrid']);
$author=$_POST['author'];
$sql="update  tblauthors set AuthorName=:author where id=:athrid";
$query = $dbh->prepare($sql);
$query->bindParam(':author',$author,PDO::PARAM_STR);
$query->bindParam(':athrid',$athrid,PDO::PARAM_STR);
$query->execute();
$_SESSION['updatemsg']="Author info updated successfully";
header('location:manage-authors.php');



}
?>
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>Online Library Management System | Add Author</title>

    <link href="assets/css/bootstrap.css" rel="stylesheet" />

    <link href="assets/css/font-awesome.css" rel="stylesheet" />

    <link href="assets/css/style.css" rel="stylesheet" />

    <link  href='http://fonts.googleapis.com/css?family=Open+Sans'  rel='stylesheet'  type='text/css'
/>
```

```
</head>
<body>

<?php include('includes/header.php');?>
<!-- MENU SECTION END-->
   <div class="content-wra
   <div class="content-wrapper">
       <div class="container">
      <div class="row pad-botm">
         <div class="col-md-12">
            <h4 class="header-line">Add Author</h4>

                        </div>

</div>
<div class="row">
<div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3"">
<div class="panel panel-info">
<div class="panel-heading">
Author Info
</div>
<div class="panel-body">
<form role="form" method="post">
<div class="form-group">
<label>Author Name</label>
<?php
$athrid=intval($_GET['athrid']);
$sql = "SELECT * from  tblauthors where id=:athrid";
$query = $dbh -> prepare($sql);
$query->bindParam(':athrid',$athrid,PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $result)
{              ?>
<input class="form-control" type="text" name="author" value="<?php echo htmlentities($result-
>AuthorName);?>" required />
<?php }} ?>
</div>

<button type="submit" name="update" class="btn btn-info">Update </button>

                              </form>
                        </div>
```

```
                    </div>
                      </div>

        </div>

    </div>
    </div>

  <?php include('includes/footer.php');?>

    <script src="assets/js/jquery-1.10.2.js"></script>

    <script src="assets/js/bootstrap.js"></script>
      <!-- CUSTOM SCRIPTS  -->
    <script src="assets/js/custom.js"></script>
</body>
</html>
<?php } ?>
```

Books.php

```
<?php
require_once("includes/config.php");
if(!empty($_POST["bookid"])) {
  $bookid=$_POST["bookid"];

    $sql ="SELECT BookName,id FROM tblbooks WHERE (ISBNNumber=:bookid)";
$query= $dbh -> prepare($sql);
$query-> bindParam(':bookid', $bookid, PDO::PARAM_STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query -> rowCount() > 0)
{
  foreach ($results as $result) {?>
<option value="<?php echo htmlentities($result->id);?>"><?php echo htmlentities($result-
>BookName);?></option>
<b>Book Name :</b>
<?php
echo htmlentities($result->BookName);
 echo "<script>$('#submit').prop('disabled',false);</script>";
}
}
 else{?>

<option class="others"> Invalid ISBN Number</option>
```

```
<?php
 echo "<script>$('#submit').prop('disabled',true);</script>";
}
}



?>
```

Issue Books.php

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['login'])==0)
    {
header('location:index.php');
}
else{
if(isset($_GET['del']))
{
$id=$_GET['del'];
$sql = "delete from tblbooks  WHERE id=:id";
$query = $dbh->prepare($sql);
$query -> bindParam(':id',$id, PDO::PARAM_STR);
$query -> execute();
$_SESSION['delmsg']="Category deleted scuccessfully ";
header('location:manage-books.php');

}


    ?>
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
    <meta name="description" content="" />
    <meta name="author" content="" />
    <title>Online Library Management System | Manage Issued Books</title>
    <!-- BOOTSTRAP CORE STYLE  -->
    <link href="assets/css/bootstrap.css" rel="stylesheet" />
    <!-- FONT AWESOME STYLE  -->
    <link href="assets/css/font-awesome.css" rel="stylesheet" />
    <!-- DATATABLE STYLE  -->
```

```
   <link href="assets/js/dataTables/dataTables.bootstrap.css" rel="stylesheet" />
   <!-- CUSTOM STYLE  -->
   <link href="assets/css/style.css" rel="stylesheet" />
   <!-- GOOGLE FONT -->
   <link  href='http://fonts.googleapis.com/css?family=Open+Sans' rel='stylesheet' type='text/css'
/>

</head>
<body>
     <!------MENU SECTION START-->
<?php include('includes/header.php');?>
<!-- MENU SECTION END-->
   <div class="content-wrapper">
        <div class="container">
       <div class="row pad-botm">
          <div class="col-md-12">
             <h4 class="header-line">Manage Issued Books</h4>
   </div>


          <div class="row">
             <div class="col-md-12">
                <!-- Advanced Tables -->
                <div class="panel panel-default">
                   <div class="panel-heading">
                     Issued Books
                   </div>
                   <div class="panel-body">
                      <div class="table-responsive">
                         <table class="table table-striped table-bordered table-hover" id="dataTables-
example">
                            <thead>
                               <tr>
                                  <th>#</th>
                                  <th>Book Name</th>
                                  <th>ISBN </th>
                                  <th>Issued Date</th>
                                  <th>Return Date</th>
                                  <th>Fine in(Tk)</th>
                               </tr>
                            </thead>
                            <tbody>
<?php
$sid=$_SESSION['stdid'];
$sql="SELECT
tblbooks.BookName,tblbooks.ISBNNumber,tblissuedbookdetails.IssuesDate,tblissuedbookdetail
```

```
s.ReturnDate,tblissuedbookdetails.id as rid,tblissuedbookdetails.fine from tblissuedbookdetails join tblstudents on tblstudents.StudentId=tblissuedbookdetails.StudentId join tblbooks on tblbooks.id=tblissuedbookdetails.BookId where tblstudents.StudentId=:sid order by tblissuedbookdetails.id desc";
$query = $dbh -> prepare($sql);
$query-> bindParam(':sid', $sid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $result)
{            ?>
                                <tr class="odd gradeX">
                                   <td class="center"><?php echo htmlentities($cnt);?></td>
                                   <td class="center"><?php echo htmlentities($result->BookName);?></td>
                                   <td class="center"><?php echo htmlentities($result->ISBNNumber);?></td>
                                   <td class="center"><?php echo htmlentities($result->IssuesDate);?></td>
                                   <td class="center"><?php if($result->ReturnDate=="")
                                   {?>
                                   <span style="color:red">
                                    <?php   echo htmlentities("Not Return Yet"); ?>
                                      </span>
                                   <?php } else {
                                   echo htmlentities($result->ReturnDate);
                                }
                                   ?></td>
                                     <td class="center"><?php echo htmlentities($result->fine);?></td>

                                </tr>
 <?php $cnt=$cnt+1;}} ?>
                              </tbody>
                            </table>
                         </div>

                      </div>
                   </div>

               </div>
            </div>
```

```
    </div>
    </div>
    </div>

  <?php include('includes/footer.php');?>


    <script src="assets/js/jquery-1.10.2.js"></script>

    <script src="assets/js/bootstrap.js"></script>

    <script src="assets/js/dataTables/jquery.dataTables.js"></script>
    <script src="assets/js/dataTables/dataTables.bootstrap.js"></script>

    <script src="assets/js/custom.js"></script>

</body>
</html>
<?php } ?>
```

Reg students.php

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['alogin'])==0)
    {
header('location:index.php');
}
else{

// code for block student
if(isset($_GET['inid']))
{
$id=$_GET['inid'];
$status=0;
$sql = "update tblstudents set Status=:status  WHERE id=:id";
$query = $dbh->prepare($sql);
$query -> bindParam(':id',$id, PDO::PARAM_STR);
$query -> bindParam(':status',$status, PDO::PARAM_STR);
$query -> execute();
header('location:reg-students.php');
}
```

```
//code for active students
if(isset($_GET['id']))
{
$id=$_GET['id'];
$status=1;
$sql = "update tblstudents set Status=:status  WHERE id=:id";
$query = $dbh->prepare($sql);
$query -> bindParam(':id',$id, PDO::PARAM_STR);
$query -> bindParam(':status',$status, PDO::PARAM_STR);
$query -> execute();
header('location:reg-students.php');
}


   ?>
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
   <meta charset="utf-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
   <meta name="description" content="" />
   <meta name="author" content="" />
   <title>Online Library Management System | Manage Reg Students</title>

   <link href="assets/css/bootstrap.css" rel="stylesheet" />

   <link href="assets/css/font-awesome.css" rel="stylesheet" />

   <link href="assets/js/dataTables/dataTables.bootstrap.css" rel="stylesheet" />

   <link href="assets/css/style.css" rel="stylesheet" />

   <link  href='http://fonts.googleapis.com/css?family=Open+Sans'  rel='stylesheet'  type='text/css'
/>

</head>
<body>
     <!------MENU SECTION START-->
<?php include('includes/header.php');?>
<!-- MENU SECTION END-->
   <div class="content-wrapper">
       <div class="container">
      <div class="row pad-botm">
          <div class="col-md-12">
              <h4 class="header-line">Manage Reg Students</h4>
```

```
    </div>


        </div>
            <div class="row">
                <div class="col-md-12">
                    <!-- Advanced Tables -->
                    <div class="panel panel-default">
                        <div class="panel-heading">
                          Reg Students
                        </div>
                        <div class="panel-body">
                            <div class="table-responsive">
            <table class="table table-striped table-bordered table-hover" id="dataTables-example">
                                <thead>
                                    <tr>
                                        <th>#</th>
                                        <th>Student ID</th>
                                        <th>Student Name</th>
                                        <th>Email id </th>
                                        <th>Mobile Number</th>
                                        <th>Reg Date</th>
                                        <th>Status</th>
                                        <th>Action</th>
                                    </tr>
                                </thead>
                                <tbody>
<?php $sql = "SELECT * from tblstudents";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $result)
{               ?>
                                    <tr class="odd gradeX">
                                        <td class="center"><?php echo htmlentities($cnt);?></td>
                    <td class="center"><?php echo htmlentities($result->StudentId);?></td>
        <td class="center"><?php echo htmlentities($result->FullName);?></td>
  <td class="center"><?php echo htmlentities($result->EmailId);?></td>                                <td
class="center"><?php echo htmlentities($result->MobileNumber);?></td>
 <td class="center"><?php echo htmlentities($result->RegDate);?></td>
                                        <td class="center"><?php if($result->Status==1)
                                        {
                                            echo htmlentities("Active");
```

```
                                } else {


                                echo htmlentities("Blocked");
}
                                ?></td>
                                <td class="center">
<?php if($result->Status==1)
 {?>
<a href="reg-students.php?inid=<?php echo htmlentities($result->id);?>" onclick="return confirm('Are you sure you want to block this student?');"" >  <button class="btn btn-danger">
Inactive</button>
<?php
```

Change password.php

```
 <?php
session_start();
include('includes/config.php');
error_reporting(0);
if(strlen($_SESSION['login'])==0)
    {
header('location:index.php');
}
else{
if(isset($_POST['change']))
  {
$password=md5($_POST['password']);
$newpassword=md5($_POST['newpassword']);
$email=$_SESSION['login'];
 $sql ="SELECT Password FROM tblstudents WHERE EmailId=:email and
Password=:password";
$query= $dbh -> prepare($sql);
$query-> bindParam(':email', $email, PDO::PARAM_STR);
$query-> bindParam(':password', $password, PDO::PARAM_STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH_OBJ);
if($query -> rowCount() > 0)
{
$con="update tblstudents set Password=:newpassword where EmailId=:email";
$chngpwd1 = $dbh->prepare($con);
$chngpwd1-> bindParam(':email', $email, PDO::PARAM_STR);
$chngpwd1-> bindParam(':newpassword', $newpassword, PDO::PARAM_STR);
$chngpwd1->execute();
$msg="Your Password succesfully changed";
}
```

```
else {
$error="Your current password is wrong";
}
}

?>
<!DOCTYPE html>
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
   <meta charset="utf-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1, maximum-scale=1" />
   <meta name="description" content="" />
   <meta name="author" content="" />
   <title>Online Library Management System | </title>
   <!-- BOOTSTRAP CORE STYLE  -->
   <link href="assets/css/bootstrap.css" rel="stylesheet" />
   <!-- FONT AWESOME STYLE  -->
   <link href="assets/css/font-awesome.css" rel="stylesheet" />
   <!-- CUSTOM STYLE  -->
   <link href="assets/css/style.css" rel="stylesheet" />
   <!-- GOOGLE FONT -->
   <link  href='http://fonts.googleapis.com/css?family=Open+Sans'  rel='stylesheet'  type='text/css'
/>
  <style>
   .errorWrap {
   padding: 10px;
   margin: 0 0 20px 0;
   background: #fff;
   border-left: 4px solid #dd3d36;
   -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
   box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
.succWrap{
   padding: 10px;
   margin: 0 0 20px 0;
   background: #fff;
   border-left: 4px solid #5cb85c;
   -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
   box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
   </style>
</head>
<script type="text/javascript">
function valid()
{
if(document.chngpwd.newpassword.value!= document.chngpwd.confirmpassword.value)
```

```
{
alert("New Password and Confirm Password Field do not match  !!");
document.chngpwd.confirmpassword.focus();
return false;
}
return true;
}
</script>

<body>
   <!------MENU SECTION START-->
<?php include('includes/header.php');?>
<!-- MENU SECTION END-->
<div class="content-wrapper">
<div class="container">
<div class="row pad-botm">
<div class="col-md-12">
<h4 class="header-line">User Change Password</h4>
</div>
</div>
 <?php      if($error){?><div      class="errorWrap"><strong>ERROR</strong>:<?php      echo
htmlentities($error); ?> </div><?php }
       else     if($msg){?><div     class="succWrap"><strong>SUCCESS</strong>:<?php     echo
htmlentities($msg); ?> </div><?php }?>
<!--LOGIN PANEL START-->
<div class="row">
<div class="col-md-6 col-sm-6 col-xs-12 col-md-offset-3" >
<div class="panel panel-info">
<div class="panel-heading">
Change Password
</div>
<div class="panel-body">
<form role="form" method="post" onSubmit="return valid();" name="chngpwd">

<div class="form-group">
<label>Current Password</label>
<input class="form-control" type="password" name="password" autocomplete="off" required  />
</div>

<div class="form-group">
<label>Enter Password</label>
<input    class="form-control"    type="password"    name="newpassword"    autocomplete="off"
required  />
</div>

<div class="form-group">
```

```
<label>Confirm Password </label>
<input  class="form-control"    type="password"  name="confirmpassword"  autocomplete="off"
required  />
</div>

 <button type="submit" name="change" class="btn btn-info">Chnage </button>
</form>
 </div>
</div>
</div>
</div>
<!---LOGIN PANEL END-->


    </div>
    </div>

 <?php include('includes/footer.php');?>

    <script src="assets/js/jquery-1.10.2.js"></script>

    <script src="assets/js/bootstrap.js"></script>

    <script src="assets/js/custom.js"></script>
</body>
</html>
<?php } ?>
```

LogOut.php

```php
<?php
session_start();
$_SESSION = array();
if (ini_get("session.use_cookies")) {
    $params = session_get_cookie_params();
    setcookie(session_name(), '', time() - 60*60,
        $params["path"], $params["domain"],
        $params["secure"], $params["httponly"]
    );
}
unset($_SESSION['login']);
session_destroy(); // destroy session
header("location:index.php");
?>
```