

Wksh No. 4 Additional

Exercise 4.03:

Algo Exo4_3_a

Const

D = 5

Var

T: Array of D Char

i, Co : Integer

Begin

For i $\leftarrow$ 0 to D-1 **do**

Read(T[i])

EndFor

Co $\leftarrow$ 0

For i $\leftarrow$ 0 to D-1 **do**

If T[i] = 'a' or T[i] = 'A' or T[i] = 'e' or T[i] = 'E'
or T[i] = 'i' or T[i] = 'I' or T[i] = 'o' or T[i] = 'O'
or T[i] = 'u' or T[i] = 'U' or T[i] = 'y' or T[i] = 'Y' **then**
Co $\leftarrow$ Co + 1

EndIf

EndFor

Write(Co)

End

For T =

a	c	E	g	i
---	---	---	---	---

Co =

2

Algo Exo4_3_b

Const

D = 5

Var

T: Array of D Integer

i, Co, S : Integer

Begin

For i $\leftarrow$ 0 to D-1 **do**

Read(T[i])

EndFor

S $\leftarrow$ 0

Co $\leftarrow$ 0

For i $\leftarrow$ 0 to D-1 **do**

If T[i] mod 2 $\neq$ 0 **then** /* not T[i] mod 2 = 1 */
Co $\leftarrow$ Co + 1
S $\leftarrow$ S + T[i]

EndIf

EndFor

Write(Co, " ", S, " ", Co/D*100)

End

For T =

-1	2	3	10	17
----	---	---	----	----

Screen

3	19	60
---	----	----

Exercise 4.07:

Algo Exo4_7

Const

D = 5

Type

TAB = Array of D Real

Var

A, B, C: TAB

i: Integer

S : Real

Begin

For i $\leftarrow$ 0 to D-1 **do**

Read(A[i])

EndFor

For i $\leftarrow$ 0 to D-1 **do**

Read(B[i])

EndFor

For i $\leftarrow$ 0 to D-1 **do**

C[i] $\leftarrow$ A[i] + B[i]

Write(C[i])

EndFor

S $\leftarrow$ 0

For i $\leftarrow$ 0 to D-1 **do**

S $\leftarrow$ S + A[i] * B[i]

EndFor

Write(S)

End

Exercise 4.09 (additional):

Algo Exo4_9

Const

D = 5

Type

TAB = Array of D Integer

Var

N, d, Co, Nb, CoP : Integer

T: TAB

Begin

Repeat

Read(Nb)

Until Nb > 0 and Nb ≤ 100

CoP ← 0

N ← 2

Repeat

Co ← 0

For d ← 1 to N **do**

If N mod d = 0 **then**

Co ← Co + 1

EndIf

EndFor

If Co=2 **then**

T[CoP] ← N

CoP ← CoP + 1

EndIf

N ← N + 1

Until CoP = Nb

For d ← Cop to D-1 **do**

T[i] ← -1

EndFor

For d ← 0 to D-1 **do**

Write(T[i])

EndFor

End

Exercise 4.12 (additional):

Algo Exo4_12_a

Const

D = 5

Type

TAB = Array of D String

Var

T1, T2: TAB

i : Integer

Begin

For i ← 0 to D-1 **do**

Read(T1[i])

EndFor

For i ← 0 to D-1 **do**

T2[D-i-1] ← T1[i]

EndFor

For i ← 0 to D-1 **do**

Write(T2[i])

EndFor

End

Algo Exo4_12_b

Const

D = 5

Type

TAB = Array of D String

Var

T: TAB

i : Integer

C : Char

Begin

For i ← 0 to D-1 **do**

Read(T[i])

EndFor

For i ← 0 to (D-1) Div 2 **do**

C ← T[D-i-1]

T[D-i-1] ← T[i]

T[i] ← C

EndFor

For i ← 0 to D-1 **do**

Write(T[i])

EndFor

End

Exercise 4.19 (additional):

Algo Exo4_19

Const

D1 = 4

D2 = 2

D3 = 3

Var

A : Array of D1*D2 Real

B : Array of D2*D3 Real

C : Array of D1*D3 Real

i, j, k : Integer

Begin

For i $\leftarrow$ 0 to D1-1 **do**

For j $\leftarrow$ 0 to D2-1 **do**

 Read(A[i,j])

EndFor

EndFor

For i $\leftarrow$ 0 to D2-1 **do**

For j $\leftarrow$ 0 to D3-1 **do**

 Read(B[i,j])

EndFor

EndFor

For i $\leftarrow$ 0 to D1-1 **do**

For j $\leftarrow$ 0 to D3-1 **do**

 C[i,j] $\leftarrow$ 0

For k $\leftarrow$ 0 to D2-1 **do**

 C[i,j] $\leftarrow$ C[i,j] + A[i,k] * B[k,j]

EndFor

EndFor

EndFor

For i $\leftarrow$ 0 to D1-1 **do**

For j $\leftarrow$ 0 to D3-1 **do**

 Write(C[i,j])

EndFor

EndFor

End