

Campaign Name Builder — Fill-in Template

How to use: pick one value from each slot below, join them with underscores `_`, in the exact order shown. Copy the result into the ad platform. That's it.

⚠

Only use the values listed. No spaces, no free text, no extra tags (`FINAL`, `v2`, `copy`, `dates...`). If your case isn't covered, request a new value from the Data team — don't invent one.

1. CAMPAIGN name

[COUNTRY]_[CAMPAIGN]_[OBJECTIVE]

Slot	Pick one of...
[COUNTRY]	IT · DE
[CAMPAIGN]	AutumnBrandPush · HolidayGifting · AlwaysOnSales
[OBJECTIVE]	Awareness · Conversion

Example → IT_HolidayGifting_Awareness

2. ADSET name

[COUNTRY]_[CAMPAIGN]_[AUDIENCE]_[PLACEMENT]

Slot	Pick one of...
[COUNTRY]	IT · DE
[CAMPAIGN]	AutumnBrandPush · HolidayGifting · AlwaysOnSales
[AUDIENCE]	Broad · GiftShoppers · Retargeting
[PLACEMENT]	Feed · Stories · Reels · Auto · Manual

Example → IT_HolidayGifting_GiftShoppers_Stories

3. AD name

[COUNTRY]_[CAMPAIGN]_[CREATIVE]_[VERSION]

Slot Pick one of...

[COUNTRY] IT · DE

[CAMPAIGN] AutumnBrandPush · HolidayGifting · AlwaysOnSales

[CREATIVE] Image · Video · Carousel · Static · Html5 · Spark

[VERSION] v1 · v2 · v3 ...

Example → IT_HolidayGifting_Video_v1

Full worked example (one campaign, top to bottom)

You're launching the **Holiday Gifting** awareness push in **Italy**, targeting **gift shoppers** in **Stories**, with a **video** creative:

Campaign : IT_HolidayGifting_Awareness
Adset : IT_HolidayGifting_GiftShoppers_Stories
Ad : IT_HolidayGifting_Video_v1

Quick DO / DON'T

✓ DO

✗ DON'T

DE_AlwaysOnSales_Conversion

de_always on sales_conv

Use ☐ between slots

Use spaces, ☐, `

Use exact spelling & case shown

ita, AWARENESS, holidaygifting

Ask Data team for new values

Invent Q4Push, BlackFriday, etc.

Keep it to the exact number of slots

Add _FINAL, _v2test, _copy, dates

Need a value that isn't listed?

New country, campaign, audience, placement, or creative type? → Request it from the **Marketing Data Engineering** team so it's added to the approved list (and the validator) *before* you launch. This keeps every name machine-readable and every report accurate.