

THE VISCERAL FAT TRUTH

What your doctor hasn't told you — and what actually works

PAGE 1 · THE WAKE-UP

3 WARNING SIGNS YOU ALREADY HAVE IT

1. Your belly is hard and pushing out.

Not the soft fat you can grab — this pushes outward from behind the muscle. It's wrapping around your liver, pancreas, and heart. If your waist is growing but your arms and legs haven't changed — that's visceral fat.

2. Dark patches on your skin.

Check the back of your neck, armpits, and shoulder creases. A dark, velvety patch means insulin resistance is already happening. Doctors call it acanthosis nigricans. It's one of the earliest warning signs.

3. Skin tags appearing.

Tiny fleshy bumps popping up around your neck or underarms? Same story. Insulin is running too high, too often — and that's exactly what drives visceral fat storage.

If you have even one of these — your body is already in fat-storing mode.

WHAT'S REALLY AT STAKE

THE CLINICAL RISKS:

- Heart attack and stroke
- Type 2 diabetes
- High blood pressure
- High cholesterol
- Chronic inflammatory disease

WHAT YOU'RE ALREADY FEELING:

- Tired all the time
- Brain fog and poor memory
- Motivation gone
- Energy crashing by afternoon
- Declining performance everywhere

WHY NOTHING HAS WORKED

CORTISOL (stress hormone) — directs fat storage straight to your belly.

INSULIN (storage hormone) — when it stays high all day, fat burning is switched off.

Think of your body like a warehouse. It has two modes: RECEIVING (storing fat) and SHIPPING (burning fat). Insulin is the forklift driver — as long as deliveries keep arriving every few hours, nothing ever gets shipped out. Your biology hasn't changed in thousands of years. It stores belly fat as an emergency reserve.

Exercise alone won't fix this. Eating less alone won't fix this. This is a hormone system — you need to work WITH it, not against it.

THE FOOD TRAP — HIDDEN CARBS KEEPING YOU FAT

Shop sandwich **50g carbs** = 12 teaspoons of sugar impact

"Healthy" cereal bar **30g carbs** insulin spiked for hours

Flavoured yoghurt **25g carbs** more sugar than some desserts

Bowl of white rice **45g carbs** fat-storing mode for 3–4 hours

Less insulin stimulation = more fat burning. Your body wants to burn it. Stop telling it not to.

“

I was 79kg with a growing belly. I'm an endocrinologist — I study hormones for a living — and I couldn't fix my own. Four months later: 69kg. Energy through the roof. Thinking sharper than in years. I didn't starve. I didn't live in the gym. I used my hormones, food, and timing as one system. What follows on the next page is that system.

THE SYSTEM

5 steps to reset your metabolism — starting today

01 KNOW YOUR FOOD

The more food is processed, the worse it is for insulin. Think of it as a spectrum:

WHOLE FOOD ✓

Corn on the cob
Whole oats
Whole apple

BROKEN FOOD ■

Corn kernels
Rolled oats
Apple slices

POWDERED FOOD ✗

Cornflour / chips
Instant sachets
Apple juice

Every processing step strips fibre. Less fibre = harder insulin spike = more fat stored.

02 CHANGE ONE MEAL

Pick one meal. Rebuild it with good fats + protein + vegetables + less carbs. This single swap kills hunger for hours. The domino effect starts working FOR you.

Best option: Start with your last meal — it sets up your overnight fast.

Second option: Start with breakfast — a bad first meal triggers cravings all day.

FREE TOOL: Get your personalised good food / bad food list

Enter your cuisine, preferences & location → Custom Gemini AI Prompt → [link in bio](#)

03 THE SHOPPING CART RULE

If it's not in the cart → it doesn't come home → it doesn't get eaten.

One decision at the shop replaces fifty decisions at home. Shop from a list. Leave the junk on the shelf.

04 BUILD THE GAP

Create a 12-hour gap between your last meal and first meal. Dinner 7pm → breakfast 7am. Most of the gap is while you sleep. Then stretch by 1–2 hours every 3–4 days. During your eating window, eat well — real food, good portions. This isn't starvation. It's timing.

When hunger hits — your rescue kit:

- Almonds, walnuts, cashews, peanuts (uncoated best)
- Raw veg — bell peppers, cucumber, celery
- Water (most "hunger" before noon = dehydration)
- Hummus, beetroot pickle, seeds, kimchi, fish, meat, salads

05 TIME YOUR EXERCISE

Exercise just before breaking your fast = peak fat-burning hormones. Your body is primed to burn stored fat AND build muscle at the same time.

- 7,000 steps daily — the research-backed metabolic sweet spot
- Bodyweight session before first meal — uses the hormone window
- 10–15 min walk after meals — reduces insulin spike significantly

No gym needed. Just smart timing.

WANT TO GO DEEPER?

I'm building something for people who are serious about resetting their metabolism — properly, with guidance.

[Visit drsabyroy.com to find out more](https://drsabyroy.com)

EVIDENCE BASE:

Lustig, R. (2021). Metabofical. Harper Wave. · Phinney & Volek (2011). Art and Science of Low Carbohydrate Living.
Harvie et al. (2011). Int. Journal of Obesity, 35(5), 714-727. · Halberg et al. (2005). J. Applied Physiology, 99(6), 2128-2136.
Sonnenburg & Sonnenburg (2015). The Good Gut. Penguin. · Tirosh et al. (2012). Diabetes Care, 35(12), 2564-2570.