WORD	
&&	
<=	
<>	
!=	
>=	
<<	
>>	
<=> ACCESSIBLE	
ACCOUNT	
ACTION	
ADD	
ADMIN	
AFTER	
AGAINST	
AGGREGATE	
ALL	
ALGORITHM	
ALTER	
ALWAYS ANALYZE	
ANALYZE AND	
ANY	
AS	
ASC	
ASCII	
ASENSITIVE	
AT	
ATOMIC	
AUTHORS	
AUTO_INCREMENT	
AUTOEXTEND_SIZE AUTO	
AVG	
AVG ROW LENGTH	
BACKUP	
BEFORE	
BEGIN	
BETWEEN	
BIGINT	
BINARY	
BINLOG BIT	
BLOB	
BLOCK	
BODY	
BOOL	
BOOLEAN	
ВОТН	
BTREE	
BY	
BYTE	
CACHE	
CASCADE	
CASCADE CASCADED	
CASE	
CATALOG NAME	
CHAIN	
CHANGE	
CHANGED	
CHAR	
CHARACTER	
CHARSET	
CHECK	
CHECKPOINT	
CHECKSUM	
CIPHER CLASS ORIGIN	
CLIENT	
CLILIVI	

MODD
WORD
CLOSE
COALESCE
CODE
COLLATE
COLLATION
COLUMN
COLUMN_NAME COLUMNS
COLUMN ADD
COLUMN CHECK
COLUMN_CREATE
COLUMN_DELETE
COLUMN_GET
COMMENT COMMIT
COMMITTED
COMPACT
COMPLETION
COMPRESSED
CONCURRENT
CONDITION
CONNECTION CONSISTENT
CONSTRAINT
CONSTRAINT_CATALOG
CONSTRAINT_NAME
CONSTRAINT_SCHEMA
CONTAINS
CONTEXT CONTINUE
CONTRIBUTORS
CONVERT
CPU
CREATE
CROSS
CUBE CURRENT
CURRENT DATE
CURRENT POS
CURRENT_ROLE
CURRENT_TIME
CURRENT_TIMESTAMP
CURRENT_USER
CURSOR CURSOR NAME
CYCLE
DATA
DATABASE
DATABASES
DATAFILE
DATE DATETIME
DAY
DAY HOUR
DAY_MICROSECOND
DAY_MINUTE
DAY_SECOND
DEALLOCATE
DEC DECIMAL
DECLARE
DEFAULT
DEFINER
DELAYED
DELAY_KEY_WRITE
DELETE DOMAIN ID
DELETE_DOMAIN_ID DESC
DESCRIBE

WORD
DES_KEY_FILE
DETERMINISTIC DIAGNOSTICS
DIRECTORY
DISABLE
DISCARD
DISK
DISTINCT
DISTINCTROW
DIV
DO DOUBLE
DO DOMAIN IDS
DROP
DUAL
DUMPFILE
DUPLICATE
DYNAMIC
EACH ELSE
ELSEIF
ELSIF
ENABLE
ENCLOSED
END
ENDS
ENGINE ENGINES
ENUM
ERROR
ERRORS
ESCAPE
ESCAPED
EVENT
EVENTS EVERY
FXAMINED
EXCEPT
EXCHANGE
EXCLUDE
EXECUTE
EXCEPTION
EXISTS EXIT
EXPANSION
EXPIRE
EXPORT
EXPLAIN
EXTENDED
EXTENT_SIZE
FALSE FAST
FAULTS
FETCH
FIELDS
FILE
FIRST
FLOAT FLOAT
FLOAT4
FLOAT8
FLUSH
FOLLOWING
FOLLOWS
FOR
FORCE FOREIGN
FORMAT
FOUND
FROM

Database. Information_schema, Table. KE1
WORD
FULL FULLTEXT
FUNCTION
GENERAL
GENERATED
GEOMETRY
GEOMETRYCOLLECTION GET FORMAT
GET_I OKINAT
GLOBAL
GOTO
GRANT GRANTS
GROUP
HANDLER
HARD
HASH HAVING
HELP
HIGH_PRIORITY
HISTORY
HOSTS
HOUR
HOUR_MICROSECOND
HOUR_MINUTE
HOUR_SECOND
ID IDENTIFIED
IF
IGNORE
IGNORE_DOMAIN_IDS
IGNORE_SERVER_IDS IMMEDIATE
IMPORT
INTERSECT
IN
INCREMENT
INDEX INDEXES
INFILE
INITIAL_SIZE
INNER
INOUT INSENSITIVE
INSERT
INSERT_METHOD
INSTALL
INT INT1
INT2
INT3
INT4
INT8
INTEGER INTERVAL
INVISIBLE
INTO
IO TUDEAD
IO_THREAD IPC
IS
ISOLATION
ISOPEN
ISSUER
ITERATE INVOKER
JOIN
JSON
KEY

WORD
KEYS
KEY_BLOCK_SIZE KILL
LANGUAGE
LAST
LAST_VALUE
LASTVAL LEADING
LEAVE
LEAVES
LESS LESS
LEVEL
LIKE
LIMIT LINEAR
LINES
LINESTRING
LIST
LOAD LOCAL
LOCALTIME
LOCALTIMESTAMP
LOCK LOCKS
LOGFILE
LOGS
LONG LONGBLOB
LONGTEXT
LOOP
LOW_PRIORITY MASTER
MASTER CONNECT RETRY
MASTER_DELAY
MASTER_GTID_POS
MASTER_HOST MASTER LOG FILE
MASTER LOG POS
MASTER_PASSWORD
MASTER_PORT MASTER SERVER ID
MASTER SSL
MASTER_SSL_CA
MASTER_SSL_CAPATH
MASTER_SSL_CERT MASTER_SSL_CIPHER
MASTER_SSL_CRL
MASTER_SSL_CRLPATH
MASTER_SSL_KEY MASTER SSL VERIFY SERVER CERT
MASTER USER
MASTER_USE_GTID
MASTER_HEARTBEAT_PERIOD MATCH
MAX CONNECTIONS PER HOUR
MAX_QUERIES_PER_HOUR
MAX_ROWS MAX_SIZE
MAX_SIZE MAX STATEMENT TIME
MAX_UPDATES_PER_HOUR
MAX_USER_CONNECTIONS
MAXVALUE MEDIUM
MEDIUMBLOB
MEDIUMINT
MEDIUMTEXT
MERGE MERGE
MESSAGE_TEXT

MODD
WORD MICROSECOND
MIDDLEINT
MIGRATE
MINUTE
MINUTE_MICROSECOND
MINUTE_SECOND
MINVALUE
MIN_ROWS
MOD
MODE MODIFIES
MODIFY
MONTH
MULTILINESTRING
MULTIPOINT
MULTIPOLYGON
MUTEX
MYSQL
MYSQL_ERRNO
NAME
NAMES
NATIONAL NATURAL
NCHAR
NEVER
NEW
NEXT
NEXTVAL
NO
NOMAXVALUE
NOMINVALUE
NOCACHE
NOCYCLE NO. WALT
NO_WAIT NOWAIT
NODEGROUP
NONE
NOT
NOTFOUND
NO_WRITE_TO_BINLOG
NULL
NUMBER
NUMERIC
NVARCHAR
OFFICE
OFFSET OLD PASSWORD
ON CLD_FA33WORD
ONE
ONLINE
ONLY
OPEN
OPTIMIZE
OPTIONS
OPTION
OPTIONALLY
OR ORDER
ORDER OTHERS
OUT
OUTER
OUTFILE
OVER
OWNER
PACKAGE
PACK_KEYS
PAGE
PAGE_CHECKSUM
PARSER PARSE VICEL EVER
PARSE_VCOL_EXPR

WORD
WORD
PERIOD PARTIAL
PARTITION
PARTITIONING
PARTITIONS
PASSWORD
PERSISTENT
PHASE PLUGIN
PLUGINS
POINT
POLYGON
PORT
PRECEDES PRECEDES
PRECEDING
PRECISION
PREPARE
PRESERVE
PREV
PREVIOUS
PRIMARY PRIVILEGES
PROCEDURE
PROCESS
PROCESSLIST
PROFILE
PROFILES PROXY
PURGE
QUARTER
QUERY
QUICK
RAISE
RANGE RAW
READ
READ_ONLY
READ_WRITE
READS
REBUILD
RECOVER
RECURSIVE
REDO_BUFFER_SIZE
REDOFILE
REDUNDANT
REFERENCES REGEXP
RELAY
RELAYLOG
RELAY_LOG_FILE
RELAY_LOG_POS
RELAY_THREAD
RELEASE RELOAD
REMOVE
RENAME
REORGANIZE
REPAIR
REPEATABLE DEDI ACE
REPLICATION REPLICATION
REPEAT
REQUIRE
RESET
RESIGNAL
RESTART
RESTORE RESTRICT
NESTRICI

111000
WORD
RESUME RETURNED SQLSTATE
RETURN
RETURNING
RETURNS
REUSE REVERSE
REVOKE
RIGHT
RLIKE
ROLE
ROLLBACK
ROLLUP ROUTINE
ROW
ROWCOUNT
ROWS
ROWTYPE
ROW_COUNT ROW FORMAT
RTREE
SAVEPOINT
SCHEDULE
SCHEMA
SCHEMA_NAME
SCHEMAS SECOND
SECOND MICROSECOND
SECURITY
SELECT
SENSITIVE
SEPARATOR SEQUENCE
SERIAL
SERIALIZABLE
SESSION
SERVER
SET SETVAL
SHARE
SHOW
SHUTDOWN
SIGNAL
SIGNED SIMPLE
SLAVE
SLAVES
SLAVE_POS
SLOW
SNAPSHOT
SMALLINT SOCKET
SOFT
SOME
SONAME
SOUNDS
SOURCE STAGE
STORED
SPATIAL
SPECIFIC
REF_SYSTEM_ID
SQL SQL EXCEPTION
SQLEXCEPTION SQLSTATE
SQLWARNING
SQL_BIG_RESULT
SQL_BUFFER_RESULT
SQL_CACHE SQL_CALC FOUND ROWS
STREAM CALL BURNING DUMPS

Database. Information_schema, Table. Ref
WORD
SQL_NO_CACHE
SQL_SMALL_RESULT
SQL_THREAD
SQL_TSI_SECOND
SQL_TSI_MINUTE
SQL_TSI_HOUR SQL_TSI_DAY
SOL TSI WEEK
SQL_TSI_WEEK SQL_TSI_MONTH
SQL TSI QUARTER
SQL TSI YEAR
SSL
START
STARTING
STARTS
STATEMENT
STATS_AUTO_RECALC
STATS_PERSISTENT STATS_SAMPLE_PAGES
STATUS STATUS
STOP
STORAGE
STRAIGHT JOIN
STRING
SUBCLASS_ORIGIN
SUBJECT
SUBPARTITION
SUBPARTITIONS
SUPER
SUSPEND
SWAPS SWITCHES
SYSTEM
SYSTEM TIME
TABLE
TABLE NAME
TABLES
TABLESPACE
TABLE_CHECKSUM
TEMPORARY
TEMPTABLE
TERMINATED
TEXT THAN
THEN
TIES
TIME
TIMESTAMP
TIMESTAMPADD
TIMESTAMPDIFF
TINYBLOB
TINYINT
TINYTEXT
TO TRAILING
TRAILING TRANSACTION
TRANSACTIONAL
TRIGGER
TRIGGERS
TRUE
TRUNCATE
TYPE
TYPES
UNBOUNDED
UNCOMMITTED
UNDEFINED
UNDO_BUFFER_SIZE UNDOFILE
UNDO
UNICODE
-

WORD
UNION
UNIQUE
UNKNOWN
UNLOCK
UNINSTALL
UNSIGNED
UNTIL
UPDATE
UPGRADE
USAGE
USE
USER
USER RESOURCES
USE FRM
USING
UTC DATE
UTC TIME
UTC TIMESTAMP
VALUE
VALUES
VARBINARY
VARCHAR
VARCHARACTER
VARCHAR2
VARIABLES
VARYING
VIA
VIEW
VIRTUAL
VERSIONING
WAIT
WARNINGS
WEEK
WEIGHT STRING
WHEN WHEN
WHERE
WHILE
WINDOW
WITH
WITHIN
WITHOUT
WORK
WRAPPER
WRITE
X509
XOR
XA
XML
YEAR MONTH
YEAR_MONTH
ZEROFILL