

Learning to Discretize Denoising Diffusion ODEs (LD3)


Vinh Tong, Trung-Dung Hoang, Anji Liu, Guy Van den Broeck, Mathias Niepert

University of Stuttgart; IMPRS-IS; UCLA; University of Bern

01 Title and Authors


- Learning to Discretize Denoising Diffusion ODEs (LD3)
- Authors
 - Vinh Tong¹², Trung-Dung Hoang⁴, Anji Liu¹³, Guy Van den Broeck³, Mathias Niepert¹²
- Affiliations
 - ¹ University of Stuttgart, ² IMPRS-IS, ³ UCLA, ⁴ University of Bern
- Contact
 - vinh.tong@ki.uni-stuttgart.de

02 Problem & LD3 Overview



- Efficient sampling depends on fewer evaluations and well placed steps for improved speed and accuracy
 - NFE dominates cost and schedule selection controls accuracy and speed
 - Solver only acceleration avoids retraining and targets discretization
- LD3 learns solver aware schedules that remain strictly monotone for stable integration
- **Metrics (definitions)**
 - **FID**: feature distance in Inception space; lower is better.
 - **LPIPS**: perceptual distance; also used as training loss.
 - **CD**: Chamfer distance for point-cloud reconstruction; lower is better.
 - **MMD/COV/JSD**: set distances/diversity metrics for generative point clouds.
 - **RMSD**: pose error; **Success@2\AA**: fraction within 2\AA.

03 Qualitative Examples Across Domains (Majority of time)



Thank You

Questions & Discussion