

V2ray Configuration Using AWS

- I buy domain 1st of all using namecheap (sachilz.me)
- Then I add SSL using cloudflare for LifeTime
- After I created AWS EC2 instance in Singapore region
- Then assign Elastic Ip for that instance
- After add inbound port for that instance
- Go to security group in the that instance and add these ports

Edit inbound rules [info](#)
Inbound rules control the incoming traffic that's allowed to reach the instance.

Security group rule ID	Type	Protocol	Port range	Source	Description - optional	
sgr-02009c8c1b21f6031	Custom TCP	TCP	8080	Custom	Q	Delete
sgr-0eb84fd4c0b471c7c	Custom TCP	TCP	8443	Custom	Q	Delete
sgr-05b825d2c73726e72	Custom TCP	TCP	52585	Custom	Q	Delete
sgr-0c53510c0fd74966	HTTP	TCP	80	Custom	Q	Delete
sgr-08ec91205f066941b	Custom TCP	TCP	2096	Custom	Q	Delete
sgr-02d03858247965eae	Custom TCP	TCP	44662	Custom	Q	Delete
sgr-0b88bdae22b42f648	HTTPS	TCP	443	Custom	Q	Delete
sgr-001968e1a2db7ba43	SSH	TCP	22	Custom	Q	Delete

[Add rule](#)

[Cancel](#) [Preview changes](#) [Save rules](#)

- Note: when u create inbound setting in 3x-UI panel u must allocate that port in the aws security group
[Those 52385 that post I add manually for my new inbound record]
- After create all ports click instance u create and click Connect button (Top Left)
- After u must change **Ubuntu into root** (u must see there is text below in the page named ubuntu or something change into **root** and then click connect)
- After that u redirect inside created server
- I uploaded this Video link to support u
https://drive.google.com/file/d/13ntEDx2vwNDwGnRyMLgrwoCew3PCpaVw/view?usp=drive_link
- U must create panel (3X-ui) here is GitHub repo <https://github.com/MHSanaei/3x-ui>
- This is 3x-ui site u can install 3x-ui from this too <https://docs.sanaei.dev/>
- I uploaded GitHub repo as a zip in my drive u can access it from this link

Installation Guide 3x-UI

- Paste installation URL inside server
`bash <(curl -Ls https://raw.githubusercontent.com/mhsanaei/3x-ui/master/install.sh)`
- Then it will ask u want to modify panel port then press “Y”
- Then it will ask port number u must add where u add port in AWS (8080)
- Then ask something like this

```
SSL Certificate Setup (MANDATORY)

For security, SSL certificate is required for all panels.
Let's Encrypt now supports both domains and IP addresses!

Choose SSL certificate setup method:
1. Let's Encrypt for Domain (90-day validity, auto-renews)
2. Let's Encrypt for IP Address (6-day validity, auto-renews)
3. Custom SSL Certificate (Path to existing files)
Note: Options 1 & 2 require port 80 open. Option 3 requires manual paths.
Choose an option (default 2 for IP):
```

- Type option as 1

```
100 229k 100 229k 0 0 4185k 0 --:--:-- --:--:--
[Mon Mar 23 09:10:37 UTC 2026] Installing from online archive.
[Mon Mar 23 09:10:37 UTC 2026] Downloading https://github.com/acme.sh
[Mon Mar 23 09:10:37 UTC 2026] Extracting master.tar.gz
[Mon Mar 23 09:10:37 UTC 2026] Installing to /root/.acme.sh
[Mon Mar 23 09:10:37 UTC 2026] Installed to /root/.acme.sh/acme.s
[Mon Mar 23 09:10:37 UTC 2026] Installing alias to '/root/.bashrc
[Mon Mar 23 09:10:37 UTC 2026] Close and reopen your terminal to
[Mon Mar 23 09:10:37 UTC 2026] Installing cron job
no crontab for root
no crontab for root
[Mon Mar 23 09:10:37 UTC 2026] bash has been found. Changing the
[Mon Mar 23 09:10:38 UTC 2026] OK
[Mon Mar 23 09:10:38 UTC 2026] Install success!
acme.sh installed successfully
Please enter your domain name:
```

- Then it will ask what is domain name (u must add domain name u create) for me I create domain and then I created subdomain inside cloudflare
- My domain is **api.sachilz.me** (type ur domain same as exactly do not use https)
- Remember when u create subdomain chose method as A and add AWS EC2 **public Ipv4 address inside that subdomain**
- Make sure proxied button off inside that subdomain (**orange color PROXIED label muse be shown as DNS ONLY, so to do that u must untick proxied label**)
- Then ask again which port use as domain (**u add it earlier in AWS as 80**) so type it again
- Then will ask **modify –reloadcmd** type it for as “N”

- Then panel will install and show panel user name and password and access URL (save it we want to it when we login into panel)
- Then u will show x-ui menu section and u must type **x-ui** and go to administration tab
- Then u will see administration table look there is shown **SSL certificate management** Look what number front that line and type it go inside it

```
Panel state: Running
Start automatically: Yes
xray state: Running

Please enter your selection [0-26]: 19
  1. Get SSL (Domain)
  2. Revoke
  3. Force Renew
  4. Show Existing Domains
  5. Set Cert paths for the panel
  6. Get SSL for IP Address (6-day cert, auto-renews)
  0. Back to Main Menu
Choose an option: 
```

- Then u will see this section and type option as **5** now
- Then it will ask your domain name 2 or 3 times
- Type manually ur domain name
- After it success then u can go to that ur panel using earlier shown **ACCESS URL**

Now configure 3x-UI Panel Inbound Rules and clients

- 1st create inbound rule

×

Modify Inbound

BasicsProtocolStreamSecuritySniffingAdvanced

Enabled

Remark

sachintha02

Protocol

vless

▼

Address ?

Leave blank to listen on all IPs

Share address strategy ?

Inbound listen

▼

Subscription sort order ?

1

Disable XTLS flow ?

Port

52585

Total Flow

0

Traffic Reset

Never

▼

Duration

📅

Close

Save Changes

Modify Inbound

Basics

Protocol

Stream

Security

Sniffing

Advanced

Decryption

none

Encryption

none

Generate keys

X25519 (native)

Generate

Clear

Selected: None

Vision testseed

900

500

900

256

Applies only to clients using the xtls-rprx-vision flow; ignored otherwise.

Fallbacks

+ Add fallback

Add all

No fallbacks yet

Close

Save Changes

Modify Inbound

Basics

Protocol

Stream

Security

Sniffing

Advanced

Transmission

RAW

Proxy Protocol

HTTP Obfuscation

Sockopt

TCP Masks

+

Close

Save Changes

Modify Inbound



Basics

Protocol

Stream

Security

Sniffing

Advanced

Security

None

TLS

Reality

SNI

m.youtube.com

Cipher Suites

Auto

Min/Max Version

1.2



1.3



uTLS

chrome



ALPN

h2 ×

http/1.1 ×



Curve Preferences ?



Reject Unknown SNI



Disable System Root



Session Resumption



Digital Certificate



Digital Certificate 1

File Path

File Content

Digital Certificate

+

Digital Certificate 1

File Path

File Content

Public Key

/root/cert/api.sachilz.me/fullchain.pem

Private Key

/root/cert/api.sachilz.me/privkey.pem

Set Cert from Panel

Clear

OCSP Stapling

0

s

One Time Loading

☐

Usage Option

encipherment

▼

Master Key Log ?

/path/to/sslkeylog.txt

ECH Sockopt ?

☐

ECH key

ECH config

Get New ECH Cert

Clear

Pinned Peer Cert SHA-256 ?

hex hash(es), comma-separated

▼





Verify Peer Cert By Name ?

example.com

Close

Save Changes

- U see cert from panel click it and path will be generated automatically

Modify Inbound

BasicsProtocolStreamSecuritySniffingAdvanced

Enabled

HTTP ×

TLS ×

QUIC ×

FAKEDNS ×

▼

Metadata only

Route only

IPs excluded

IP/CIDR/geoip:*/ext:*

▼

Domains excluded

domain:*/ext:*

▼

Close

Save Changes

- Advanced tab same as default
- Make sure in basic setting tab if u allocate new port then u will add it inside AWS inbound rules
- Then go to client

Add Client

BasicsCredentialsLinks

* Email

kojq0gslwd

Traffic Limit (GB) ?

0

IP Limit ?

0

HWID Limit ?

0

Expiry

Start After First Use

Auto Renew (days) ?

0

Renew on day ?

0

Max renewals ?

0

Traffic Reset

Never

Comment

Group ?

e.g. customer-a

* Attached inbounds

Select allClear all

Select one or more inbounds

Enabled

Cancel

Create

- Email same as this u do not change it and attached inbound section u must add ur inbound previously created

- After create client u can generated URL AND QR code and put into v2box or network and use internet unlimited

V2Box settings

17:02

4G 92

<

Server

Save

Common

Protocol

VLESS

Remarks

sachintha02-ea5w2o34cc

Address

api.sachilz.me

Port

52585

Encryption

none

Flow

ID/Password/Key

467bb25f-a340-448e-b855-64c7d78102f8

Transport

Network

tcp

Header Type

Home

Configs

Settings

17:02

4G 92

<

Server

Save

Transport

Network

tcp

Header Type

FinalMask (Raw JSON)

TLS / Reality

Stream Security

tls

SNI

m.youtube.com

Fingerprint

chrome

ALPN

h3

h2

http/1.1

Allow Insecure

☒


EchConfigList

Verify

Home

Configs

Settings



- Make sure allow insecure toggle **ON**
- **Working config look like this**
vless://467bb25f-a340-448e-b855-64c7d78102f8@api.sachilz.me:52585?alpn=h2%2Chttp%2F1.1&encryption=none&fp=chrome&security=tls&sni=m.youtube.com&type=tcp#sachintha02-ea5w2o34cc