

|                                                                                                                           |                                |                                      |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|--------------------------------|--------------------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                                |                                      |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                                |                                      |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010  | <b>Revision No:</b> R04              | <b>Page</b> 1 of 51                                                                 |
| <b>Effective Date:</b> 09/07/2026                                                                                         | <b>Review Date:</b> 08/07/2028 | <b>Supersedes:</b> SOP/DP/QA/010/R03 |                                                                                     |

| Preparation, Review and Approval               |                    |                             |                                                                                     |            |
|------------------------------------------------|--------------------|-----------------------------|-------------------------------------------------------------------------------------|------------|
|                                                | Name               | Designation & Department    | Signature                                                                           | Date       |
| Prepared By<br>(User Department)               | Animesh Sanap      | Jr. Executive<br>QA         |  | 29/06/26   |
| Reviewed By<br>(Quality Assurance)             | Sarveshwar Sonamny | Dy. manager<br>QA           |  | 29/06/26   |
| Reviewed By<br>(User Department)               | Tushar Jond        | Sr. manager<br>QA           |  | 01/07/26   |
| Approved By<br>(Site Quality Head/<br>Head QA) | Pankaj Birari      | General manager<br>Quality. |  | 01/07/2026 |

|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 2 of 51                                                                 |

**1.0 PURPOSE:**

- 1.1 To provide a procedure to identify various potential risks to the design, facility, process, materials, systems, equipment, utility etc. to assess / reduce quality risk and devise a systematic process for the assessment, control, communication and review of risks to the quality of the medicinal product.

**2.0 SCOPE:**

- 2.1 This SOP is applicable to all the systems/equipment's/instruments, process, procedure, facility and utility, which have direct or indirect impact on the product quality at Drug Product Facility of M.J. Biopharm Private Limited, Pune.

**3.0 RESPONSIBILITY:****3.1 USER DEPARTMENT:**



- 3.1.1 User department personnel shall identify, initiate, assess, control, implement and manage the risk.
- 3.1.2 Completion of the decided mitigation plan in their area (as applicable).
- 3.1.3 Review and evaluate the level of the risk.
- 3.1.4 Propose the appropriate control measure to mitigate the risks.
- 3.1.5 Implementation of the proposed control measures and closer of the risk identified.

**3.2 CROSS FUNCTIONAL DEPARTMENT:**

- 3.2.1 Evaluation of the risk identified with respect to their department functions, procedures and documentation.
- 3.2.2 Completion of mitigation plan if evaluated as responsible department.

**3.3 QUALITY ASSURANCE:**

- 3.3.1 To prepare and review the SOP.
- 3.3.2 Site Quality Head/QA Head shall be responsible for approval of this SOP
- 3.3.3 Evaluation of the risk identified.
- 3.3.4 Assign the risk identification number.
- 3.3.5 Review the risk mitigation action plan for each identified risk.

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                        |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 3 of 51                                                                 |

3.3.6 Verification of the implementation status of the control measures.

3.3.7 Approval of the risk assessment.

3.3.8 Final closure of the risk assessment.

#### 3.4 RISK ASSESSMENT TEAM (RAT):

3.4.1 Risk Assessment Team shall consist of members from different department viz. Quality Assurance, Quality Control, Regulatory Affairs, Production, Packing, Warehouse and Engineering etc.

3.4.2 Brain storming during risk assessment meetings to identify the risks based on scientific judgment.

#### 4.0 ABBREVIATIONS:

|      |                                         |         |                              |
|------|-----------------------------------------|---------|------------------------------|
| A    | Annexure                                | QC      | Quality Control              |
| AHU  | Air Handling Unit                       | QMS     | Quality Management System    |
| APQR | Annual Product Quality Review           | QRM     | Quality Risk Management      |
| CAPA | Corrective Action and Preventive Action | RA      | Risk Assessment              |
| CFT  | Cross Functional Team                   | RAT     | Risk Assessment Team         |
| EHS  | Environment Health and Safety           | RPN     | Risk Priority Number         |
| F    | Format                                  | RPR     | Risk Priority Ranking        |
| FMEA | Failure Mode Effect Analysis            | SOP     | Standard Operating Procedure |
| No.  | Number                                  | Sr. No. | Serial Number                |
| QA   | Quality Assurance                       | TCD     | Target Completion Date       |

#### 5.0 DEFINITIONS:

##### 5.1 Quality Risk Management:



A systematic process for the assessment, control, communication, implementation and review of risks to the quality of the drug product across the product lifecycle.

##### 5.2 Risk:

The combination of the probability of occurrence of harm and the severity of that harm.

##### 5.3 Risk Assessment:

A systematic process of organizing information to support a risk decision. It consists of the identification of hazards and the analysis and evaluation of risks associated with exposure to those hazards.

| Prepared By (User Department) Sign/Date                                                      | Reviewed By (Quality Assurance) Sign/Date                                                      |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
|  29/06/26 |  29/06/26 |

|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 4 of 51                                                                 |

**5.4 Detectability:**

The ability to discover or determine the existence, presence, or fact of a hazard.

**5.5 Probability/Occurrence:**

The likelihood that the cause of the failure will happen, resulting in harm to the patient.

**5.6 Severity:**

A measure of the possible consequences of a hazard.

**5.7 Risk analysis:**

The estimation of the risk associated with the identified hazards.

**5.8 Harm:**

Damage to health, including the damage that can occur from loss of product quality or availability.

**5.9 Product Lifecycle:**

All phases in the life of the product from the initial development through marketing until the product's discontinuation.

**5.10 Risk Identification:**

Systematic use of information to identify potential sources of harm (hazards) referring to the risk question or problem description.

**5.11 Risk Evaluation:**

The comparison of the estimated risk to given risk criteria using a quantitative or qualitative scale to determine the significance of the risk.

**5.12 Risk Control:**

Actions of implementing risk management decisions.

**5.13 Risk Communication:**

Exchange or sharing of information about risk and risk management between the decision maker and other stakeholders.

**5.14 Risk Acceptance:**


Risk control decision to accept risk.

**5.15 Risk Reduction:**

Actions taken to minimize the probability of occurrence of harm and the severity of that harm.

**5.16 Risk review:**

Review or monitoring of output/results of the risk management process considering (if appropriate) new knowledge and experience about the risk.

| Prepared By (User Department) Sign/Date                                                      | Reviewed By (Quality Assurance) Sign/Date                                                      |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
|  29/06/26 |  29/06/26 |

|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 5 of 51                                                                 |

**5.17 Risk Priority Number (RPN):**

A quantitative method for determining the level of risk by multiplying the severity, probability of occurrence and detectability rankings of the failure or event.

**5.18 Risk Priority Ranking (RPR):**

A qualitative method for determining the level of risk by combining severity, occurrence and detectability rankings of the failure or event.

**5.19 Residual Risk:**

Risk remaining after risk control measures has been taken.

**5.20 Validation:**

Establishing documented evidence that provides a high degree of assurance that a specific process will consistently produce a product meeting its predetermined specifications and quality attributes.

**5.21 Direct Impact System:**

Those Building / Facility / Utility / Equipment / Instrument / Process which controls and or sustain a cGMP operation directly thereby impacting safety, efficacy and or purity of a product. (example : Manufacturing block, Clean room, Facility to ensure flow of material and personnel to minimize contamination, dedicated facilities / equipment, Purified water system, Filling machine, AHU system for areas where product / materials are exposed during operation.)

**5.22 Indirect Impact Systems:**

Those Building / Facility / Utility / Equipment / Instrument / Process which do not control and or sustain a cGMP operation directly, but still perceived to have an impact on safety, efficacy and or purity of a product (e.g. : Boiler steam, Raw water system, Building Management System, access control etc.).

**5.23 Qualitative Risk Assessment (Informal):**



Qualitative risk assessment shall be performed based on the level of risk ranking, as high, medium and low. Risk priority ranking shall be evaluated in qualitative risk assessment.

**5.24 Quantitative Risk Assessment (Formal):**

Quantitative risk assessment shall be performed based on the level of risk rating. Risk priority number shall be calculated in quantitative risk assessment.

**6.0 MATERIAL AND EQUIPMENTS:**

Not Applicable.

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 6 of 51                                                                 |

**7.0 PROCEDURE:**

7.1 Risk Management Process involves the following steps :

7.1.1 Initiation of a quality risk management process

7.1.2 Team Selection

7.1.3 Risk Assessment – Identification, Analysis and Evaluation

7.1.4 Risk Control – Mitigation plan, Risk reduction or Acceptance

7.1.5 Risk Communication – QRM process shall be communicated between the team members

7.1.6 Risk Review

7.1.7 Risk Closure

**7.2 Initiation of a quality risk management process:**

7.2.1 Quality risk management should include systematic processes designed to coordinate, facilitate and improve science-based decision making with respect to risk. Possible steps used to initiate and plan a quality risk management process might include the following,

7.2.1.1 Risk assessment team shall be selected for quality risk management process. Risk assessment team shall be made with subject matter experts to identify the risk and related controls by user department Head/Designee in coordination with QA.

7.2.1.2 Meeting shall be arranged at initial to decide the strategy for risk assessment (Informal/Formal) and to identify the probable failure. Outcome of meeting shall be recorded as per format for “Minutes of Meeting for Risk Assessment” as per format no. SOP/DP/QA/010/F01.



**7.3 Risk Assessment – Identification, Analysis and Evaluation**

7.3.1 Risk identification is a systematic use of information to identify hazards referring to the risk question or problem description. Identified risk shall be mentioned in template for risk assessment by FMEA method as per format no. SOP/DP/QA/010/F02.

**7.3.2 Flow of Risk Assessment Template:**

7.3.2.1 Pre-approval: Pre-approval of risk assessment shall be taken after identification of risk, their control and before implementation of mitigation plan (if applicable).


7.3.2.2 Objective: State the objective of risk assessment including name of the equipment/instrument/system, process, activity etc.

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |



|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 7 of 51                                                                 |

- 7.3.2.3 Scope: State the applicability of risk assessment including facility and company name.
- 7.3.2.4 System/ Equipment/ Instrument/ Other (if any) Overview: Brief description of System/ Equipment/ Instrument/ Other including functions, intended use, component details, process flow etc.
- 7.3.2.5 Procedure: General process flow of quality risk management as follows,
- 7.3.2.5.1 Define the problem and/or risk question, including pertinent assumptions identifying the potential for risk.
- 7.3.2.5.2 Assemble background information and/ or data on the potential hazard, harm or human health impact relevant to the risk assessment.
- 7.3.2.5.3 Identify a leader and necessary resources.
- 7.3.2.5.4 Specify a timeline, deliverables and appropriate level of decision making for the risk management process.
- 7.3.2.5.5 Flow chart for risk assessment shall be as per annexure no. SOP/DP/QA/010/A01.
- 7.3.2.6 Risk Assessment Team: User Head/Designee along with QA consultation shall form the team for discussion on risk assessment and identify the potential failure, their control and mitigation plan (if applicable).
- 7.3.2.6.1 During risk assessment team meeting, minutes of meeting as identified points of risk assessment shall be mentioned in format for "Minutes of Meeting for Risk Assessment" SOP/DP/QA/010/F01 or if required minutes of meeting shall be prepared in word format as per format no. SOP/DP/QA/010/F01 and detail risk assessment shall be prepared by initiating department as per format no. SOP/DP/QA/010/F02 with reference of points identified during meeting. Additional points (risk failure) may be added during actual preparation of risk.
- 7.3.2.6.2 Format for "Minutes of Meeting for Risk Assessment" SOP/DP/QA/010/F01 shall be requested to QA as per SOP No. SOP/DP/QA/003 by user department.
- 7.3.2.7 Risk Identification: Mention the identified risk considering with process/activity and their potential failure.
- 7.3.2.8 Risk assessment measure (Informal or formal risk assessment): During meeting, user department along risk assessment team shall perform the evaluation of questions identified as per format no. SOP/DP/QA/010/F01 and nature of risk assessment shall be decided as informal risk assessment (Qualitative) or formal risk assessment (Quantitative).
- 7.3.2.9 Flow chart for decision (informal or formal risk assessment) shall be mentioned as per annexure no. SOP/DP/QA/010/A02.

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 8 of 51                                                                 |

7.3.2.9.1 Informal Risk Assessment: Informal risk assessment considered as 'Qualitative Risk Assessment'. Risk priority ranking shall be evaluated in informal risk assessment as, High, Medium and Low.

7.3.2.9.2 Formal Risk Assessment: Formal risk assessment considered as 'Quantitative Risk Assessment'. Risk priority number shall be evaluated in formal risk assessment based on rating.

7.3.2.10 Risk Identification and Evaluation Considering Current Control Measures: All potential failure shall be mentioned in tabular form along with control measure and detection.

**Note:** Font size for this section shall be '10' and page size can be 'A4' or 'A3' as applicable.

7.3.2.10.1 After evaluation, if risk found with high or medium risk category, mitigation plan need to be identify to control the risk within acceptance. Mitigation plan is not required for low risk category.

7.3.2.11 Risk Communication: Identified risk and mitigation plan shall be communicated within the cross functional departments including allocation of responsibility and target completion date of mitigation plan. If applicable risk communicated to Customer / regulatory authorities by Regulatory Affairs department in due consultation with QA Head/Designee.

7.3.2.12 Risk Assessment Summary and Conclusion (Before Implementation): Summarize the outcome of risk assessment including control of risk and requirement of mitigation plan. Conclusion shall be made before implementation of mitigation plan.

7.3.2.13 Mitigation Plan and Closure: This section includes the plan, closure status and closure date and sign/date of responsible person.

7.3.2.14 New Risk Identified During Execution (Residual Risk): If any new risk identified during the implementation of mitigation plan, it shall be evaluated and requirement of re-assessment of initial risk assessment or any other action need to be taken shall be decided by user department in consultation with QA Head/Designee.

7.3.2.15 If new risk identified, then format for New Risk/Residual Risk SOP/DP/QA/010/F04 shall be initiated. After evaluation of new risk in format, preapproval shall be taken by recording summary and conclusion (before implementation). If new risk found with high or medium risk category, mitigation plan need to be identify to control the risk within acceptance and after verification of implemented mitigation plan, post approval shall be taken by recording the summary and conclusion (after implementation). Process flow of handing the format SOP/DP/QA/010/F04 shall be as per initial risk assessment process flow.

**Note:** After closing of mitigation plan of new risk (if applicable), initial risk assessment shall be closed.

7.3.2.16 Risk Assessment Summary and Conclusion (After Implementation): Summary and conclusion shall

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |



|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 9 of 51                                                                 |

be mentioned after implementation of mitigation plan, if mitigation plan is not applicable then mark this section as 'Not Applicable'.

7.3.2.17 Post-Approval (After Implementation): Approval shall be taken after implementation of mitigation plan. If mitigation plan is not required (In case low category risk) then mark this section as 'Not Applicable'.

7.3.3 Primary principles of quality risk management are:

7.3.3.1 The evaluation of the risk to quality should be based on scientific knowledge and ultimately link to the patient safety.

7.3.3.2 The level of effort, formality and documentation of the quality risk management process should be commensurate with the level of risk.

7.3.4 Risk shall be identified by assessing the following, but not limited to:

7.3.4.1 **Equipment:**

Type, design, capacity, location, installation, condition, lubricants used, equipment history, operation, maintenance, calibration and breakdown etc.

7.3.4.2 **Facilities:**

Design, Site layout, material movement, personnel movement, waste movement, pest control, utilities, building management system maintenance, building security measures, safety measures and facility monitoring system etc.

7.3.4.3 **Process:**



Development, Introduction of new product, Process change and rework / reprocess. Any major change or modification to the qualified facility, (Any Change) equipment, instrument, utility, process, product, system etc.

7.3.4.4 **Document system:**

Master documents, standard operating procedure, validation reports, self-inspection reports, change control system, deviation, CAPA, APQR, market complaint reports, batch manufacturing records, batch packing records, equipment usage logs, analytical records and reports of raw materials, packing materials, stability data, process/cleaning validation reports, environmental monitoring records, rework or reprocess and batch manufacturing records etc.

7.3.4.5 **Materials:**

Identity, status control, quality, quantity, handling, specifications, security arrangements, counterfeiting control, sampling, reference / working standards, out of specification, retention samples, destruction of samples, analysis report, laboratory safety, retesting, storage, segregation

| Prepared By (User Department) Sign/Date                                                      | Reviewed By (Quality Assurance) Sign/Date                                                      |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
|  29/06/26 |  29/06/26 |

|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 10 of 51                                                                |

and material condition etc.

#### 7.3.4.6 Personnel:

Attributes, education, experience, training, competence, reporting relationships, tampering, communication, theft and substitution etc.

7.3.5 Risk assessment team and user department shall carry out risk assessment. All risks associated shall be identified through a discussion and for each process subjected to risk assessment, the potential failure mode to be identified and its relevant potential effect / impact on quality shall be assessed with following four fundamental questions:

What might go wrong (Potential failure / Cause) and its relevant risk (the Hazard)?

What are the consequences (severity)?

What is the likelihood (probability) it will go wrong?

What are the ability to find the hazard if it occurs (detectability)?

7.3.6 Hazard identification is a systematic use of information to identify hazards referring to the risk question or problem description. Information can include historical data, theoretical analysis, informed opinions, and the concerns of stakeholders.

7.3.7 Risk analysis is the estimation of the risk associated with the identified hazards. It is the qualitative or quantitative process of linking the likelihood of occurrence, severity of harms and detectability of harms.


7.3.8 Risk evaluation is to compares the identified and analyzed risk against established risk criteria.

#### 7.3.9 Qualitative Risk Assessment:

7.3.9.1 During qualitative risk assessment, risk priority ranking (RPR) shall be evaluated as High, Medium and Low.

7.3.9.2 Risk assessment shall be performed considering with FMEA approach (Failure Mode Effect Analysis). All identified failure mode shall be irrespective of their probability of occurrence and or severity and or detectability.

7.3.9.3 Based on the below table (table no. 01, 02 and 03), risk priority ranking (RPR) shall be evaluated,

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

|                                                                            |                               |                         |                                                                                     |
|----------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b>                                       |                               |                         |  |
| Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                               |                         |                                                                                     |
| <b>Title:</b> Quality Risk Assessment                                      |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                            | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 11 of 51                                                                |

**Severity:**

Severity is ranked based on the impact on safety, purity and identity of the product.

**Probability:**



Occurrence is ranked based on probability of failure (frequency of event/incident)

**Detectability:**

Detectability is ranked based on ability/accuracy of detection

**Risk Criteria:****Table No. 01**

| Severity |                                                         | Probability |                                                                                                    | Detectability |                                             |
|----------|---------------------------------------------------------|-------------|----------------------------------------------------------------------------------------------------|---------------|---------------------------------------------|
| Rank     | Impact                                                  | Rank        | Impact                                                                                             | Rank          | Impact                                      |
| Low      | No impact or Low impact (may having indirect impact)    | Low         | Expected to happen infrequently, yearly or unlikely to happen e.g. one occurrence more than a year | Low           | Very high/complete detection possible       |
| Medium   | Medium or moderate impact (Will having indirect impact) | Medium      | Expected to happen in a moderate frequency e.g. Half yearly or Quarterly                           | Medium        | Medium or moderate possibility of detection |
| High     | High impact (having direct impact)                      | High        | Expected to happen regularly e.g. More than one occurrence weekly or per day                       | High          | No detection possible                       |

|                                                                                                 |                                                                                                   |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Prepared By (User Department) Sign/Date</b>                                                  | <b>Reviewed By (Quality Assurance) Sign/Date</b>                                                  |
| <br>29/06/26 | <br>29/06/26 |

M.J. Biopharm Private Limited

Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.



Title: Quality Risk Assessment

Dept.: Quality Assurance

SOP No.: SOP/DP/QA/010

Revision No: R04

Page 12 of 51

## Risk Evaluation:

Table No. 02

| Severity | Probability | Detection | Risk Prioritization Ranking |
|----------|-------------|-----------|-----------------------------|
| High     | High        | High      | High                        |
|          |             | Medium    | High                        |
|          |             | Low       | High                        |
|          | Medium      | High      | High                        |
|          |             | Medium    | High                        |
|          |             | Low       | Medium                      |
|          | Low         | High      | High                        |
|          |             | Medium    | Medium                      |
|          |             | Low       | Low                         |
| Medium   | High        | High      | High                        |
|          |             | Medium    | High                        |
|          |             | Low       | Medium                      |
|          | Medium      | High      | High                        |
|          |             | Medium    | High                        |
|          |             | Low       | Medium                      |
|          | Low         | High      | Medium                      |
|          |             | Medium    | Medium                      |
|          |             | Low       | Low                         |
| Low      | High        | High      | High                        |
|          |             | Medium    | Medium                      |
|          |             | Low       | Low                         |
|          | Medium      | High      | Medium                      |
|          |             | Medium    | Medium                      |
|          |             | Low       | Low                         |
|          | Low         | High      | Low                         |
|          |             | Medium    | Low                         |
|          |             | Low       | Low                         |

Prepared By (User Department) Sign/Date

29/06/26

Reviewed By (Quality Assurance) Sign/Date

29/06/26

|                                                                                                                           |                               |                         |                      |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|----------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |                      |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                      |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 13 of 51 |

Table No. 03

| Overall Risk | Risk Treatment                                                                                                                   |
|--------------|----------------------------------------------------------------------------------------------------------------------------------|
| Low          | Mitigation Plan not required or risk is at acceptable level.                                                                     |
| Medium       | Mitigation plan shall be done to reduce the risk and based on the mitigation risk can be acceptable                              |
| High         | Identify and implement the mitigation plan before proceeding to the activity to reduce the risk ranking within acceptable range. |

### 7.3.10 Quantitative Risk Assessment:

7.3.10.1 During quantitative risk assessment, risk priority number (RPN) shall be calculated based on the rating.

7.3.10.2 Risk assessment shall be performed considering with FMEA approach (Failure Mode Effect Analysis). All identified failure mode shall be irrespective of their probability of occurrence and or severity and or detectability.

7.3.10.3 Based on the below tables (table no. 04, 05 and 06), risk priority number (RPN) shall be calculated,

#### Severity:

Severity shall be ranked based on the impact on quality, safety, purity and identity of the product. Severity number should be assigned from 1-5 scale depending upon the impact.

#### Probability (frequency of event/incident):

Occurrence shall be ranked based on the probability of occurrence.

Occurrence number should be assigned from 1-5 scale depending upon the probability.


#### Detectability:

Detectability shall be ranked based on the probability of detection of hazard.

Detectability number should be assigned from 1-5 scale depending upon the probability of detection.

Table No. 04

| Severity |           | Probability |                                                                            | Detectability |                                       |
|----------|-----------|-------------|----------------------------------------------------------------------------|---------------|---------------------------------------|
| Number   | Impact    | Number      | Impact                                                                     | Number        | Impact                                |
| 1        | No impact | 1           | Expected to happen infrequently e.g. yearly or unlikely to happen e.g. one | 1             | Very high/complete detection possible |

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |



**M.J. Biopharm Private Limited**

Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.

**Title:** Quality Risk Assessment**Dept.:** Quality Assurance**SOP No.:** SOP/DP/QA/010**Revision No:** R04**Page** 14 of 51

|   |                                                         |   |                                                                    |   |                                             |
|---|---------------------------------------------------------|---|--------------------------------------------------------------------|---|---------------------------------------------|
|   |                                                         |   | occurrence more than a year                                        |   |                                             |
| 2 | Low impact (may having indirect impact)                 | 2 | Expected to happen in low frequency e.g. Half yearly               | 2 | High possibility of detection               |
| 3 | Medium or moderate impact (Will having indirect impact) | 3 | Expected to happen in a moderate frequency e.g. Quarterly          | 3 | Medium or moderate possibility of detection |
| 4 | High impact (may having direct impact)                  | 4 | Expected to happen repeated e.g. Weekly                            | 4 | Low possibility of detection                |
| 5 | Very high impact (Will having direct impact)            | 5 | Expected to happen regularly e.g. More than one occurrence per day | 5 | No detection possible                       |

**Risk priority number shall be calculated as;**



$$RPN = S \times P \times D$$

S = Severity, P = Probability of occurrence, D = detectability

**Table No. 05**

| Severity (S) | Probability (P) | (S*P) | Risk Level | DETECTION |    |    |     |     |
|--------------|-----------------|-------|------------|-----------|----|----|-----|-----|
|              |                 |       |            | 1         | 2  | 3  | 4   | 5   |
|              |                 |       |            | S×P×D     |    |    |     |     |
| 1            | 1               | 1     | Low        | 1         | 2  | 3  | 4   | 5   |
| 2            | 2               | 4     |            | 4         | 8  | 12 | 16  | 20  |
| 3            | 3               | 9     | Medium     | 9         | 18 | 27 | 36  | 45  |
| 4            | 4               | 16    |            | 16        | 32 | 48 | 64  | 80  |
| 5            | 5               | 25    | High       | 25        | 50 | 75 | 100 | 125 |

\*Green- Low; Yellow- Medium; Red- high

| Prepared By (User Department) Sign/Date                                                      | Reviewed By (Quality Assurance) Sign/Date                                                      |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
|  29/06/26 |  29/06/26 |

|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 15 of 51                                                                |



So based on the above evaluation RPN rating as:

**Table No. 06**

| Overall Risk | RPN Value | Risk Treatment                                                                                                                   |
|--------------|-----------|----------------------------------------------------------------------------------------------------------------------------------|
| Low          | 1 – 8     | Mitigation Plan not required or risk is at acceptable level.                                                                     |
| Medium       | 9-24      | Mitigation plan shall be done to reduce the risk to an acceptable level                                                          |
| High         | 25-125    | Identify and implement the mitigation plan before proceeding to the activity to reduce the risk ranking within acceptable range. |

#### 7.4 Risk Control – Mitigation plan, Risk reduction or Acceptance

- 7.4.1 Risk control includes decision making to reduce and/or accept risks. The purpose of risk control is to reduce the risk to an acceptable level.
- 7.4.2 Risk control might focus on the following questions:
- 7.4.2.1 Is the risk above an acceptable level?
- 7.4.2.2 What can be done to reduce or eliminate risks?
- 7.4.2.3 What is the appropriate balance among benefits, risks and resources?
- 7.4.2.4 Are new risks introduced as a result of the identified risks being controlled?
- 7.4.3 The Mitigation plan elaborates the current control and the actions to reduce the overall risk to an acceptable levels or elimination.
- 7.4.4 For cases where overall risk is “Low”, mitigation plan is not required and the risk assessment shall be closed.
- 7.4.5 The mitigation plan is mandatory where overall risk is “Medium” and "High", controls relating to the risk should be implemented as soon as practically possible.
- 7.4.6 Mitigation plan for medium category risk shall be done to reduce the risk to an acceptable level.
- 7.4.7 Mitigation plan for high category risk shall be Identify and implement first to reduce the risk to an acceptable level, before proceeding to the activity.
- 7.4.8 The mitigation plan shall briefly explain the recommended action to be taken; responsible person shall be implementing the controls mentioned in the risk mitigation plan and the expected target date for completion.

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 16 of 51                                                                |

#### 7.4.9 NUMBERING SYSTEM FOR QUALITY RISK ASSESSMENT:

7.4.9.1 On receipt of the quality risk assessment form, QA shall assign the number and the same shall be entered in "Quality Risk Assessment Log" as per format no. SOP/DP/QA/010/F03.

7.4.9.2 Numbering system for Quality Risk Assessment as follows; RA/XXX/YY/ZZZ-RBB  
Where,

'RA' stands for Risk Assessment

'XXX' stand for department code as per SOP No. SOP/DP/QA/001 (It shall be two digit or three digit e.g. QA, QC, EHS etc.)

'YY' stands for last two digit of financial year (financial year 2022 shall be mentioned as 22)

'ZZZ' stands for department wise sequentially increasing number starts from "001".

RBB R stand for revision and BB stand for sequential revision number start from 00, 01, 02 and so on.

For example, the first risk assessment raised by QA department in Year 2022, then it shall be numbered as 'RA/QA/22/001-R00'.

7.4.10 On completion of risk assessment, pre-approval shall be taken from as reviewed by from risk assessment team and approval from QA Head/Designee. Risk accept or reject and their control/mitigation shall be reviewed during the pre-approval.

7.4.11 If accepted, the risk assessment form shall be sent to the user department to proceed the risk control/ mitigation.

7.4.12 In case the risk assessment is rejected, the same shall be communicated to concern departments and risk assessment considered as "Closed" and kept in risk assessment file for future reference.

7.4.13 Risk assessment shall be reviewed by risk assessment team for proposed risk control and forward to QA Head/Designee for approval.



#### 7.4.14 Risk reduction includes:

7.4.14.1 Use the appropriate quality tool for the mitigation of risk or completion of the action item.

7.4.14.2 Preference should be given to reduce the occurrence rather than increasing the levels of detection.

7.4.14.3 Process that improve the detectability of hazards and quality risks might also be used as part of a risk control strategy.

7.4.14.4 Implementation of risk reduction measures should not introduce new risks into the system or increase the significance of other existing risks, it is required to revisit the risk assessment to identify and evaluate any possible change in the risk after implementing a risk reduction process

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 17 of 51                                                                |

during risk assessment review.

#### 7.4.15 Risk Acceptance:

7.4.15.1 For some types of harms, even the best quality risk management practices might not entirely eliminate risk. In these circumstances, it might be agreed that an appropriate quality risk management strategy has been applied and that quality risk is reduced to a specified (acceptable) level. This (specified) acceptable level will depend on many parameters and should be decided on a case-by-case basis.

#### 7.4.16 Following quality risk management practices may be considered:

7.4.16.1 Modify the process to reduce the risk to an acceptable level. (This usually involves modifications which will decrease the likelihood of occurrence.)

7.4.16.2 Enhance the method of detection to reduce the risk to an acceptable level

7.4.16.3 Employ a new process that has an acceptable level of risk.

7.4.16.4 Communicate the risk level to the appropriate stakeholders for further consideration.

#### 7.5 Risk Communication:



7.5.1 Is sharing of information about risk and risk mitigation between risk assessment team and responsible person of risk action. Communication can be at any stage of the risk management process. The output/ result of the quality risk management process should be appropriately documented and communicated

7.5.2 During the implementation of mitigation plan, the implementation status shall be communicated to risk assessment team by the initiator. Based on the criticality of the risk, the risk management process shall be communicated to Customer / regulatory authorities by Regulatory Affairs department in due consultation with QA Head/Designee.

7.5.3 After approval of risk assessment, identified risk shall be communicated to responsible cross-functional team along with QA.

#### 7.6 Risk Review:

7.6.1 After implementation of controls as mentioned in the mitigation plan, Initiator shall inform to the risk assessment team for risk review. Risk assessment team shall review the risk assessment and after confirmation as risks are controlled, forward it to QA Head/Designee for approval. QA Head/Designee shall review the risk assessment followed by approval of risk assessment and status shall be updated in the "Quality Risk Assessment Log" as per format no. SOP/DP/QA/010/F03.

| Prepared By (User Department) Sign/Date                                                      | Reviewed By (Quality Assurance) Sign/Date                                                      |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
|  29/06/26 |  29/06/26 |



|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 18 of 51                                                                |

### 7.6.2 Periodic review of Risk Assessment: -

- 7.6.2.1 As ongoing part of quality management process, applicable risk assessment and their outcome shall be reviewed.
- 7.6.2.2 Review applicability of risk's shall be considered/decided on nature of risk's, potential impact and effectiveness retention period of risk's. Review applicability of risk's shall be mentioned in risk assessment format no. SOP/DP/QA/010/F02, at the time of risk assessment closure.
- 7.6.2.3 Risk assessment shall be reviewed every two years. Review can be initiated one month before completion of two years period.
- 7.6.2.4 Risk assessment review shall be done as per format no. SOP/DP/QA/010/F06
- 7.6.2.5 Risk assessment revision shall be handled through change control procedure in case revision is required as per review outcome of format no. SOP/DP/QA/010/F06.
- 7.6.2.6 Risk assessment periodic review shall be done by respective user or product/process/equipment/system owner.
- 7.6.3 Risk assessment review schedule shall be prepared yearly i.e. in the month of march of every financial year or as and when required; schedule shall be prepared as per format no. SOP/DP/QA/010/F05.
- 7.6.4 Risk assessment may be reviewed before periodic review in following circumstance (but not limited to),
- 7.6.4.1 Impact of high level deviations.
- 7.6.4.2 Product performance (Product Recall, Field Alert).
- 7.6.4.3 Market Complaints.
- 7.6.4.4 Walk through/ internal audit/ External audit observations, Major changes impacting facility, equipment or processes.
- 7.6.4.5 Annual Product Quality Review (APQR) recommendations.

### 7.7 Risk Closure:

- 7.7.1 Once the risk review is completed by risk assessment team and risk is reduced to acceptable level (if applicable), it shall be forwarded to QA Head/Designee for approval followed by closure in the risk assessment log as per format no. SOP/DP/QA/010/F03.

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                        |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |



|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 19 of 51                                                                |

**8.0 ENVIRONMENT, HEALTH AND SAFETY:**

Not applicable



**9.0 DOCUMENT DISTRIBUTION LIST:**

This document is issued to following departments

| Department Name                               | Copy No. | Department Name                   | Copy No. |
|-----------------------------------------------|----------|-----------------------------------|----------|
| Quality Assurance                             | 01       | Purchase                          | NA       |
| Quality Control<br>(Analytical/Wet Chemistry) | 02       | Human Resource and Admin          | 09       |
| Production                                    | 03       | Regulatory Affairs                | NA       |
| Packing                                       | 04       | Environment, Health and<br>Safety | 10       |
| Engineering and Utilities                     | 05       | Production Planning               | NA       |
| Information Technology                        | 06       | Formulation and<br>development    | NA       |
| Microbiology                                  | 07       | Project                           | NA       |
| Warehouse                                     | 08       |                                   |          |

**10.0 REFERENCES:****10.1 SOP'S:**

- 10.1.1 SOP for SOP (SOP/DP/QA/001)
- 10.1.2 Good Documentation Practices (SOP No. SOP/DP/QA/002)
- 10.1.3 Document and Data Control (SOP No. SOP/DP/QA/003)
- 10.1.4 Specimen Signature (SOP No. SOP/DP/QA/004)
- 10.1.5 Training (SOP No. SOP/DP/QA/005)
- 10.1.6 Control of Stamp (SOP No. SOP/DP/QA/006)
- 10.1.7 Change Control (SOP No. SOP/DP/QA/007)
- 10.1.8 Handling of Deviation (SOP No. SOP/DP/QA/008)
- 10.1.9 Corrective Action Preventive Action (SOP No. SOP/DP/QA/009)

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                        |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

**M.J. Biopharm Private Limited**

Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.



Title: Quality Risk Assessment

Dept.: Quality Assurance

SOP No.: SOP/DP/QA/010

Revision No: R04

Page 20 of 51

**10.2 GUIDELINES:**

10.2.1 ICH Q9: Quality risk management

**11.0 ANNEXURES:**

11.1 Annexure I: Flow Chart for Quality Risk Assessment (SOP/DP/QA/010/A01-R00)

11.2 Annexure II: Decision Tree for Risk assessment (SOP/DP/QA/010/A02-R00)

**12.0 FORMATS:**

12.1 Format I : Minutes of Meeting for Risk Assessment (SOP/DP/QA/010/F01-R01)

12.2 Format II: Templates for Risk Assessment by FMEA (SOP/DP/QA/010/F02-R04)

12.3 Format III: Quality Risk Assessment Log (SOP/DP/QA/010/F03-R00)



12.4 Format IV: Templates for New Risk/Residual Risk (SOP/DP/QA/010/F04-R00)

12.5 Format V: Periodic Review Schedule for Risk Assessment (SOP/DP/QA/010/F05-R00)

12.6 Format VI: Periodic Review Checklist for Risk Assessment (SOP/DP/QA/010/F06-R00)

**13.0 REVISION HISTORY:**

| Revision No. | Effective date | Change History                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Change Control No. |             |           |     |      |     |     |     |      |     |        |        |        |      |        |      |        |        |      |      |        |        |        |      |     |      |      |      |     |      |        |        |     |        |        |        |               |
|--------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-------------|-----------|-----|------|-----|-----|-----|------|-----|--------|--------|--------|------|--------|------|--------|--------|------|------|--------|--------|--------|------|-----|------|------|------|-----|------|--------|--------|-----|--------|--------|--------|---------------|
| R00          | 20/10/2022     | New release                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | CCF/QA/22/001      |             |           |     |      |     |     |     |      |     |        |        |        |      |        |      |        |        |      |      |        |        |        |      |     |      |      |      |     |      |        |        |     |        |        |        |               |
| R01          | 29/07/2023     | <p>1. Table 02 in SOP and point number 1.8.2.2 in SOP/DP/QA/010/F02-R00 updated with risk priority ranking (RPR) for below combinations as shown below.</p> <table border="1"> <thead> <tr> <th>Severity</th><th>Probability</th><th>Detection</th><th>RPR</th></tr> </thead> <tbody> <tr> <td>High</td><td>Low</td><td>Low</td><td>Low</td></tr> <tr> <td>High</td><td>Low</td><td>Medium</td><td>Medium</td></tr> <tr> <td>Medium</td><td>High</td><td>Medium</td><td>High</td></tr> <tr> <td>Medium</td><td>Medium</td><td>High</td><td>High</td></tr> <tr> <td>Medium</td><td>Medium</td><td>Medium</td><td>High</td></tr> <tr> <td>Low</td><td>High</td><td>High</td><td>High</td></tr> <tr> <td>Low</td><td>High</td><td>Medium</td><td>Medium</td></tr> <tr> <td>Low</td><td>Medium</td><td>Medium</td><td>Medium</td></tr> </tbody> </table> | Severity           | Probability | Detection | RPR | High | Low | Low | Low | High | Low | Medium | Medium | Medium | High | Medium | High | Medium | Medium | High | High | Medium | Medium | Medium | High | Low | High | High | High | Low | High | Medium | Medium | Low | Medium | Medium | Medium | CCF/QA/23/010 |
| Severity     | Probability    | Detection                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | RPR                |             |           |     |      |     |     |     |      |     |        |        |        |      |        |      |        |        |      |      |        |        |        |      |     |      |      |      |     |      |        |        |     |        |        |        |               |
| High         | Low            | Low                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Low                |             |           |     |      |     |     |     |      |     |        |        |        |      |        |      |        |        |      |      |        |        |        |      |     |      |      |      |     |      |        |        |     |        |        |        |               |
| High         | Low            | Medium                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Medium             |             |           |     |      |     |     |     |      |     |        |        |        |      |        |      |        |        |      |      |        |        |        |      |     |      |      |      |     |      |        |        |     |        |        |        |               |
| Medium       | High           | Medium                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | High               |             |           |     |      |     |     |     |      |     |        |        |        |      |        |      |        |        |      |      |        |        |        |      |     |      |      |      |     |      |        |        |     |        |        |        |               |
| Medium       | Medium         | High                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | High               |             |           |     |      |     |     |     |      |     |        |        |        |      |        |      |        |        |      |      |        |        |        |      |     |      |      |      |     |      |        |        |     |        |        |        |               |
| Medium       | Medium         | Medium                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | High               |             |           |     |      |     |     |     |      |     |        |        |        |      |        |      |        |        |      |      |        |        |        |      |     |      |      |      |     |      |        |        |     |        |        |        |               |
| Low          | High           | High                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | High               |             |           |     |      |     |     |     |      |     |        |        |        |      |        |      |        |        |      |      |        |        |        |      |     |      |      |      |     |      |        |        |     |        |        |        |               |
| Low          | High           | Medium                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Medium             |             |           |     |      |     |     |     |      |     |        |        |        |      |        |      |        |        |      |      |        |        |        |      |     |      |      |      |     |      |        |        |     |        |        |        |               |
| Low          | Medium         | Medium                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Medium             |             |           |     |      |     |     |     |      |     |        |        |        |      |        |      |        |        |      |      |        |        |        |      |     |      |      |      |     |      |        |        |     |        |        |        |               |


| Prepared By (User Department) Sign/Date                                             | Reviewed By (Quality Assurance) Sign/Date                                             |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |

|                                                                                                                           |  |  |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|--|--|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |  |  |  |
|---------------------------------------------------------------------------------------------------------------------------|--|--|-------------------------------------------------------------------------------------|

**Title:** Quality Risk Assessment

|                                 |                               |                         |                      |
|---------------------------------|-------------------------------|-------------------------|----------------------|
| <b>Dept.:</b> Quality Assurance | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 21 of 51 |
|---------------------------------|-------------------------------|-------------------------|----------------------|

| Revision No. | Effective date | Change History                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Change Control No. |
|--------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
|              |                | 2. Risk treatment for medium overall risk in table no. 3 of existing SOP and in point no. 1.8.2.2 of format SOP/DP/QA/010/F02-R00 changed from "Mitigation plan shall be done to reduce the risk to an acceptable level" to "Mitigation plan shall be done to reduce the risk and based on the mitigation risk can be acceptable".                                                                                                                                                                                                                                                     |                    |
| R02          | 28/03/2024     | 1. SOP template aligned with SOP for SOP (SOP/DP/QA/001-R03)<br>2. 4.0 ABBREVIATIONS: arranged alphabetically.<br>3. 7.3.2.15 New point added.<br>4. In format II point 4.1 modified.<br>5. New format added, Format IV: Templates for New Risk/Residual Risk (SOP/DP/QA/010/F04-R00)                                                                                                                                                                                                                                                                                                  | CCF/QA/23/042      |
| R03          | 13/12/2024     | 1. SOP template aligned with SOP for SOP (SOP/DP/QA/001-R04)<br>2. Incorporated Section 3.3.2 for responsibility of site Quality head/QA head.<br>3. Point 7.6 updated for periodic review procedure of risk assessment and editorial changes.<br>4. Typographical error corrected in section no. 1.7 in Format II: Templates for Risk Assessment by FMEA (SOP/DP/QA/010/F02-R02).<br>5. New formats incorporated, Format V: Periodic Review Schedule for Risk Assessment (SOP/DP/QA/010/F05-R00) and Format VI: Periodic Review Checklist for Risk Assessment (SOP/DP/QA/010/F06-R00) | CCF/QA/24/034      |
| R04          | 09/06/2026     | 1. In Section 7.6.2 periodic review applicability procedure for risk assessment incorporated.<br>2. Content sequence updated in Format I: Minutes of Meeting for Risk Assessment (SOP/DP/QA/010/F01-R00).<br>3. Periodic review applicability section incorporated in Format II: Templates for Risk Assessment by FMEA (SOP/DP/QA/010/F02-R03)                                                                                                                                                                                                                                         | CCF/QA/26/012      |

|                                                                                                 |                                                                                                  |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Prepared By (User Department) Sign/Date</b>                                                  | <b>Reviewed By (Quality Assurance) Sign/Date</b>                                                 |
| <br>29/06/26 | <br>29/06/26 |


|                                                                                                                    |                               |                         |                      |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|----------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                               |                         |                      |
| <b>Title:</b> Quality Risk Assessment                                                                              |                               |                         |                      |
| <b>Dept.:</b> Quality Assurance                                                                                    | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 22 of 51 |


**ANNEXURE –I**

Reference SOP No. : SOP/DP/QA/010

Unit: Drug Product

|                                                                                                                    |  |
|--------------------------------------------------------------------------------------------------------------------|--|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |  |
| <b>Flow Chart for Quality Risk Assessment</b>                                                                      |  |



| Prepared By (User Department) Sign/Date                                                      | Reviewed By (Quality Assurance) Sign/Date                                                      |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
|  28/06/26 |  29/06/26 |


|                                                                                                                           |                               |                         |                      |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|----------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |                      |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                      |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 23 of 51 |                                                                                     |

**ANNEXURE –II**

Reference SOP No. : SOP/DP/QA/010

Unit: Drug Product



|                                                                                                                           |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |  |
| <b>Decision Tree for Risk Assessment</b>                                                                                  |                                                                                     |



Confidential and Proprietary

Page X of Y

SOP/DP/QA/010/A02-R00

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/20 | <br>29/06/20 |

Confidential and Proprietary

SOP/DP/QA/001/F01-R02

**MASTER COPY**



|                                                                                                                    |                               |                         |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                              |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                    | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 24 of 51                                                                |

**FORMAT –I**

Reference SOP No.: SOP/DP/QA/010

Unit: Drug Product


|                                                                                                                    |  |  |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------|--|--|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |  |  |  |
| <b>Minutes of Meeting for Risk Assessment</b>                                                                      |  |  |                                                                                     |

Date: \_\_\_\_\_ Time: From \_\_\_\_\_ to \_\_\_\_\_

**1. Subject:**

|  |
|--|
|  |
|  |
|  |
|  |

**2. Identified points:**

| Sr. No.                                                                                      | Probable Identified Failure | Responsibility                                                                                 |
|----------------------------------------------------------------------------------------------|-----------------------------|------------------------------------------------------------------------------------------------|
|                                                                                              |                             |                                                                                                |
|                                                                                              |                             |                                                                                                |
|                                                                                              |                             |                                                                                                |
|                                                                                              |                             |                                                                                                |
|                                                                                              |                             |                                                                                                |
|                                                                                              |                             |                                                                                                |
|                                                                                              |                             |                                                                                                |
|                                                                                              |                             |                                                                                                |
|                                                                                              |                             |                                                                                                |
|                                                                                              |                             |                                                                                                |
| <b>Prepared By (User Department) Sign/Date</b>                                               |                             | <b>Reviewed By (Quality Assurance) Sign/Date</b>                                               |
|  29/06/26 |                             |  29/06/26 |

**Title:** Quality Risk Assessment

Page 25 of 51

|                                                                                                 |                                                                                                   |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Prepared By (User Department) Sign/Date</b>                                                  | <b>Reviewed By (Quality Assurance) Sign/Date</b>                                                  |
| <br>29/06/26 | <br>29/06/26 |

**M.J. Biopharm Private Limited**

Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.

**Title:** Quality Risk Assessment**Dept.:** Quality Assurance**SOP No.:** SOP/DP/QA/010**Revision No:** R04**Page** 26 of 51**3. Risk Assessment Team:**

| Sr. No. | Name of Person | Department | Sign/Date |
|---------|----------------|------------|-----------|
|         |                |            |           |
|         |                |            |           |
|         |                |            |           |
|         |                |            |           |
|         |                |            |           |
|         |                |            |           |
|         |                |            |           |
|         |                |            |           |
|         |                |            |           |

**4. Evaluation of Risk Assessment (Qualitative/Quantitative):**


| Sr. No. | Question                                                                            | Answer (Yes/No) |
|---------|-------------------------------------------------------------------------------------|-----------------|
| 1.      | Is there potential impact on product quality or GMP system is known and understood? |                 |
| 2.      | Is scope is well defined?                                                           |                 |
| 3.      | Is scope is narrow?                                                                 |                 |

**Note:**

If answer is "yes" to all above then 'Qualitative risk assessment' to be performed.

If answer is "no" to any of the above question, then 'Quantitative risk assessment' to be performed.

Based on the above evaluation, Risk Assessment shall be performed as Qualitative / Quantitative (Encircle whichever applicable)

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

|                                                                                                                    |                               |                         |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                              |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                    | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 27 of 51                                                                |



**Comment:****5. Meeting Overview:****6. Approval:**

|                                              | Name | Designation/Dept. | Sign/Date |
|----------------------------------------------|------|-------------------|-----------|
| Prepared By (User Dept.)                     |      |                   |           |
| Reviewed By<br>(Concern Dept. Head/Designee) |      |                   |           |
| Reviewed By<br>(Concern Dept. Head/Designee) |      |                   |           |
| Reviewed By<br>(Concern Dept. Head/Designee) |      |                   |           |
| Reviewed By<br>(Concern Dept. Head/Designee) |      |                   |           |
| Reviewed By<br>(Concern Dept. Head/Designee) |      |                   |           |
| Reviewed By<br>(Concern Dept. Head/Designee) |      |                   |           |
| Reviewed By<br>(Concern Dept. Head/Designee) |      |                   |           |
| Reviewed By<br>(Concern Dept. Head/Designee) |      |                   |           |
| Reviewed By<br>(Concern Dept. Head/Designee) |      |                   |           |
| Approved By (QA Head/Designee)               |      |                   |           |

Confidential and Proprietary

Page X of Y

SOP/DP/QA/010/F01-R01

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

Confidential and Proprietary

SOP/DP/QA/001/F01-R02

**MASTER COPY**

|                                                                                                                    |                               |                         |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                              |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                    | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 28 of 51                                                                |

**FORMAT –II**


Reference SOP No.: SOP/DP/QA/010

Unit: Drug Product

|                                                                                                                    |  |                            |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------|--|----------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |  |                            |  |
| <b>Template for Risk Assessment by FMEA</b>                                                                        |  |                            |                                                                                     |
| <b>Title:</b>                                                                                                      |  |                            |                                                                                     |
| <b>Department :</b>                                                                                                |  | <b>Risk Assessment No.</b> |                                                                                     |

**RISK ASSESSMENT AND EVALUATION RECORD FOR  
(System/Equipment/Facility/Instrument/other Name)**

|                                                                  |  |
|------------------------------------------------------------------|--|
| <b>Source Document Name<br/>(If any):</b>                        |  |
| <b>Source Document No. (If<br/>any):</b>                         |  |
| <b>Product / Process /<br/>Equipment /<br/>System/Other name</b> |  |
| <b>ID No.: (If Applicable)</b>                                   |  |


|                                                                                                 |                                                                                                   |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Prepared By (User Department) Sign/Date</b>                                                  | <b>Reviewed By (Quality Assurance) Sign/Date</b>                                                  |
| <br>29/06/26 | <br>29/06/26 |



|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 29 of 51                                                                |

**TABLE OF CONTENTS**

| <b>Sr. No.</b> | <b>Title</b>                                                            | <b>Page No.</b> |
|----------------|-------------------------------------------------------------------------|-----------------|
| -              | Title Page                                                              |                 |
| -              | Table of Contents                                                       |                 |
| A.             | Pre-Approval                                                            |                 |
| 1              | Details of Risk Assessment                                              |                 |
| 1.1            | Objective                                                               |                 |
| 1.2            | Scope                                                                   |                 |
| 1.3            | System/ Equipment/ Instrument/ Other (if any) Overview                  |                 |
| 1.4            | Procedure                                                               |                 |
| 1.5            | Risk Assessment Team Members                                            |                 |
| 1.6            | Risk Identification                                                     |                 |
| 1.7            | Risk Measurement by Failure Mode Effect Analysis                        |                 |
| 1.8            | Risk Assessment Approach                                                |                 |
| 2              | Risk Identification and evaluation considering current control measures |                 |
| 3              | Risk Communication                                                      |                 |
| 3.1            | Risk Assessment Summary and Conclusion (Before Implementation)          |                 |
| 4              | Mitigation plan and closure                                             |                 |
| 4.1            | New risk identified during execution / residual risk (if any)           |                 |
| 4.2            | Periodic review of identified risk's                                    |                 |
| 4.3            | Risk assessment summary and conclusion (after implementation):          |                 |
| B.             | Revision History                                                        |                 |
| C.             | Post-Approval                                                           |                 |


| <b>Prepared By (User Department) Sign/Date</b>                                                  | <b>Reviewed By (Quality Assurance) Sign/Date</b>                                                  |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 30 of 51                                                                |

**A. PRE-APPROVAL (Before Implementation):**

|                                                       | Name | Designation & Department | Signature | Date |
|-------------------------------------------------------|------|--------------------------|-----------|------|
| <b>Performed By<br/>(User Dept.)</b>                  |      |                          |           |      |
| <b>Reviewed By<br/>(Risk Assessment Team Members)</b> |      |                          |           |      |
|                                                       |      |                          |           |      |
|                                                       |      |                          |           |      |
|                                                       |      |                          |           |      |
|                                                       |      |                          |           |      |
| <b>Approved By<br/>(Head QA/Designee)</b>             |      |                          |           |      |

Note: Number of rows can be added or deleted based on the number of risk assessment team members

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 31 of 51                                                                |

## 1. DETAILS OF THE RISK ASSESSMENT

### 1.1 OBJECTIVE:

The objective of this document is to perform the quality risk management and evaluation of controls and procedures for risk associated with (Name of equipment, process, activity..etc.) in the facility and identification of potential risk and risk mitigation plan for the same.

### 1.2 SCOPE:

This risk assessment document is applicable to (Name of equipment, process, activity..etc) in the Drug Product Facility of M.J. Biopharm Pvt. Ltd. Pune.

### 1.3 SYSTEM/ EQUIPMENT/ INSTRUMENT/ OTHER (IF ANY) OVERVIEW:

In this section brief description of the System/ Equipment/ Instrument/ other (if any) shall be mentioned. Which includes following details but not limited to,

1.3.1 Equipment/system/instrument details and functions.

1.3.2 Intended use of the equipment.

1.3.3 Brief details about various components related to particular system.

1.3.4 Process flow (if any).

### 1.4 PROCEDURE:

Quality risk management should include systematic processes designed to coordinate, facilitate and improve science-based decision making with respect to risk. Possible steps used to initiate and plan a quality risk management process might include the following:


1.4.1 Define the problem and/or risk question, including pertinent assumptions identifying the potential for risk.


1.4.2 Assemble background information and/ or data on the potential hazard, harm or human health impact relevant to the risk assessment.

1.4.3 Identify a leader and necessary resources.

1.4.4 Specify a timeline, deliverables and appropriate level of decision making for the risk management process.

1.4.5 Following flow chart shall be followed for risk assessment,

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |



|                                                                                              |                                                                                                |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <b>Prepared By (User Department) Sign/Date</b>                                               | <b>Reviewed By (Quality Assurance) Sign/Date</b>                                               |
|  29/06/26 |  29/06/26 |

|                                                                                                                    |                               |                         |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                              |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                    | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 33 of 51                                                                |

**1.5 RISK ASSESSMENT TEAM MEMBERS:**

| Sr. No. | Name | Department | Designation |
|---------|------|------------|-------------|
|         |      |            |             |
|         |      |            |             |
|         |      |            |             |
|         |      |            |             |
|         |      |            |             |

Note: Rows can be added or deleted based in number of team members.

**1.6 RISK IDENTIFICATION:**

| S. No. | Process / activity | Identify Failure |
|--------|--------------------|------------------|
| 1.     |                    |                  |
| 2.     |                    |                  |
| 3.     |                    |                  |
| 4.     |                    |                  |
| 5.     |                    |                  |



Note: Rows can be added or deleted based on the requirement

**1.7 RISK MEASUREMENT BY FAILURE MODE EFFECT ANALYSIS:**

Risk assessment shall be performed as Formal Risk Assessment and Informal Risk Assessment. Decision shall be taken by department head/designee in coordination with QA. Decision Tree is given in approved SOP for "Quality Risk Assessment"

**1.8 Risk Assessment Approach: Formal Risk Assessment or Informal Risk Assessment****1.8.1 Formal risk assessment:****1.8.1.1 Risk Criteria:**

The severity (S), Probability (P) and Detection (D) values are assessed using the table below to calculate

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |



|                                                                                                                    |                               |                         |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                              |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                    | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 34 of 51                                                                |

Risk Priority Number (RPN) by the formula.

Risk Prioritization Number (RPN) = Severity (S) x Probability (P) x Detection (D).

| Severity is ranked based on the impact on safety, purity and identity of the product. |                                                         | Probability is ranked based on probability of failure (frequency of event/incident) |                                                                                                        | Detectability is ranked based on ability/accuracy of detection |                                             |
|---------------------------------------------------------------------------------------|---------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------|
| Number                                                                                | Impact                                                  | Number                                                                              | Impact                                                                                                 | Number                                                         | Impact                                      |
| 1                                                                                     | No impact                                               | 1                                                                                   | Expected to happen infrequently e.g. yearly or unlikely to happen e.g. one occurrence more than a year | 1                                                              | Very high/complete detection possible       |
| 2                                                                                     | Low impact (may having indirect impact)                 | 2                                                                                   | Expected to happen in low frequency e.g. Half yearly                                                   | 2                                                              | High possibility of detection               |
| 3                                                                                     | Medium or moderate impact (Will having indirect impact) | 3                                                                                   | Expected to happen in a moderate frequency e.g. Quarterly                                              | 3                                                              | Medium or moderate possibility of detection |
| 4                                                                                     | High impact (may having direct impact)                  | 4                                                                                   | Expected to happen repeated e.g. Weekly                                                                | 4                                                              | Low possibility of detection                |
| 5                                                                                     | Very high impact (Will having direct impact)            | 5                                                                                   | Expected to happen regularly e.g. More than one occurrence per day                                     | 5                                                              | No detection possible                       |

### 1.8.1.2 Risk Evaluation:


| Overall Risk | RPN Value | Risk Treatment                                                                                                                   |
|--------------|-----------|----------------------------------------------------------------------------------------------------------------------------------|
| Low          | 1 – 8     | Mitigation Plan not required or risk is at acceptable level.                                                                     |
| Medium       | 9-24      | Mitigation plan shall be done to reduce the risk to an acceptable level                                                          |
| High         | 25-125    | Identify and implement the mitigation plan before proceeding to the activity to reduce the risk ranking within acceptable range. |

### 1.8.2 Informal risk assessment:

#### 1.8.2.1 Risk Criteria:

The severity (S), Probability (P) and Detection (D) are assessed using the table below to calculate Risk Priority Ranking by the formula.

Risk Prioritization Ranking (RPR) = Severity (S) x Probability (P) x Detection (D).



| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

|                                                                                                                           |                               |                         |                                                                                     |
|---------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                     |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                           | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 35 of 51                                                                |

| Severity is ranked based on the impact on safety, purity and identity of the product. |                                                         | Probability is ranked based on probability of failure (frequency of event/incident) |                                                                                                    | Detectability is ranked based on ability/accuracy of detection |                                             |
|---------------------------------------------------------------------------------------|---------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------|---------------------------------------------|
| Rank                                                                                  | Impact                                                  | Rank                                                                                | Impact                                                                                             | Rank                                                           | Impact                                      |
| Low                                                                                   | No impact or Low impact (may having indirect impact)    | Low                                                                                 | Expected to happen infrequently, yearly or unlikely to happen e.g. one occurrence more than a year | Low                                                            | Very high/complete detection possible       |
| Medium                                                                                | Medium or moderate impact (Will having indirect impact) | Medium                                                                              | Expected to happen in a moderate frequency e.g. Half yearly or Quarterly                           | Medium                                                         | Medium or moderate possibility of detection |
| High                                                                                  | High impact (having direct impact)                      | High                                                                                | Expected to happen regularly e.g. More than one occurrence weekly or per day                       | High                                                           | No possible detection                       |

## 1.8.2.2 Risk Evaluation:



| Severity | Probability | Detection | Risk Prioritization Ranking |
|----------|-------------|-----------|-----------------------------|
| High     | High        | High      | High                        |
|          |             | Medium    | High                        |
|          |             | Low       | High                        |
|          | Medium      | High      | High                        |
|          |             | Medium    | High                        |
|          |             | Low       | Medium                      |
|          | Low         | High      | High                        |
|          |             | Medium    | Medium                      |
|          |             | Low       | Low                         |
| Medium   | High        | High      | High                        |
|          |             | Medium    | High                        |
|          |             | Low       | Medium                      |
|          | Medium      | High      | High                        |
|          |             | Medium    | High                        |
|          |             | Low       | Medium                      |
|          |             | High      | Medium                      |

| Prepared By (User Department) Sign/Date                                                      | Reviewed By (Quality Assurance) Sign/Date                                                      |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
|  29/06/26 |  29/06/26 |

|                                                                                                                    |                               |                         |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                              |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                    | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 36 of 51                                                                |

|     |        |        |        |
|-----|--------|--------|--------|
|     |        | Medium | Medium |
|     |        | Low    | Low    |
|     | High   | High   | High   |
|     |        | Medium | Medium |
|     |        | Low    | Low    |
|     | Medium | High   | Medium |
|     |        | Medium | Medium |
|     |        | Low    | Low    |
|     |        | High   | Low    |
|     |        | Medium | Low    |
|     |        | Low    | Low    |
| Low |        |        |        |

| Overall Risk | Risk Treatment                                                                                                                   |
|--------------|----------------------------------------------------------------------------------------------------------------------------------|
| Low          | Mitigation Plan not required or risk is at acceptable level.                                                                     |
| Medium       | Mitigation plan shall be done to reduce the risk and based on the mitigation risk can be acceptable                              |
| High         | Identify and implement the mitigation plan before proceeding to the activity to reduce the risk ranking within acceptable range. |

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                         |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

|                                                                                                                                |                               |                         |                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-----------------------------------------------------------------------------------|
| <div>M.J. Biopharm Private Limited</div> <div>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</div> |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                                          |                               |                         |                                                                                   |
| <b>Dept.:</b> Quality Assurance                                                                                                | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 37 of 51                                                              |

## 2. RISK IDENTIFICATION AND EVALUATION CONSIDERING CURRENT CONTROL MEASURES:

| Sr. No. | Process / activity | Potential Failure | Probable cause of failure | Potential Effect(s) of Failure | Severity | Controls Measures | Probability | Detection Measures | Detectability | *(SXPXD) | Risk Acceptable (Yes/No) | Mitigation Plan | Revised Risk Classification |   |   |   |                | Risk Acceptable (Yes/No) |
|---------|--------------------|-------------------|---------------------------|--------------------------------|----------|-------------------|-------------|--------------------|---------------|----------|--------------------------|-----------------|-----------------------------|---|---|---|----------------|--------------------------|
|         |                    |                   |                           |                                |          |                   |             |                    |               |          |                          |                 | Responsibility and TCD      | S | P | D | *Final (SXPXD) |                          |
| R01     |                    |                   |                           |                                |          |                   |             |                    |               |          |                          |                 |                             |   |   |   |                |                          |
|         |                    |                   |                           |                                |          |                   |             |                    |               |          |                          |                 |                             |   |   |   |                |                          |
|         |                    |                   |                           |                                |          |                   |             |                    |               |          |                          |                 |                             |   |   |   |                |                          |
|         |                    |                   |                           |                                |          |                   |             |                    |               |          |                          |                 |                             |   |   |   |                |                          |
|         |                    |                   |                           |                                |          |                   |             |                    |               |          |                          |                 |                             |   |   |   |                |                          |

Note: \*Mention the word "RPN" or "RPR" depends upon the approach of risk assessment

|                                                                                                |                                                                                              |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| Prepared By (User Department) Sign/Date                                                        | Reviewed By (Quality Assurance) Sign/Date                                                    |
|  29/06/26 |  29/06/26 |

|                                                                                                             |                        |                  |               |                                                                                   |
|-------------------------------------------------------------------------------------------------------------|------------------------|------------------|---------------|-----------------------------------------------------------------------------------|
| M.J. Biopharm Private Limited<br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                        |                  |               |  |
| Title: Quality Risk Assessment                                                                              |                        |                  |               |                                                                                   |
| Dept.: Quality Assurance                                                                                    | SOP No.: SOP/DP/QA/010 | Revision No: R04 | Page 38 of 51 |                                                                                   |

### 3. RISK COMMUNICATION

| *Sr. No. | Mitigation Proposal | Applicable Document | Document No<br>(If<br>Applicable) | QMS Element<br>(Yes/No)<br>Reference<br>Document (If Yes) | Responsibility | TCD |
|----------|---------------------|---------------------|-----------------------------------|-----------------------------------------------------------|----------------|-----|
| R01      |                     |                     |                                   |                                                           |                |     |

Note: \*1. Sr. No. having unique code for identification of each mitigation proposal with respect to point no.2 (e.g. R01, R02 and so on)

2. Rows can be added or deleted based on the requirement


### 3.1 RISK ASSESSMENT SUMMARY AND CONCLUSION (Before Implementation):

---

---

---

---

|                                                                                                   |                                                                                                 |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| Prepared By (User Department) Sign/Date                                                           | Reviewed By (Quality Assurance) Sign/Date                                                       |
| <br>29/06/26 | <br>29/06/26 |



## Standard Operating Procedure

Unit: Drug Product

**M.J. Biopharm Private Limited**  
Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.



|                                |  |                        |  |                  |               |
|--------------------------------|--|------------------------|--|------------------|---------------|
| Title: Quality Risk Assessment |  | SOP No.: SOP/DP/QA/010 |  | Revision No: R04 | Page 39 of 51 |
| Dept.: Quality Assurance       |  |                        |  |                  |               |

**4. MITIGATION PLAN AND CLOSURE:**

| *S. No. | Mitigation Plan | Reference Document No. | Proposed Target Completion Date | Status | Actual Closure Date | Name Sign/Date | Remark |
|---------|-----------------|------------------------|---------------------------------|--------|---------------------|----------------|--------|
|         |                 |                        |                                 |        |                     |                |        |
|         |                 |                        |                                 |        |                     |                |        |


Note: \*1. S. No. having unique code for identification of each mitigation proposal with respect to point no.2 (e.g. R01, R02 and so on)

2. Rows can be added or deleted based on the requirement

**4.1 NEW RISK IDENTIFIED DURING EXECUTION / RESIDUAL RISK (If Any): In case of identification of new risk, format for New Risk/Residual Risk SOP/DP/QA/010/F04 shall be initiated.**

**4.2 PERIODIC REVIEW OF IDENTIFIED RISK'S:****4.2.1** Risk assessment related to the temporary changes shall not be considered for periodic review.**4.2.2** Risk assessment shall be considered for periodic review which shall impact on product quality, safety, identity, purity, strength.

|                                                                           |                              |                             |
|---------------------------------------------------------------------------|------------------------------|-----------------------------|
| Risk's are applicable for periodic review (Tick "✓" whichever applicable) | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| Justification for selected option                                         |                              |                             |
| Sign and date (QA)                                                        |                              |                             |

|                                                                                                |                                                                                              |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| Prepared By (User Department) Sign/Date                                                        | Reviewed By (Quality Assurance) Sign/Date                                                    |
|  29/06/26 |  29/06/26 |

Confidential and Proprietary

SOP/DP/QA/001/F01-R02

MASTER COPY

|                                                                                                                                             |                        |                  |               |                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------|---------------|-----------------------------------------------------------------------------------|
| <p><b>M.J. Biopharm Private Limited</b><br/>                 Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</p> |                        |                  |               |  |
| Title: Quality Risk Assessment                                                                                                              |                        |                  |               |                                                                                   |
| Dept.: Quality Assurance                                                                                                                    | SOP No.: SOP/DP/QA/010 | Revision No: R04 | Page 40 of 51 |                                                                                   |

4.3 RISK ASSESSMENT SUMMARY AND CONCLUSION (After Implementation):

---

---

---

---

---

---

|                                                                                                   |                                                                                                 |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| Prepared By (User Department) Sign/Date                                                           | Reviewed By (Quality Assurance) Sign/Date                                                       |
| <br>29/06/26 | <br>29/06/26 |

**Standard Operating Procedure**

Unit: Drug Product

|                                                                                                             |                        |                  |               |                                                                                   |
|-------------------------------------------------------------------------------------------------------------|------------------------|------------------|---------------|-----------------------------------------------------------------------------------|
| M.J. Biopharm Private Limited<br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                        |                  |               |  |
| Title: Quality Risk Assessment                                                                              |                        |                  |               |                                                                                   |
| Dept.: Quality Assurance                                                                                    | SOP No.: SOP/DP/QA/010 | Revision No: R04 | Page 41 of 51 |                                                                                   |

**B. REVISION HISTORY:**

| Revision No. | Change History | Change Control No. |
|--------------|----------------|--------------------|
|              |                |                    |

**C. POST-APPROVAL (After Implementation):**


|                                                  | Name | Designation & Department | Signature | Date |
|--------------------------------------------------|------|--------------------------|-----------|------|
| Performed By<br>(User Dept.)                     |      |                          |           |      |
| Reviewed By<br>(Risk Assessment Team<br>Members) |      |                          |           |      |
|                                                  |      |                          |           |      |
| Approved By<br>(Head QA/Designee)                |      |                          |           |      |

Note: Number of row can be added or deleted based on the Risk assessment Team members

Confidential and Proprietary

Page X of Y

SOP/DP/QA/010/F02-R04

|                                                                                                   |                                                                                                 |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| Prepared By (User Department) Sign/Date                                                           | Reviewed By (Quality Assurance) Sign/Date                                                       |
| <br>29/06/26 | <br>29/06/26 |

Confidential and Proprietary

MASTER COPY

SOP/DP/QA/001/F01-R02

|                                                                                                                    |                               |                         |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                              |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                    | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 42 of 51                                                                |

**FORMAT –III**

Reference SOP No.: SOP/DP/QA/010

Unit: Drug Product



|                                                                                                                   |  |  |                                                                                     |
|-------------------------------------------------------------------------------------------------------------------|--|--|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi Phase II, Pune 411057. |  |  |  |
| <b>Quality Risk Assessment Log</b>                                                                                |  |  |                                                                                     |

| Date | Risk Assessment No. | Description of Risk Identified | Allotted by Sign & Date | Proposed Risk Mitigation (Yes/No) | Closed on | QA Sign & Date | Remarks |
|------|---------------------|--------------------------------|-------------------------|-----------------------------------|-----------|----------------|---------|
|      |                     |                                |                         |                                   |           |                |         |
|      |                     |                                |                         |                                   |           |                |         |
|      |                     |                                |                         |                                   |           |                |         |
|      |                     |                                |                         |                                   |           |                |         |
|      |                     |                                |                         |                                   |           |                |         |
|      |                     |                                |                         |                                   |           |                |         |
|      |                     |                                |                         |                                   |           |                |         |
|      |                     |                                |                         |                                   |           |                |         |
|      |                     |                                |                         |                                   |           |                |         |

Confidential and Proprietary

Page X of Y

SOP/DP/QA/010/F03-R00

|                                                                                                 |                                                                                                  |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Prepared By (User Department) Sign/Date</b>                                                  | <b>Reviewed By (Quality Assurance) Sign/Date</b>                                                 |
| <br>29/06/26 | <br>29/06/26 |

Confidential and Proprietary

SOP/DP/QA/001/F01-R02

**MASTER COPY**

|                                                                                                                    |                               |                         |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                              |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                    | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 43 of 51                                                                |

**FORMAT -IV**


Reference SOP No.: SOP/DP/QA/010

Unit: Drug Product

|                                                                                                                    |  |  |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------|--|--|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |  |  |  |
| <b>Template for New Risk/Residual Risk</b>                                                                         |  |  |                                                                                     |

|                     |  |                            |  |
|---------------------|--|----------------------------|--|
| <b>Title:</b>       |  |                            |  |
| <b>Department :</b> |  | <b>Risk Assessment No.</b> |  |

|                                                           |  |
|-----------------------------------------------------------|--|
| <b>Source Document Name (If any):</b>                     |  |
| <b>Source Document No. (If any):</b>                      |  |
| <b>Product / Process / Equipment / System/Other name:</b> |  |
| <b>ID No.: (If Applicable)</b>                            |  |

|                                                                                                 |                                                                                                  |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <b>Prepared By (User Department) Sign/Date</b>                                                  | <b>Reviewed By (Quality Assurance) Sign/Date</b>                                                 |
| <br>29/06/26 | <br>29/06/26 |




|                                                                                                                    |                               |                         |                                                                                     |
|--------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------|-------------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                               |                         |  |
| <b>Title:</b> Quality Risk Assessment                                                                              |                               |                         |                                                                                     |
| <b>Dept.:</b> Quality Assurance                                                                                    | <b>SOP No.:</b> SOP/DP/QA/010 | <b>Revision No:</b> R04 | <b>Page</b> 44 of 51                                                                |

**A. PRE-APPROVAL (Before Implementation):**

|                                                      | Name | Designation & Department | Signature | Date |
|------------------------------------------------------|------|--------------------------|-----------|------|
| <b>Performed By</b><br>(User Dept.)                  |      |                          |           |      |
| <b>Reviewed By</b><br>(Risk Assessment Team Members) |      |                          |           |      |
|                                                      |      |                          |           |      |
|                                                      |      |                          |           |      |
|                                                      |      |                          |           |      |
|                                                      |      |                          |           |      |
| <b>Approved By</b><br>(Head QA/Designee)             |      |                          |           |      |

Note: Number of rows can be added or deleted based on the number of risk assessment team members

| Prepared By (User Department) Sign/Date                                                         | Reviewed By (Quality Assurance) Sign/Date                                                        |
|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| <br>29/06/26 | <br>29/06/26 |

|                                                                                                                                |                        |                  |                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------------|------------------------|------------------|-----------------------------------------------------------------------------------|
| <div>M.J. Biopharm Private Limited</div> <div>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</div> |                        |                  |  |
| Title: Quality Risk Assessment                                                                                                 |                        |                  |                                                                                   |
| Dept.: Quality Assurance                                                                                                       | SOP No.: SOP/DP/QA/010 | Revision No: R04 | Page 45 of 51                                                                     |

## 1.0 NEW RISK IDENTIFIED DURING EXECUTION / RESIDUAL RISK (If Any):

| *Sr. No. | Process / activity | Potential Failure | Probable cause of failure | Potential Effect(s) of Failure | Severity | Controls Measures | Probability | Detection Measures | Detectability<br>#(SXPXD) | Risk Acceptable (Yes/No) | Mitigation Plan | Revised Risk Classification |   |   |   |                | Risk Acceptable (Yes/No) |
|----------|--------------------|-------------------|---------------------------|--------------------------------|----------|-------------------|-------------|--------------------|---------------------------|--------------------------|-----------------|-----------------------------|---|---|---|----------------|--------------------------|
|          |                    |                   |                           |                                |          |                   |             |                    |                           |                          |                 | Responsibility and TCD      | S | P | D | #Final (SXPXD) |                          |
|          |                    |                   |                           |                                |          |                   |             |                    |                           |                          |                 |                             |   |   |   |                |                          |
|          |                    |                   |                           |                                |          |                   |             |                    |                           |                          |                 |                             |   |   |   |                |                          |
|          |                    |                   |                           |                                |          |                   |             |                    |                           |                          |                 |                             |   |   |   |                |                          |

Note: \* 1. S. No. having unique code for identification of new risk/residual risk and it shall be continued from initial risk i.e. if initially risk identified till R05, then R06 will be first new risk/residual risk.

2. Rows can be added or deleted based on the requirement.

3. #Mention the word "RPN" or "RPR" depends upon the approach of risk assessment

|                                                                                                   |                                                                                                 |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| Prepared By (User Department) Sign/Date                                                           | Reviewed By (Quality Assurance) Sign/Date                                                       |
| <br>29/06/26 | <br>29/06/26 |

|                                                                                                             |                        |                  |               |                                                                                   |
|-------------------------------------------------------------------------------------------------------------|------------------------|------------------|---------------|-----------------------------------------------------------------------------------|
| M.J. Biopharm Private Limited<br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                        |                  |               |  |
| Title: Quality Risk Assessment                                                                              |                        |                  |               |                                                                                   |
| Dept.: Quality Assurance                                                                                    | SOP No.: SOP/DP/QA/010 | Revision No: R04 | Page 46 of 51 |                                                                                   |

**2.0 NEW RISK/RESIDUAL RISK COMMUNICATION:**

| *Sr. No. | Mitigation Proposal | Responsibility | TCD |
|----------|---------------------|----------------|-----|
|          |                     |                |     |
|          |                     |                |     |

Note: \* 1. S. No. having unique code for identification of new risk/residual risk and it shall be continued from initial risk i.e. if initially risk identified till R05, then R06 will be first new risk/residual risk.

2. Rows can be added or deleted based on the requirement.

**3.0 SUMMARY AND CONCLUSION (Before Implementation):**


---

---

---

---

---

|                                                                                                   |                                                                                                 |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| Prepared By (User Department) Sign/Date                                                           | Reviewed By (Quality Assurance) Sign/Date                                                       |
| <br>29/06/26 | <br>29/06/26 |

Confidential and Proprietary

MASTER COPY

SOP/DP/QA/001/F01-R02

|                                                                                                             |  |                        |  |                                                                                   |  |
|-------------------------------------------------------------------------------------------------------------|--|------------------------|--|-----------------------------------------------------------------------------------|--|
| M.J. Biopharm Private Limited<br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |  |                        |  |  |  |
| Title: Quality Risk Assessment                                                                              |  | SOP No.: SOP/DP/QA/010 |  | Revision No: R04                                                                  |  |
| Dept.: Quality Assurance                                                                                    |  |                        |  | Page 47 of 51                                                                     |  |

**4.0 VERIFICATION OF MITIGATION PLAN OF NEW RISK/RESIDUAL RISK AND CLOSURE (If any):**

| *S. No. | Mitigation Plan | Reference Document No. | Proposed Target Completion Date | Status | Actual Closure Date | Name Sign/Date | Remark |
|---------|-----------------|------------------------|---------------------------------|--------|---------------------|----------------|--------|
|         |                 |                        |                                 |        |                     |                |        |
|         |                 |                        |                                 |        |                     |                |        |

Note: \*1. S. No. having unique code for identification of new risk/residual risk and it shall be continued from initial risk i.e. if initially risk identified till R05, then R06 will be first new risk/residual risk.

2. Rows can be added or deleted based on the requirement.

**5.0 SUMMARY AND CONCLUSION (After Implementation):**

---

---

---

---

---

---

|                                                                                                |                                                                                              |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| Prepared By (User Department) Sign/Date                                                        | Reviewed By (Quality Assurance) Sign/Date                                                    |
|  29/06/26 |  29/06/26 |

|                                                                            |                        |                                                                                   |
|----------------------------------------------------------------------------|------------------------|-----------------------------------------------------------------------------------|
| M.J. Biopharm Private Limited                                              |                        |  |
| Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                        |                                                                                   |
| Title: Quality Risk Assessment                                             |                        |                                                                                   |
| Dept.: Quality Assurance                                                   | SOP No.: SOP/DP/QA/010 | Revision No: R04                                                                  |
|                                                                            |                        | Page 48 of 51                                                                     |

**B. POST-APPROVAL (After Implementation):**


|                                                  | Name | Designation & Department | Signature | Date |
|--------------------------------------------------|------|--------------------------|-----------|------|
| Performed By<br>(User Dept.)                     |      |                          |           |      |
| Reviewed By<br>(Risk Assessment Team<br>Members) |      |                          |           |      |
|                                                  |      |                          |           |      |
| Approved By<br>(Head QA/Designee)                |      |                          |           |      |

Note: Number of row can be added or deleted based on the Risk assessment Team members

**Confidential and Proprietary**

Page X of Y

SOP/DP/QA/010/F04-R00

|                                                                                                   |                                                                                                 |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| Prepared By (User Department) Sign/Date                                                           | Reviewed By (Quality Assurance) Sign/Date                                                       |
| <br>29/06/26 | <br>29/06/26 |

**Confidential and Proprietary****MASTER COPY**

SOP/DP/QA/001/F01-R02

**Standard Operating Procedure****Unit: Drug Product**

|                                                                            |  |                        |                                                                                   |               |
|----------------------------------------------------------------------------|--|------------------------|-----------------------------------------------------------------------------------|---------------|
| <b>M.J. Biopharm Private Limited</b>                                       |  |                        |  |               |
| Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |  |                        |                                                                                   |               |
| <b>Title:</b> Quality Risk Assessment                                      |  |                        |                                                                                   |               |
| <b>Dept.:</b> Quality Assurance                                            |  | SOP No.: SOP/DP/QA/010 | Revision No: R04                                                                  | Page 49 of 51 |

**FORMAT - V****Reference SOP No.: SOP/DP/QA/010****Unit: Drug Product**

|                                                                            |  |                                                                                   |  |
|----------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------|--|
| <b>M.J. Biopharm Private Limited</b>                                       |  |  |  |
| Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |  |                                                                                   |  |
| <b>Periodic Review Schedule for Risk Assessment</b>                        |  |                                                                                   |  |

| Sr. No. | Risk Assessment No. | Title of Risk Assessment | Department | Risk assessment pre approval date | Review Frequency | Scheduled/Planned Periodic Review Date | Actual Periodic Review Done on date | Next Periodic Review due on | Remarks |
|---------|---------------------|--------------------------|------------|-----------------------------------|------------------|----------------------------------------|-------------------------------------|-----------------------------|---------|
|         |                     |                          |            |                                   |                  |                                        |                                     |                             |         |
|         |                     |                          |            |                                   |                  |                                        |                                     |                             |         |


|                                                   |                                                      |                                                                 |  |
|---------------------------------------------------|------------------------------------------------------|-----------------------------------------------------------------|--|
|                                                   |                                                      |                                                                 |  |
| <b>Prepared By (QA)</b><br><b>(Sign and Date)</b> | <b>* Reviewed by (CFT)</b><br><b>(Sign and Date)</b> | <b>Approved by (QA Head/Designee)</b><br><b>(Sign and date)</b> |  |

\* - The reviewer can be add or delete based on requirement/applicability.  
- Schedule shall be prepared in word format

**Confidential and Proprietary**

Page X of Y

SOP/DP/QA/010/F05-R00

|                                                                                                   |                                                                                                 |
|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| <b>Prepared By (User Department) Sign/Date</b>                                                    | <b>Reviewed By (Quality Assurance) Sign/Date</b>                                                |
| <br>29/06/26 | <br>29/06/26 |

**Confidential and Proprietary****MASTER COPY**

SOP/DP/QA/001/F01-R02



**Standard Operating Procedure**

Unit: Drug Product

|                                                                                                                    |  |                               |  |                                                                                   |  |
|--------------------------------------------------------------------------------------------------------------------|--|-------------------------------|--|-----------------------------------------------------------------------------------|--|
| <b>M.J. Biopharm Private Limited</b><br>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |  |                               |  |  |  |
| <b>Title:</b> Quality Risk Assessment                                                                              |  | <b>SOP No.:</b> SOP/DP/QA/010 |  | <b>Revision No:</b> R04                                                           |  |
| <b>Dept.:</b> Quality Assurance                                                                                    |  |                               |  | <b>Page</b> 50 of 51                                                              |  |

**FORMAT -VI**


Reference SOP No.: SOP/DP/QA/010

Unit: Drug Product

|                                                                                                                           |  |                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------|
| <b>M.J. Biopharm Private Limited</b><br><b>Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057.</b> |  |  |
| <b>Periodic Review Check List for Risk Assessment</b>                                                                     |  |                                                                                   |

Risk Assessment No:- \_\_\_\_\_

| Sr. No. | Review checkpoints                                                   | Observation | Remark |
|---------|----------------------------------------------------------------------|-------------|--------|
| 1.      | Verification effectiveness of mitigation plans during review period? |             |        |
| 2.      | Effectiveness of existing control?                                   |             |        |
| 3.      | Any gaps or deficiencies in identified controls (current)?           |             |        |
| 4.      | For any reason mitigation strategy is updated?                       |             |        |
| 5.      | Identification of any new risk or emerging threats.                  |             |        |
| 6.      | Identified/assessed risks are impacted due                           |             |        |

|                                                                                                                                                     |                                                                                                                                                     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Prepared By (User Department) Sign/Date</b><br><br>29/06/26 | <b>Reviewed By (Quality Assurance) Sign/Date</b><br><br>29/06/26 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|

Confidential and Proprietary

MASTER COPY

SOP/DP/QA/001/F01-R02

**Standard Operating Procedure**

Unit: Drug Product

|                                                                            |                        |                                                                                   |
|----------------------------------------------------------------------------|------------------------|-----------------------------------------------------------------------------------|
| M.J. Biopharm Private Limited                                              |                        |  |
| Plot No. 18, International Biotech Park, Hinjawadi, Phase II, Pune 411057. |                        |                                                                                   |
| Title: Quality Risk Assessment                                             |                        |                                                                                   |
| Dept.: Quality Assurance                                                   | SOP No.: SOP/DP/QA/010 | Revision No: R04                                                                  |
|                                                                            |                        | Page 51 of 51                                                                     |

| Sr. No.   | Review checkpoints   | Observation | Remark |
|-----------|----------------------|-------------|--------|
|           | any non-conformance. |             |        |
| 7.        | Other (If Any): -    |             |        |
| Remark: - |                      |             |        |

|                                       |                                        |                                     |                                                   |
|---------------------------------------|----------------------------------------|-------------------------------------|---------------------------------------------------|
|                                       |                                        |                                     |                                                   |
| Prepared By (User)<br>(Sign and Date) | * Reviewed by (CFT)<br>(Sign and Date) | Reviewed by (QA)<br>(Sign and date) | Approved by (QA Head/Designee)<br>(Sign and date) |


\* - The reviewer can be add or delete based on requirement/applicability.

**Confidential and Proprietary**

Page X of Y

SOP/DP/QA/010/F06-R00

**END OF DOCUMENT**

|                                                                                                |                                                                                              |
|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|
| Prepared By (User Department) Sign/Date                                                        | Reviewed By (Quality Assurance) Sign/Date                                                    |
|  29/06/26 |  29/06/26 |

**Confidential and Proprietary**

SOP/DP/QA/001/F01-R02

**MASTER COPY**