

Microsoft 365 Custom OAuth Setup Guide

Instructions for configuring Microsoft Entra ID before your Sweetspot onboarding is complete.

Use This Guide If

You want to register your own Microsoft Entra ID application and give Sweetspot only the capabilities your team approves.

You need a guide that works for Commercial, GCC, and GCC High tenants.

What You Must Return To Sweetspot

1. OAuth Client ID
2. OAuth Client Secret
3. Directory (Tenant) ID
4. Capabilities enabled

Also tell us whether your tenant is Commercial, GCC, or GCC High so we load the correct cloud setting.

1. Before You Start

- Use a Microsoft Entra admin account. Do not start this process with a normal end-user account.
- If you are not sure whether your tenant is Commercial, GCC, or GCC High, stop and confirm with your Microsoft administrator before creating the app registration.
- Use a single-tenant app registration only. Do not choose a multi-tenant registration unless Sweetspot explicitly tells you to do so.
- Use this exact redirect URI in the app registration: <https://mcp.sweetspotgov.com/microsoft/callback>
- Use the capability names exactly as written in this guide when you tell Sweetspot what should be enabled: Excel, OneDrive, Outlook Calendar, Outlook Email, People, PowerPoint, SharePoint, Teams, Word.

Important

Do not send Sweetspot a user password, a tenant-wide admin password, or a screenshot of the client secret value instead of the secret itself.

Copy the client secret value immediately after you create it. Microsoft only shows the full secret value once.

2. Supported Clouds

Sweetspot Cloud Setting	Admin Portal	Login Host	Graph Host	Notes
Commercial	https://entra.microsoft.com/ https://portal.azure.com/	login.microsoftonline.com	graph.microsoft.com	Use this for standard commercial Microsoft 365 tenants.
GCC	https://entra.microsoft.com/ https://portal.azure.com/	login.microsoftonline.com	graph.microsoft.com	Sweetspot currently uses the same login and Microsoft Graph hosts for GCC as it does for Commercial.
GCC High	https://entra.microsoft.us/ https://portal.azure.us/	login.microsoftonline.us	graph.microsoft.us	Use this only for GCC High tenants. This guide does not cover Microsoft 365 DoD.

3. Capability Planning

Before you create the app permissions, decide which Sweetspot capabilities your organization actually wants to enable. Sweetspot will only request the permissions associated with the capabilities you approve.

Capability	What It Allows Sweetspot To Do	Use This If
Excel	Search and read Microsoft Excel workbooks.	You want Sweetspot to inspect workbook structure, named ranges, sheets, tables, and cell content.
OneDrive	Manage OneDrive folders and list OneDrive files.	You want Sweetspot to browse personal OneDrive storage and create or delete folders there.
Outlook Calendar	Access, create, and update Outlook calendar events.	You want Sweetspot to read calendars, list events, create events, or remove events.
Outlook Email	Read, send, and manage Outlook emails.	You want Sweetspot to review messages, draft replies, send mail, or work with attachments.
People	Search contacts, people, and the organization directory.	You want Sweetspot to look up contacts or basic user directory details.
PowerPoint	Search, write, and edit Microsoft PowerPoint presentations.	You want Sweetspot to create or update PowerPoint decks.
SharePoint	Browse SharePoint sites, document libraries, and lists.	You want Sweetspot to search sites, browse libraries, or read files stored in SharePoint.
Teams	Read and send messages in Microsoft Teams channels and chats.	You want Sweetspot to list Teams, channels, chats, and read or send messages.
Word	Search, write, and edit Microsoft Word documents.	You want Sweetspot to create, read, style, or edit Word documents.

Capability Dependency Notes

Word, PowerPoint, and Excel can work with files in personal OneDrive by using file permissions alone.

If you want Word, PowerPoint, or Excel workflows to browse SharePoint sites and document libraries, also enable SharePoint.

The SharePoint capability in SweetSpot is currently read-oriented. It is used to find sites, libraries, lists, files, and file metadata.

4. Create The App Registration

1. Sign in to the correct Entra admin center or Azure portal for your cloud.
2. Open **App registrations**.
3. Select **New registration**.
4. Set a clear name, for example: SweetSpot Microsoft 365 Integration - <Your Company Name>.
5. For Supported account types, select Accounts in this organizational directory only (Single tenant).
6. Create the application.
7. After the app is created, copy the Application (client) ID and the Directory (tenant) ID from the Overview page.

Home > SweetSpot Microsoft 365 Integration | Overview > App registrations

SweetSpot Microsoft 365 Integration ✎ ...

Search << Deactivate Delete Endpoints Preview features

Overview Quickstart Integration assistant Diagnose and solve problems

Manage

- Branding & properties
- Authentication (Preview)
- Certificates & secrets
- Token configuration
- API permissions
- Expose an API
- App roles
- Owners

Essentials

Display name SweetSpot Microsoft 365 Integration	Client credentials 0 certificate, 1 secret
Application (client) ID [REDACTED]	Redirect URIs 1 web, 0 spa, 0 public client
Object ID [REDACTED]	Application ID URI Add an Application ID URI
Directory (tenant) ID [REDACTED]	Managed application in local directory SweetSpot Microsoft 365 Integration
Supported account types My organization only	State ✔ Activated

Starting June 30th, 2020 we will no longer add any new features to Azure Active Directory Authentication Library (ADAL) and Azure Active Directory Graph. We will continue to provide technical support and security updates but we will no longer provide feature updates. Applications will need to be upgraded to Microsoft Authentication Library (MSAL) and Microsoft Graph. [Learn more](#)

5. Configure Authentication

8. Open the Authentication page for the new app registration.
9. Click **Add Redirect URI**.
10. Choose the **Web** option.
11. Enter this redirect URI exactly: <https://mcp.sweetspotgov.com/microsoft/callback>
12. Save the change.


SweetSpot Microsoft 365 Integration | Authentication (Preview)





[Got feedback?](#)

Overview

Quickstart

Integration assistant

Diagnose and solve problems

Manage

Branding & properties

Authentication (Preview)

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest


Welcome to the new and improved experience for authentication. [To switch to the old experience, please click here.](#)

Redirect URI configuration

Supported accounts

Settings

A redirect URI, or reply URL, is the location where the Entra authorization server sends the user and delivers tokens once the user has successfully signed in or signed out. [Learn more about what is a redirect URI](#)

To configure single sign-on, including SAML-based sign-on, try [Enterprise applications](#).


Add Redirect URI

Delete

 If you want to view or change implicit grant and hybrid flows settings or front-channel logout URL, please visit the settings tab.

Platform Type : All

Platform Type ↑↓	Redirect URI ↑↓	
☐ Web	Edit	...
☐ Web	https://mcp.dev.sweetspotgov.com/microsoft/callback	

Redirect URI Rules

Paste the redirect URI exactly as shown.

Do not change the path.

Do not add a trailing slash unless SweetSpot gives you a different URI in writing.

6. Create A Client Secret

- Open **Certificates & secrets**.
- Under Client secrets, select **New client secret**.
- Enter a description your team will recognize later, for example “SweetSpot Integration Secret”.
- Choose your organization-approved expiration period.
- Click **Add** to create the secret.
- Immediately copy the **Value** field and store it securely. This is the OAuth Client Secret SweetSpot needs.

Home > SweetSpot Microsoft 365 Integration | Overview > App registrations > SweetSpot Microsoft 365 Integration


SweetSpot Microsoft 365 Integration | Certificates & secrets





[Got feedback?](#)

Overview

Quickstart

Integration assistant

Diagnose and solve problems

Manage

Branding & properties

Authentication (Preview)

Certificates & secrets

Token configuration

API permissions

Expose an API

App roles

Owners

Roles and administrators

Manifest

Credentials enable confidential applications to identify themselves to the authentication service when receiving tokens at a web addressable location (using an HTTPS scheme). For a higher level of assurance, we recommend using a certificate (instead of a client secret) as a credential.

 Application registration certificates, secrets and federated credentials can be found in the tabs below.

Certificates (0)

Client secrets (1)

Federated credentials (0)

A secret string that the application uses to prove its identity when requesting a token. Also can be referred to as application password.


New client secret

Description	Expires	Value	Secret ID
SweetSpot Integration Secret	3/10/2028	.tZ*****	

Do Not Miss This

Microsoft shows the secret value only once.

If you lose the value, you must create a new client secret and send the new value to SweetSpot.

7. Add Microsoft Graph Permissions

Open **API permissions**, select **Add a permission**, choose **Microsoft Graph**, and then choose **Delegated permissions**. Add the default permissions listed below, then add the capability-specific permissions for every capability you approved.

Standard Sign-In Scopes

Depending on the Microsoft sign-in flow, users may also see standard sign-in scopes such as openid and profile. That is normal. The tables below focus on the Microsoft Graph delegated permissions Sweetspot relies on for the integration.

7.1 Default Permissions To Add For Every Microsoft 365 Sweetspot Integration

Permission	Why Sweetspot Needs It
offline_access	Lets Sweetspot receive refresh tokens so users do not have to reconnect constantly.
User.Read	Lets Sweetspot complete sign-in and identify the signed-in Microsoft user.

7.2 Capability-Specific Permissions

Capability	Add These Delegated Permissions	Notes
Excel	Files.Read.All Files.ReadWrite.All	Sweetspot's Excel capability uses Microsoft Graph workbook APIs. Microsoft documents workbook operations as requiring write-capable file permission, so Files.ReadWrite.All must be included even though the current Excel tools are read-oriented. Note: these are the same permissions required for PowerPoint and Word .
OneDrive	Files.Read.All Files.ReadWrite.All	Required for listing files plus creating and deleting folders in OneDrive.
Outlook Calendar	Calendars.Read Calendars.ReadWrite Calendars.Read.Shared Calendars.ReadWrite.Shared	Add the full calendar set so Sweetspot can work with calendars and events consistently, including calendars Microsoft exposes as shared to the signed-in user.
Outlook Email	Mail.Read Mail.ReadWrite Mail.Send	Required for reading mail, drafting replies, and sending email.
People	People.Read Contacts.Read Contacts.Read.Shared User.ReadBasic.All	Required for contacts, frequently used people, and basic directory search.
PowerPoint	Files.Read.All Files.ReadWrite.All	Required for listing, creating, editing, and deleting PowerPoint files. Note: these are the same permissions required for Excel and Word .
SharePoint	Files.Read.All Sites.Read.All	Required for browsing SharePoint sites, document libraries, lists, files, and file metadata.
Teams	Chat.Read Chat.ReadWrite Team.ReadBasic.All Channel.ReadBasic.All ChannelMessage.Send	ChannelMessage.Read.All is required if Sweetspot should read Teams channel history. Without it, Teams channel reads will fail. Microsoft marks this permission as admin-consent required. Note that users will still be able to interact with Teams without this permission enabled, so this delegated permission is not strictly required.

	ChannelMessage.Read.All (optional)	
Word	Files.Read.All Files.ReadWrite.All	Required for reading, creating, editing, copying, styling, and deleting Word documents. Note: these are the same permissions required for PowerPoint and Excel .

How To Use The Capability Table

If you enable one capability, add the default permissions plus the permissions in that capability row.

If you enable multiple capabilities, add the union of every permission listed for those capability rows.

Do not add permissions for capabilities your organization does not want Sweetspot to use.

Home > Sweetspot Microsoft 365 Integration | Overview > App registrations > Sweetspot Microsoft 365 Integration

Sweetspot Microsoft 365 Integration | API permissions

Search << Refresh Got feedback?

- Overview
- Quickstart
- Integration assistant
- Diagnose and solve problems

Manage

- Branding & properties
- Authentication (Preview)
- Certificates & secrets
- Token configuration
- API permissions**
- Expose an API
- App roles
- Owners
- Roles and administrators
- Manifest

Support + Troubleshooting

- New support request

Granting tenant-wide consent may revoke permissions that have already been granted tenant-wide for that application. Permissions that users have already granted on their own behalf aren't affected. [Learn more](#)

The "Admin consent required" column shows the default value for an organization. However, user consent can be customized per permission, user, or app. This column may not reflect the value in your organization, or in organizations where this app will be used. [Learn more](#)

Configured permissions

Applications are authorized to call APIs when they are granted permissions by users/admins as part of the consent process. The list of configured permissions should include all the permissions the application needs. [Learn more about permissions and consent](#)

[+ Add a permission](#) ☒ Grant admin consent for Sweetspot

API / Permissions name	Type	Description	Admin consent req...	Status
Microsoft Graph (4)				
Files.Read.All	Delegated	Read all files that user can access	No	Granted for Sweetspot
offline_access	Delegated	Maintain access to data you have given it access to	No	Granted for Sweetspot
Sites.Read.All	Delegated	Read items in all site collections	No	Granted for Sweetspot
User.Read	Delegated	Sign in and read user profile	No	Granted for Sweetspot

To view and manage consented permissions for individual apps, as well as your tenant's consent settings, try [Enterprise applications](#).

8. Grant Admin Consent

- After all delegated permissions are added, stay on the API permissions page.
- Select **Grant admin consent** for <your tenant> (next to the **Add a permission** button).
- Wait for Microsoft to show the permissions as granted.
- Click on (or search for) **Enterprise apps** in the Entra navigation menu, then find and click on the app we just created.
- Under the **Security** tab, click on **Permissions**.
- Click on **Grant admin consent** for <your tenant>.

26. Click on **Users and groups**, then click on **Add user/group**.
27. Add all users or groups associated who will be using Sweetspot by selecting the appropriate Users or Roles, then click **Assign**.

... > > > > > Enterprise applications | All applications > Sweetspot Microsoft 365 Integration | Permissions > Enterprise applications | All app


Sweetspot Microsoft 365 Integration | Users and groups

Enterprise Application

<<
+ Add user/group
Edit assignment
Remove assignment
Update credential
Refresh
Manage

The application will appear for assigned users within My Apps. Set 'visible to users?' to no in properties to prevent this.

Assign users and groups to app-roles for your application here. To create new app-roles for this application, use the [application](#)

First 200 shown, search all users & groups

	Display name	Object type
☐		User
☐		User
☐		User

Overview
Deployment Plan
Diagnose and solve problems

Manage
Properties
Owners
Roles and administrators
Users and groups
Single sign-on
Provisioning
Application proxy
Self-service

Do Not Skip This Step

Without this, Sweetspot users will be able to access the M365 capabilities enabled in the platform.

10. Send The Required Information To Sweetspot

Once the app registration is ready, send the following values to your Sweetspot point of contact through your approved secure channel.

Field	What To Send
OAuth Client ID	The Application (client) ID from the app Overview page.
OAuth Client Secret	The client secret Value from Certificates & secrets.
Tenant ID	The Directory (tenant) ID from the app Overview page.
Capabilities enabled	The exact Sweetspot capability names you approved: Excel, OneDrive, Outlook Calendar, Outlook Email, People, PowerPoint, SharePoint, Teams, Word.
Cloud environment	Commercial, GCC, or GCC High.

Copy / Paste Template

OAuth Client ID: _____

OAuth Client Secret: _____

Tenant ID: _____

Cloud Environment: Commercial / GCC / GCC High

Capabilities Enabled: _____

10. What Happens Next

- Sweetspot will load the client ID, client secret, tenant ID, cloud environment, and approved capabilities into your organization's Microsoft 365 integration settings.
- After your Sweetspot account is provisioned, one or more users will still connect their Microsoft account in Sweetspot so the approved permissions can be used.
- If you rotate the client secret later, send the replacement secret to Sweetspot before the old one expires.

Appendix A. Official Microsoft References

- [Register an application with the Microsoft identity platform](#)
- [Microsoft identity platform scopes, permissions, and consent](#)
- [Microsoft Graph permissions reference](#)
- [Microsoft Graph national cloud deployments](#)
- [Send chatMessage in a chat \(for Teams chat permissions\)](#)
- [Update range in workbook](#)