

Cucumber Report

Feb 23, 2023, 6:09:30 PM

Start : Feb 23, 6:02:23.121 PM

End : Feb 23, 6:09:28.672 PM

Duration : 7 m 5.551 s

Features



Scenarios

Steps


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 9
SKIPPED - 0


PASSED - 31
FAILED - 9
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Maret Website Testing</u>	7 m 5.551 s	10	1	9	0	40	31	9	0





#	Feature Name	T	P	F	S	Duration
1	<u>Maret Website Testing</u>	10	1	9	0	7 m 5.551 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Maret Website Testing</u>	<u>Testing Signin functionality</u>	4	4	0	0	20.373 s
2	<u>Maret Website Testing</u>	<u>Testing Signin functionality</u>	4	3	1	0	45.005 s
3	<u>Maret Website Testing</u>	<u>Testing Signin functionality</u>	4	3	1	0	45.232 s
4	<u>Maret Website Testing</u>	<u>Testing Signin functionality</u>	4	3	1	0	45.275 s
5	<u>Maret Website Testing</u>	<u>Testing Signin functionality</u>	4	3	1	0	45.481 s
6	<u>Maret Website Testing</u>	<u>Testing Signin functionality</u>	4	3	1	0	45.545 s
7	<u>Maret Website Testing</u>	<u>Testing Signin functionality</u>	4	3	1	0	45.272 s
8	<u>Maret Website Testing</u>	<u>Testing Signin functionality</u>	4	3	1	0	44.268 s
9	<u>Maret Website Testing</u>	<u>Testing Signin functionality</u>	4	3	1	0	44.261 s
10	<u>Maret Website Testing</u>	<u>Testing Signin functionality</u>	4	3	1	0	44.536 s

Maret Website Testing



FAILED	DURATION - 7 m 5.551 s	Scenarios Total - 10 Pass - 1 Fail - 9 Skip - 0		Steps Total - 40 Pass - 31 Fail - 9 Skip - 0	
/ 6:02:23.121 PM // 6:09:28.672 PM /					

Testing Signin functionality

PASSED	DURATION - 20.373 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 6:02:23.270 PM // 6:02:43.643 PM /				
Maret Website Testing				



#	Step / Hook Details	Status	Duration
1	Given the user enters signin page by clicking SignIn Button	PASSED	8.073 s
2	When the user enters the "sachinanand584@gmail.com" and "Sachin@16"	PASSED	6.222 s
3	Then the User clicks the Login button	PASSED	1.890 s
4	And User gets the results depends upon the credentials	PASSED	4.095 s

Testing Signin functionality

FAILED	DURATION - 45.005 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 6:02:43.676 PM // 6:03:28.681 PM /				
Maret Website Testing				

#	Step / Hook Details	Status	Duration
1	Given the user enters sign page by clicking SignIn Button	PASSED	5.615 s
2	When the user enters the "" and ""	PASSED	6.163 s
3	Then the User clicks the Login button	PASSED	0.149 s
4	<p>And User gets the results depends upon the credentials</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='logout-icon']"} (Session info: chrome=110.0.5481.104) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [62c5f5f5bbac463af8c65b9323bd0bf4, findElement {using=xpath, value=//a[@id='logout-icon']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.104, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\SACHIT~1\AppData..., goog:chromeOptions: {debuggerAddress: localhost:49992}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49992/devtools..., se:cdpVersion: 110.0.5481.104, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 62c5f5f5bbac463af8c65b9323bd0bf4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at stepdefinitions.Maret_Sigin_Testing.user_gets_the_results_depends_upon_the_credentials(Maret_Sigin_Testing.java:63) at ?.User gets the results depends upon the credentials(file:///C:/Users/Sachithanandhan.S/eclipse-workspace3/maven/src/test/resources/FeatureFiles/MaretSigin.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	33.071 s



Testing Signin functionality

<div>FAILED</div> <div>DURATION - 45.232 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 6:03:28.721 PM // 6:04:13.953 PM /				
Maret Website Testing				

#	Step / Hook Details	Status	Duration
1	Given the user enters signin page by clicking SignIn Button	PASSED	4.744 s
2	When the user enters the "sachin001@gmail.com" and "Sac#679"	PASSED	6.202 s
3	Then the User clicks the Login button	PASSED	1.193 s
4	And User gets the results depends upon the credentials org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='logout-icon']"} (Session info: chrome=110.0.5481.104) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f7937a53f7df5bd6e0adba9e70ab7aee, findElement {using=xpath, value=//a[@id='logout-icon']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.104, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\SACHIT~1\AppData..., goog:chromeOptions: {debuggerAddress: localhost:50033}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50033/devtoo..., se:cdpVersion: 110.0.5481.104, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f7937a53f7df5bd6e0adba9e70ab7aee at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343)	FAILED	33.088 s

#	Step / Hook Details	Status	Duration
	at stepdefinitions.Maret_Sigin_Testing.user_gets_the_results_depends_upon_the_credentials(Maret_Sigin_Testing.java:63) at ?.User gets the results depends upon the credentials(file:///C:/Users/Sachithanandhan.S/eclipse-workspace3/maven/src/test/resources/FeatureFiles/MaretSigin.feature:7) * Not displayable characters are replaced by '?'.		



Testing Signin functionality

<div>FAILED</div> <div>DURATION - 45.275 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 6:04:13.970 PM // 6:04:59.245 PM /				
Maret Website Testing				

#	Step / Hook Details	Status	Duration
1	Given the user enters signin page by clicking SignIn Button	PASSED	4.762 s
2	When the user enters the "sachin3300@gmail.com" and "12345678"	PASSED	6.213 s
3	Then the User clicks the Login button	PASSED	1.238 s
4	And User gets the results depends upon the credentials org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='logout-icon']"} (Session info: chrome=110.0.5481.104) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [46c7c9ff8c7e7616297264f9127c6992, findElement {using=xpath, value=//a[@id='logout-icon']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.104, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\SACHIT~1.S\AppData..., goog:chromeOptions: {debuggerAddress: localhost:50084}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50084/devtoo..., se:cdpVersion: 110.0.5481.104, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 46c7c9ff8c7e7616297264f9127c6992 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	33.055 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at stepdefinitions.Maret_Sigin_Testing.user_gets_the_results_depends_upon_the_credentials(Maret_Sigin_Testing.java:63) at ?.User gets the results depends upon the credentials(file:///C:/Users/Sachithanandhan.S/eclipse-workspace3/maven/src/test/resources/FeatureFiles/MaretSigin.feature:7) * Not displayable characters are replaced by '?'. </pre>		



Testing Signin functionality

<div>FAILED</div> <div>DURATION - 45.481 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 6:04:59.256 PM // 6:05:44.737 PM /				
Maret Website Testing				

#	Step / Hook Details	Status	Duration
1	Given the user enters signin page by clicking SignIn Button	PASSED	5.005 s
2	When the user enters the "sachintesting001@gmail.com" and "testing"	PASSED	6.214 s
3	Then the User clicks the Login button	PASSED	1.218 s
4	And User gets the results depends upon the credentials <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='logout-icon']"} (Session info: chrome=110.0.5481.104) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [812874e1d90d22698c006bc7b6a62ade, findElement {using=xpath, value=//a[@id='logout-icon']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.104, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\SACHIT~1.S\AppData..., goog:chromeOptions: {debuggerAddress: localhost:50137}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50137/devtoo..., se:cdpVersion: 110.0.5481.104, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 812874e1d90d22698c006bc7b6a62ade </pre>	FAILED	33.042 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at stepdefinitions.Maret_Sigin_Testing.user_gets_the_results_depends_upon_the_credentials(Maret_Sigin_Testing.java:63) at ?.User gets the results depends upon the credentials(file:///C:/Users/Sachithanandhan.S/eclipse-workspace3/maven/src/test/resources/FeatureFiles/MaretSigin.feature:7) * Not displayable characters are replaced by '?'. </pre>		



Testing Signin functionality

FAILED	DURATION - 45.545 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 6:05:44.746 PM // 6:06:30.291 PM /				
Maret Website Testing				

#	Step / Hook Details	Status	Duration
1	Given the user enters signin page by clicking SignIn Button	PASSED	4.865 s
2	When the user enters the "sachinanand584@gmail.com" and "1213@@rtcg"	PASSED	6.221 s
3	Then the User clicks the Login button	PASSED	1.410 s
4	And User gets the results depends upon the credentials	FAILED	33.045 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='logout-"		



#	Step / Hook Details	Status	Duration
	<p>icon']"} (Session info: chrome=110.0.5481.104) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [153add40cd5d3edd91df98ec4c3060bd, findElement {using=xpath, value=//a[@id='logout-icon']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.104, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\SACHIT~1.S\AppData..., goog:chromeOptions: {debuggerAddress: localhost:50194}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50194/devtoo..., se:cdpVersion: 110.0.5481.104, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 153add40cd5d3edd91df98ec4c3060bd</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at stepdefinitions.Maret_Sigin_Testing.user_gets_the_results_depends_upon_the_credentials(Maret_Sigin_Testing.java:63) at ?.User gets the results depends upon the credentials(file:///C:/Users/Sachithanandhan.S/eclipse-workspace3/maven/src/test/resources/FeatureFiles/MaretSigin.feature:7)</p> <p>* Not displayable characters are replaced by '?'. </p>		

Testing Signin functionality

<div>FAILED</div> <div>DURATION - 45.272 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 6:06:30.300 PM // 6:07:15.572 PM /</div>				
<div>Maret Website Testing</div>				

#	Step / Hook Details	Status	Duration
1	Given the user enters sign page by clicking SignIn Button	PASSED	4.745 s
2	When the user enters the "sachinanand584@gmail.com" and "12356reTgi"	PASSED	6.251 s
3	Then the User clicks the Login button	PASSED	1.220 s
4	<p>And User gets the results depends upon the credentials</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='logout-icon']"} (Session info: chrome=110.0.5481.104) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [66a2dacc2a694ee7a1b58e25c69d9ced, findElement {using=xpath, value=//a[@id='logout-icon']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.104, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\SACHIT~1\AppData..., goog:chromeOptions: {debuggerAddress: localhost:50242}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50242/devtools..., se:cdpVersion: 110.0.5481.104, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 66a2dacc2a694ee7a1b58e25c69d9ced at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at stepdefinitions.Maret_Sigin_Testing.user_gets_the_results_depends_upon_the_credentials(Maret_Sigin_Testing.java:63) at ?.User gets the results depends upon the credentials(file:///C:/Users/Sachithanandhan.S/eclipse-workspace3/maven/src/test/resources/FeatureFiles/MaretSigin.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	33.053 s

Testing Signin functionality

<div>FAILED</div> <div>DURATION - 44.268 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 6:07:15.584 PM // 6:07:59.852 PM /				
Maret Website Testing				

#	Step / Hook Details	Status	Duration
1	Given the user enters signin page by clicking SignIn Button	PASSED	4.853 s
2	When the user enters the "" and "Sachin@16"	PASSED	6.197 s
3	Then the User clicks the Login button	PASSED	0.165 s
4	And User gets the results depends upon the credentials org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='logout-icon']"} (Session info: chrome=110.0.5481.104) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2d395566b0df42cec6a19602650766ec, findElement {using=xpath, value=//a[@id='logout-icon']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.104, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\SACHIT~1\AppData..., goog:chromeOptions: {debuggerAddress: localhost:50292}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50292/devtoo..., se:cdpVersion: 110.0.5481.104, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2d395566b0df42cec6a19602650766ec at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343)	FAILED	33.048 s

#	Step / Hook Details	Status	Duration
	at stepdefinitions.Maret_Sigin_Testing.user_gets_the_results_depends_upon_the_credentials(Maret_Sigin_Testing.java:63) at ?.User gets the results depends upon the credentials(file:///C:/Users/Sachithanandhan.S/eclipse-workspace3/maven/src/test/resources/FeatureFiles/MaretSigin.feature:7) * Not displayable characters are replaced by '?'.		



Testing Signin functionality

<div>FAILED</div> <div>DURATION - 44.261 s</div>		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>5</td></tr><tr><td>2</td><td>5</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>30</td></tr></tbody></table>	Step	Duration (s)	1	5	2	5	3	0	4	30	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div> <div></div>
Step	Duration (s)												
1	5												
2	5												
3	0												
4	30												
/ 6:07:59.862 PM // 6:08:44.123 PM /													
Maret Website Testing													

#	Step / Hook Details	Status	Duration
1	Given the user enters signin page by clicking SignIn Button	PASSED	4.785 s
2	When the user enters the "sachinanand584@gmail.com" and ""	PASSED	6.248 s
3	Then the User clicks the Login button	PASSED	0.167 s
4	And User gets the results depends upon the credentials org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='logout-icon']"} (Session info: chrome=110.0.5481.104) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f2000a194b4362c82573e594d299a8f2, findElement {using=xpath, value=//a[@id='logout-icon']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.104, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\SACHIT~1.S\AppData..., goog:chromeOptions: {debuggerAddress: localhost:50352}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50352/devtoo..., se:cdpVersion: 110.0.5481.104, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f2000a194b4362c82573e594d299a8f2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	33.057 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at stepdefinitions.Maret_Sigin_Testing.user_gets_the_results_depends_upon_the_credentials(Maret_Sigin_Testing.java:63) at ?.User gets the results depends upon the credentials(file:///C:/Users/Sachithanandhan.S/eclipse-workspace3/maven/src/test/resources/FeatureFiles/MaretSigin.feature:7) * Not displayable characters are replaced by '?'. </pre>		

Testing Signin functionality

<div>FAILED</div> <div>DURATION - 44.536 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 6:08:44.136 PM // 6:09:28.672 PM /				
Maret Website Testing				

#	Step / Hook Details	Status	Duration
1	Given the user enters signin page by clicking SignIn Button	PASSED	5.110 s
2	When the user enters the "sachinanand584" and "Sachin@16"	PASSED	6.236 s
3	Then the User clicks the Login button	PASSED	0.158 s
4	And User gets the results depends upon the credentials <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@id='logout-icon']"} (Session info: chrome=110.0.5481.104) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8a0bbf169a964e61f45546337886e91f, findElement {using=xpath, value=//a[@id='logout-icon']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.104, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\SACHIT~1.S\AppData..., goog:chromeOptions: {debuggerAddress: localhost:50406}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50406/devtoo..., se:cdpVersion: 110.0.5481.104, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8a0bbf169a964e61f45546337886e91f </pre>	FAILED	33.029 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343) at stepdefinitions.Maret_Sigin_Testing.user_gets_the_results_depends_upon_the_credentials(Maret_Sigin_Testing.java:63) at ?.User gets the results depends upon the credentials(file:///C:/Users/Sachithanandhan.S/eclipse-workspace3/maven/src/test/resources/FeatureFiles/MaretSigin.feature:7) </pre> <p>* Not displayable characters are replaced by '?'.</p>		