1.

What will be the output of the following C++ code?

```
#include<iostream>
using namespace std;
class Point
{
	public:
		Point()
		{
			cout << "Normal Constructor called"<<endl;
		}
		Point(const Point &t)
		{
			cout << "Copy constructor called"<<endl;
		}
};
int main()
{
	Point *t1, *t2;
	t1 = new Point();
	t2 = new Point(*t1);
	Point t3 = *t1;
	Point t4;
	t4 = t3;
	return 0;
}
```

A. Normal Constructor called Copy Constructor called
Copy Constructor called Normal Constructor called

B. Normal Constructor called Normal Constructor called
Normal Constructor called Copy Constructor called
Copy Constructor called Normal Constructor called
Copy Constructor called

C. Normal Constructor called Copy Constructor called
Copy Constructor called Normal Constructor called
Copy Constructor called

D. None of the above

Answer: A

2.

What is the difference between normal function and template function?

A. The normal function works with any data types whereas template function works with specific types only

B. Template function works with any data types whereas normal function works with specific types only

C. Unlike a normal function, the template function accepts a single parameter

D. Unlike the template function, the normal function accepts more than one parameters

Answer: B

3.

What will be the output of the following C++ code?

```
#include<iostream>
using namespace std;
class Point
{
    int x;
    public:
    Point(int x)
    {
        this->x = x;
    }
    Point(const Point p)
    {
        x = p.x;
    }
    int getX() {
        return x;
    }
};
int main()
{
    Point p1(10);
    Point p2 = p1;
    cout << p2.getX();
    return 0;
}
```

A. Compiler Error: p must be passed by reference

B. Garbage value

C. 10

D. None of the above

Answer: A

4.

What are Templates in C++?

A. A feature that allows the programmer to write generic programs
B. A feature that allows the programmer to write specific codes for a problem
C. A feature that allows the programmer to make program modular
D. A feature that does not add any power to the language

Answer: A

5.

We can overload which of the following C++ operators.

A. Size operator(sizeof)
B. Conditional operator(?:)
C. Arithmetic operator (+, -, *, /)
D. Class Member Access Operators (., .*)

Answer: C