1.

In a singly Linked List with N nodes, how many links are there ?

A. n
B. n-1
C. n+1
D. n^2

Answer : B

2.

```
struct Node {
	int data;
	struct Node* next;
};
int count(struct Node* head) {
	int n = 0;
	while (head) {
		n++;
		head = head->next;
	}
	return n;
}
```

Consider the linked list has 4 nodes. What will be the value of n returned from the function ?

A. 4
B. 5
C. 6
D. Infinite Loop

Answer : A

3.

What does the below function do ?

```
void display(struct Node* head)
{
	if (head == NULL)
		return;
	display(head->next);
		printf("%d ", head->data);
	return;
}
```

A. Prints the list in original order.
B. Prints the list in reverse order.
C. Displays the Last node data.
D. Displays the first node data.

Answer : B

4.

What is the exit condition to stop traversal in a singly linked list, if the trav pointer begins from the head ?

A. while(trav->next != NULL)
B. while(trav == NULL)
C. while(trav != NULL)
D. while(trav->next == NULL)

Answer : C

5.

Consider the Singly Linear Linked List with the following nodes.

11 -> 22 -> 33 -> 44

What will the following code print ?

```
void printList(struct Node* head)
{
        while (head->next != NULL)
        {
                printf("%d ", head->data);
                head = head->next;
        }
}
```

A. 11 22 33

B. 11 22 33 44

C. 44 33 22 11

D. Infinite Loop

Answer : A