1.

Which of the following are the advantages of doubly linear linked list over singly Linear linked list with the head and tail pointer in both the lists?

I) Requires less memory space.

II) Can traverse backwards.

III) Easier to delete the last node.

IV) Easier to add the node at the last position.

A. Only II
B. Only III
C. Only III and IV
D. Both II and IV

Answer : D

2.

How many pointers are updated if we delete a node in the middle of a doubly linked list ?

A. Only the next pointer is updated.
B. Only the prev pointer is updated.
C. Both next and prev pointers are updated.
D. No pointers are updated.

Answer : C

3.

What will be the sequence of nodes if the following functions are called ?

```
add_first_node(10);
add_last_node(20);
add_first_node(30);
add_Last_node(40);
reverse_display();
```

A. 10->20->30->40
B. 40->30->20->10
C. 30->10->20->40
D. 40->20->10->30

Answer : D

4.

Select the correct option to check if the linked list has only one node.

A. if(head == NULL)

B. if(head->next == NULL)

C. if(head->prev == NULL)

D. if(head != NULL)

Answer : B

5.

Select the correct option to print the node data in the doubly linear linked list.

A.

```
struct node *trav = head;
do
{
        printf("%d ",trav->data);
        trav = trav->next;
 }while(trav->next != head);
```

B.

```
struct node *trav = head;
do
{
        printf("%d ",trav->data);
        trav = trav->next;
}while(trav != head);
```

C.

```
struct node *trav = head;
do
{
        printf("%d ",trav->data);
        trav = trav->next;
}while(trav->next != NULL);
```

D.

```
struct node *trav = head;
do
{
        printf("%d ",trav->data);
        trav = trav->next;
}while(trav-> != NULL);
```

Answer : D

SunBeam