



1.

Which state means the process is waiting to be assigned to a CPU?

- A. New
- B. Running
- C. Waiting
- D. Ready

Answer: D




2.

What does the OS do when a running process needs to wait for I/O?

- A. Moves it to the ready state
- B. Deletes it
- C. Moves it to the waiting state
- D. Terminates it

Answer: C



3.

Which scheduling algorithm gives the minimum waiting time for a set of processes?

- A. Shortest Job first (SJF)
- B. Round Robin
- C. First-Come, First-Served (FCFS)
- D. Priority Scheduling

Answer: A

4.

Which of these is a drawback of non-preemptive scheduling?

- A. CPU switches too often
- B. Context switching overhead
- C. One long process can block others
- D. It can not be used for batch system

Answer: C

5.

What does aging prevent starvation?

- A. By decreasing burst time
- B. By giving more memory
- C. By gradually increasing the priority of waiting processes
- D. By terminating low-priority processes

Answer: C

6.

Which scheduling algorithm selects the job with the least time remaining to execute?

- A. FCFS
- B. SRTF
- C. SJF
- D. Round Robin

Answer: B

* 5
4 2 p2

Rem.

least
w.o. least
SJF

4-days ^{cpu}
- CF

OS —
CF — (memory) —
AKU
CPU Post

7.

Which one is not considered a CPU scheduling criterion?

- A. Context Switching**
- B. Waiting Time**
- C. Throughput**
- D. Turnaround Time**

Answer: A