

1.

Can a constructor function be constant?

- A. Yes, a constructor can be declared as const.**
- B. It depends on the programming language being used.**
- C. No, a constructor cannot be declared as const because it needs to initialize the object's members.**
- D. Constructors can be const, but only for static objects.**

Answer: C

2.

How are the constants declared?

- A. const keyword**
- B. #define preprocessor**
- C. both const keyword and #define preprocessor**
- D. \$define**

Answer: A

3.

The static member functions _____

- A. Can be called using class name**
- B. Can be called using program name**
- C. Can be called directly**
- D. Can't be called outside the function**

Answer: A

4.

What will be the output of the following program?

```
#include <iostream>
using namespace std;
class Program
{
    static int x;
public:
    static void Set(int xx)
    {
        x = xx;
    }
    void Display()
    {
        cout<< x ;
    }
};
int Program::x = 0;
int main()
{
    Program::Set(33);
    Program::Display();
    return 0;
}
```

- A. The program will print the output 0.
- B. The program will print the output 33.
- C. The program will print the output Garbage.
- D. The program will report compile time error.

Answer: D

5.

Which objects can call the const functions?

- A. Only const objects**
- B. Only non-const objects**
- C. Both const and non-const objects**
- D. Neither const not non-const objects**

Answer: C