

1.

Choose the correct statement:

- A. **static** variable gets memory every time the function is called
- B. **register** variable can be accessed using pointers
- C. **extern** variables are accessible across multiple files
- D. **auto** variables have global scope

Answer: C

2.

Find the output of the following code:

```
#include <stdio.h>
void modify(int x)
{
    x += 10;
    printf("%d ", x);
    return;
}
int main(void)
{
    int x = 5;
    modify(x++);
    printf("%d", x);
    return 0;
}
```

- A. 15 5
- B. 15 15
- C. 15 6
- D. Compile error

Answer: C

3.

Find the output of the following code:

```
#include <stdio.h>
void Hello();
int main(void)
{
    Helo();
    return 0;
}
void Hello()
{
    printf("Hello");
    return;
}
```

- A. Compile error
- B. Prints "Hello"
- C. Linker error
- D. Garbage output
- E. Run time error

Answer: C

4.

Which of the following is **true** about **static** variables in C?

- A. They are destroyed when function completes its execution
- B. They are reinitialized each time
- C. They will retain values across multiple calls
- D. They cannot be used inside functions

Answer: C

5.

Find the output of the following code:

```
#include <stdio.h>

void test()
{
    static int a = 0;
    a++;
    printf("%d ", a);
    return;
}

int main()
{
    for (int i = 0; i < 3; i++)
    {
        test();
    }
    return 0;
}
```

- A. 1 1 1
- B. 1 2 3
- C. 3 3 3
- D. 0 1 2
- E. garbage values

Answer: B

6.

Find the output of the following code:

```
#include <stdio.h>
int abc(int i);
int main(void)
{
    int result=abc(10);
    printf("%d",--result);
    return 0;
}
int abc(int i)
{
    return i++, i-5;
}
```

- A. 10
- B. 9
- C. 11
- D. None of these

Answer: D