

1. Find the output of the following:

```
char *str = "Hello";  
str[0] = 'h';  
printf("%s", str);
```

- A. hello
- B. Hello
- C. Compile error
- D. Segmentation fault

Answer: D

2. Find the output of the following:

```
#include<stdio.h>  
void set(int *arr) {  
    for (int i = 0; i < 3; i++)  
        *(arr + i) = i * 10;  
}  
int main(void)  
{  
    int a[3];  
    set(a);  
    printf("%d", a[2]);  
    return 0;  
}
```

- A. 2
- B. 10
- C. 20
- D. 30

Answer: C

3. Find the output of the following:

```
#include<stdio.h>
void mystery(int *p)
{
    *p = *p + 5;
    p = p + 2;
    *p = *p + 10;
}
int main(void)
{
    int a[] = {1, 2, 3, 4};
    mystery(a);
    printf("%d %d", a[0], a[2]);
    return 0;
}
```

A. 6 13

B. 1 12

C. 6 12

D. 1 13

Answer: A

4.

Find the output of the following:

```
#include<stdio.h>
void doubleValues(int *arr, int n)
{
    for (int i = 0; i < n; i++)
        *(arr + i) = 2 * *(arr + i);
}
```

```
int main(void)
{
    int a[] = {1, 2, 3};
    doubleValues(a, 3);
    printf("%d", a[1]);
}
```

- A. 2
- B. 4
- C. 6
- D. 3

Answer: B

5. Find the output of the following:

```
#include<stdio.h>
void process(int *arr, int i, int j)
{
    int temp = ++(i+j)[arr];
}
int main(void)
{
    int a[] = {1, 2, 3};
    process(a, 0, 2);
    printf("%d, %d, %d", a[0], a[1], a[2]);
    return 0;
}
```

- A. 1,2,3
- B. 1,2,4
- C. 2,3,4
- D. Compile Time Error

Answer: B

6.

Find the output of the following:

```
#include <stdio.h>
```

```
void f(int *p)
```

```
{
```

```
    p = p + 1;
```

```
    *p = *p + 5;
```

```
    p = p - 1;
```

```
    *p = *p * 2;
```

```
    return;
```

```
}
```

```
int main(void)
```

```
{
```

```
    int a[] = {5, 6};
```

```
    f(a);
```

```
    printf("%d %d\n", a[0], a[1]);
```

```
    return 0;
```

```
}
```

A. 5 6

B. 10 6

C. 5 11

D. 10 11

Answer: D