

FileEditSelectionViewGoRunTerminalHelp

3rd Yr Week 4 Module

CHAT

EXPLORER

OPEN EDITORS

3RD YR WEEK 4 MODULE

input_sum.class

input_sum.java

power_times.class

power_times.java

single_space.class

single_space.java

single_space.java 1 X

single_space.java > single_space > main(String[])

1 import java.util.Scanner;

2

Windsurf: Refactor | Explain

3 public class single_space {

Run | Debug | Windsurf: Refactor | Explain | Generate Javadoc | X

4 public static void main(String[] args) {

5 System.out.println(x: "Enter a number");

6 Scanner scan = new Scanner(System.in);

7 int input = scan.nextInt();

8 System.out.println(x: "output:-");

9 for (int i = 1; i <= input; i++) {

10 System.out.print(i + " ");

11 }

12 }

13 }

14

PROBLEMS 3

OUTPUT

DEBUG CONSOLE

PORTS

Filter (e.g. text, **/*.ts, !**/nod...)

input_sum.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 6, Col 17]

power_times.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 5, Col 17]

single_space.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 6, Col 17]

CHAT

TERMINAL

le> cd "c:\Users\sachi\Desktop\collage_module\3rd Yr Week 4 Module\" ; if (\$?) { javac single_space.java } ; if (\$?) { java single_space }

Enter a number

5

output:-

1 2 3 4 5

PS C:\Users\sachi\Desktop\collage_module\3rd Yr Week 4 Module> le>

CHAT

SESSIONS

Tip: Try the Plan agent to research and plan before implementing changes.

+ single_space.java

Describe what to build

+ Agent Auto

Local Default Approvals

Launchpad

Run Testcases

0 3

Live Share

Java: Ready

Ln 10, Col 39

Spaces: 4

UTF-8

CRLF

{ } Java

Windsurf (Pre-Release): Login

Search

16:39

19-07-2026

FileEditSelectionViewGoRunTerminalHelp

3rd Yr Week 4 Module

CHAT

EXPLORER

OPEN EDITORS

3RD YR WEEK 4 MODULE

input_sum.class

input_sum.java

power_times.class

power_times.java

single_space.class

single_space.java

single_space.java 1

single_space.java > single_space > main(String[])

1 import java.util.Scanner;

2

Windsurf: Refactor | Explain

3 public class single_space {

Run | Debug | Windsurf: Refactor | Explain | Generate Javadoc | X

4 public static void main(String[] args) {

5 System.out.println(x: "Enter a number");

6 Scanner scan = new Scanner(System.in);

7 int input = scan.nextInt();

8 System.out.println(x: "output:-");

9 for (int i = 1; i <= input; i++) {

10 System.out.print(i + " ");

11 }

12 }

13 }

14

PROBLEMS 3

OUTPUT

DEBUG CONSOLE

PORTS

Filter (e.g. text, **/*.ts, !**/nod...)

input_sum.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 6, Col 17]

power_times.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 5, Col 17]

single_space.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 6, Col 17]

OUTLINE

TIMELINE

JAVA PROJECTS

Launchpad

Run Testcases

0 3

Live Share

Java: Ready

Ln 10, Col 39

Spaces: 4

UTF-8

CRLF

{ } Java

Windsurf (Pre-Release): Login

le>

cd "c:\Users\sachi\Desktop\collage_module\3rd Yr Week 4 Module\" ; if (\$?) { javac single_space.java } ; if (\$?) { java single_space }

Enter a number

8

output:-

1 2 3 4 5 6 7 8

PS C:\Users\sachi\Desktop\collage_module\3rd Yr Week 4 Modu

le>

CHAT SESSIONS

Tip: Try the Plan agent to research and plan before implementing changes.

+ single_space.java

Describe what to build

+ Agent Auto

Local Default Approvals

16:40

19-07-2026

FileEditSelectionViewGoRunTerminalHelp

3rd Yr Week 4 Module

CHAT

EXPLORER

OPEN EDITORS

3RD YR WEEK 4 MODULE

OUTLINE

TIMELINE

JAVA PROJECTS

single_space.java 1

input_sum.java 1

input_sum.java 1

input_sum.class

input_sum.java 1

power_times.class

power_times.java 1

single_space.class

single_space.java 1

1import java.util.Scanner;

2

3public class input_sum {

4 public static void main(String[] args) {

5 System.out.println(x: "Enter the number");

6 Scanner scan = new Scanner(System.in);

7 int input = scan.nextInt();

8 int sum = 0;

9 for (int i = 1; i <= input; i++) {

10 sum += i;

11 }

12 System.out.println("output :- " + sum);

13 }

14}

15

PROBLEMS 3

OUTPUT

DEBUG CONSOLE

PORTS

Filter (e.g. text, **/*.ts, !**/nod...)

input_sum.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 6, Col 17]

power_times.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 5, Col 17]

single_space.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 6, Col 17]

Launchpad

Run Testcases

0 3

Live Share

Java: Ready

Ln 12, Col 35

Spaces: 4

UTF-8

CRLF

{ } Java

Windsurf (Pre-Release): Login

16:42

19-07-2026

le>

...

cd "c:\Users\sachi\Desktop\collage_module\3rd Yr Week 4 Module\" ; if (\$?) { javac input_sum.java } ; if (\$?) { java input_sum }

Enter the number

5

output :- 15

PS C:\Users\sachi\Desktop\collage_module\3rd Yr Week 4 Module>

CHAT

SESSIONS

Tip: Try the Plan agent to research and plan before implementing changes.

+ input_sum.java

Describe what to build

+ Agent Auto

Local Default Approvals

FileEditSelectionViewGoRunTerminalHelp

3rd Yr Week 4 Module

CHAT

EXPLORER

OPEN EDITORS

3RD YR WEEK 4 MODULE

OUTLINE

TIMELINE

JAVA PROJECTS

single_space.java 1

input_sum.java 1

input_sum.java 1

input_sum.class

input_sum.java 1

power_times.class

power_times.java 1

single_space.class

single_space.java 1

1import java.util.Scanner;

2

3public class input_sum {

4 public static void main(String[] args) {

5 System.out.println(x: "Enter the number");

6 Scanner scan = new Scanner(System.in);

7 int input = scan.nextInt();

8 int sum = 0;

9 for (int i = 1; i <= input; i++) {

10 sum += i;

11 }

12 System.out.println("output :- " + sum);

13 }

14}

15

PROBLEMS 3

OUTPUT

DEBUG CONSOLE

PORTS

Filter (e.g. text, **/*.ts, !**/nod...)

input_sum.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 6, Col 17]

power_times.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 5, Col 17]

single_space.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 6, Col 17]

le>

...

cd "c:\Users\sachi\Desktop\collage_module\3rd Yr Week 4 Module\" ; if (\$?) { javac input_sum.java } ; if (\$?) { java input_sum }

Enter the number

10

output :- 55

PS C:\Users\sachi\Desktop\collage_module\3rd Yr Week 4 Module>

CHAT

SESSIONS

Tip: Try the Plan agent to research and plan before implementing changes.

+ input_sum.java

Describe what to build

+ Agent Auto

Local Default Approvals

Launchpad

Run Testcases

0 3

Live Share

Java: Ready

Ln 12, Col 35

Spaces: 4

UTF-8

CRLF

{ } Java

Windsurf (Pre-Release): Login

16:42

19-07-2026

FileEditSelectionViewGoRunTerminalHelp

3rd Yr Week 4 Module

CHAT

EXPLORER

OPEN EDITORS

3RD YR WEEK 4 MODULE

OUTLINE

TIMELINE

JAVA PROJECTS

single_space.java 1

input_sum.java 1

power_times.java 1

power_times.java > power_times > main(String[])

1 import java.util.Scanner;

2 public class power_times {

3 public static void main(String[] args) {

4 System.out.println(x: "Enter input value");

5 Scanner scan=new Scanner(System.in);

6 int value=scan.nextInt();

7 System.out.println(x: "Enter value power");

8 int power=scan.nextInt();

9 System.out.println(x: "output: -");

10 System.out.println((int)Math.pow(value,power));

11 }

12 }

13 }

PROBLEMS 3

OUTPUT

DEBUG CONSOLE

PORTS

Filter (e.g. text, **/*.ts, !**/nod...)

input_sum.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 6, Col 17]

power_times.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 5, Col 17]

single_space.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 6, Col 17]

Launchpad

Run Testcases

0 3

Live Share

Java: Ready

Ln 9, Col 37

Spaces: 4

UTF-8

CRLF

{ } Java

Windsurf (Pre-Release): Login

le>

...

cd "c:\Users\sachi\Desktop\collage_module\3rd Yr Week 4 Module\" ; if (\$?) { javac power_times.java } ; if (\$?) { java power_times }

Enter input value

2

Enter value power

5

output:-

32

PS C:\Users\sachi\Desktop\collage_module\3rd Yr Week 4 Modu

le>

CHAT

SESSIONS

Tip: Try the Plan agent to research and plan before implementing changes.

+ power_times.java

Describe what to build

+ Agent Auto

Local Default Approvals

16:43

19-07-2026

FileEditSelectionViewGoRunTerminalHelp

3rd Yr Week 4 Module

CHAT

EXPLORER

OPEN EDITORS

3RD YR WEEK 4 MODULE

OUTLINE

TIMELINE

JAVA PROJECTS

single_space.java 1

input_sum.java 1

power_times.java 1

power_times.java > power_times > main(String[])

1 import java.util.Scanner;

2 public class power_times {

3 public static void main(String[] args) {

4 System.out.println(x: "Enter input value");

5 Scanner scan=new Scanner(System.in);

6 int value=scan.nextInt();

7 System.out.println(x: "Enter value power");

8 int power=scan.nextInt();

9 System.out.println(x: "output: -");

10 System.out.println((int)Math.pow(value,power));

11 }

12 }

13 }

PROBLEMS 3

OUTPUT

DEBUG CONSOLE

PORTS

Filter (e.g. text, **/*.ts, !**/nod...)

input_sum.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 6, Col 17]

power_times.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 5, Col 17]

single_space.java 1

Resource leak: 'scan' is never closed Java(536871799) [Ln 6, Col 17]

Launchpad

Run Testcases

0 3

Live Share

Java: Ready

Ln 9, Col 37

Spaces: 4

UTF-8

CRLF

{ } Java

Windsurf (Pre-Release): Login

le>

...

cd "c:\Users\sachi\Desktop\collage_module\3rd Yr Week 4 Module\" ; if (\$?) { javac power_times.java } ; if (\$?) { java power_times }

Enter input value

3

Enter value power

4

output:-

81

PS C:\Users\sachi\Desktop\collage_module\3rd Yr Week 4 Modu

le>

CHAT

SESSIONS

Tip: Try the Plan agent to research and plan before implementing changes.

+ power_times.java

Describe what to build

+ Agent Auto

Local Default Approvals

16:43

19-07-2026

```
import java.util.Scanner;

public class single_space {
    public static void main(String[] args) {
        System.out.println("Enter a number");
        Scanner scan = new Scanner(System.in);
        int input = scan.nextInt();
```

```
        System.out.println("output:-");
        for (int i = 1; i <= input; i++) {
            System.out.print(i + " ");
        }
    }
}
```

Explanation:-

Time Complexity: The for loop iterates from 1 to n (input), printing each number once. Since the loop executes n times, the time complexity is $O(n)$.

Space Complexity: The program uses only a few variables and does not create any additional data structures that depend on the input size. Therefore, the extra space complexity is $O(1)$.

```
import java.util.Scanner;

public class input_sum {
    public static void main(String[] args) {
        System.out.println("Enter the number");
        Scanner scan = new Scanner(System.in);

        int input = scan.nextInt();
        int sum = 0;

        for (int i = 1; i <= input; i++) {
            sum += i;
        }

        System.out.println("output :- " + sum);
    }
}
```

Explanation:-

Time Complexity: The for loop runs from 1 to n (input), adding each number to sum once. Since the loop executes n times, the overall time complexity is $O(n)$.

Space Complexity: $O(1)$.

```
import java.util.Scanner;

public class power_times {
    public static void main(String[] args) {
        System.out.println("Enter input value");
        Scanner scan = new Scanner(System.in);

        int value = scan.nextInt();

        System.out.println("Enter value power");
        int power = scan.nextInt();

        System.out.println("output:-");
        System.out.println((int) Math.pow(value,
        power));
    }
}
```

Explanation

Time Complexity: The program performs a constant number of operations, including reading input and calling `Math.pow()`. the overall time complexity is $O(1)$.

Space Complexity: the space complexity is