

UsaRakhi → Orange County

Order API Integration Guide — for Orange County fulfillment partners. Pull hamper orders, post AWB when shipped, and push tracking status updates. Selling prices are not included. Match products by your SKU codes.

1. Credentials

Base URL	https://foqu2ap4qi.execute-api.us-east-1.amazonaws.com/prod
API Key	4bf361b07a50b6346046b8b446fbb6f5151c404bad6e46431c94bd1172d2673
Auth header	X-Vendor-API-Key: <API Key>

Base URL (current): use https://foqu2ap4qi.execute-api.us-east-1.amazonaws.com/prod. The older host hou08enf2k... was retired (DNS NXDOMAIN) after API redeploy — do not use it.

Keep the API key private. Do not post it publicly or commit it to public repositories.

2. Environment variables

```
USARAKHI_VENDOR_API_URL=https://foqu2ap4qi.execute-api.us-east-1.amazonaws.com/prod
USARAKHI_VENDOR_API_KEY=4bf361b07a50b6346046b8b446fbb6f5151c404bad6e46431c94bd1172d2673
```

3. How to fulfill vendor requirements (end-to-end)

1. **Import orders** — poll GET /vendors/orange-county/orders (default last **15 days**). Use pagination if more than 50 orders.
2. **Match SKUs** — use items[].sku / productCode (e.g. TFUSRH2026-16).
3. **Ship** — use recipient address fields + gift message; store orderNumber (0C10001...) as your external reference.
4. **When shipped** — call AWB API with orderNumber, courierName, awb.
5. **When status changes** — call tracking API with orderNumber and currentShipmentStatus.
6. **Avoid duplicates** — keep imported orderNumbers locally; use updatedSince for incremental sync.

Do **not** use the public website API host — only the Base URL above (Vendor API).

4. Curl tests (each step)

STEP A Health check

```
curl -sS \
  "https://foqu2ap4qi.execute-api.us-east-1.amazonaws.com/prod/health"
```

Expected: {"ok":true,"service":"orange-county-vendor-api"}

STEP B List orders (page 1)

```
curl -sS \
  -H "X-Vendor-API-Key: 4bf361b07a50b6346046b8b446fbb6f5151c404bad6e46431c94bd1172d2673" \
  "https://foqu2ap4qi.execute-api.us-east-1.amazonaws.com/prod/vendors/orange-county/orders?days=15&limit=50"
```

Expected: HTTP 200 JSON with "vendorSlug":"orange-county", orders array, plus hasMore / nextCursor when more pages exist.

STEP C List orders (next page — more than 50)

Yes — pagination is supported. Copy nextCursor from the previous response:

```
curl -sS \
-H "X-Vendor-API-Key: 4bf361b07a50b6346046b8b446fbb6f5151c404bad6e46431c94bd1172d2673" \
"https://foqu2ap4qi.execute-api.us-east-1.amazonaws.com/prod/vendors/orange-county/orders?days=15&limit=50&cursor=PASTE_NEXT_CURSOR_HERE"
```

Keep calling while `hasMore === true`. Max limit per page = **200**.

STEP D Get a single order

```
curl -sS \
-H "X-Vendor-API-Key: 4bf361b07a50b6346046b8b446fbb6f5151c404bad6e46431c94bd1172d2673" \
"https://foqu2ap4qi.execute-api.us-east-1.amazonaws.com/prod/vendors/orange-county/orders/0C10001"
```

Replace `0C10001` with a real `orderNumber` from the list response. Internal UUID also works.

STEP E Update AWB when shipped

Required fields: `orderNumber`, `courierName`, `awb`.

```
curl -sS -X POST \
-H "X-Vendor-API-Key: 4bf361b07a50b6346046b8b446fbb6f5151c404bad6e46431c94bd1172d2673" \
-H "Content-Type: application/json" \
-d '{"orderNumber":"0C10001","courierName":"USPS","awb":"9400111899223344556677"}' \
"https://foqu2ap4qi.execute-api.us-east-1.amazonaws.com/prod/vendors/orange-county/shipment"
```

Also supported (same body):

```
POST .../vendors/orange-county/orders/0C10001/shipment
```

Effect: saves tracking number + courier; moves order to shipped when allowed; notifies customer.

STEP F Update tracking / shipment status

Required fields: `orderNumber`, `currentShipmentStatus` (alias: `currentStatus`).

```
curl -sS -X POST \
-H "X-Vendor-API-Key: 4bf361b07a50b6346046b8b446fbb6f5151c404bad6e46431c94bd1172d2673" \
-H "Content-Type: application/json" \
-d '{"orderNumber":"0C10001","currentShipmentStatus":"in_transit"}' \
"https://foqu2ap4qi.execute-api.us-east-1.amazonaws.com/prod/vendors/orange-county/tracking"
```

Also supported:

```
POST .../vendors/orange-county/orders/0C10001/tracking
```

Accepted status examples (case-insensitive): `processing`, `packed`, `shipped`, `in_transit`, `dispatched`, `out_for_delivery`, `delivered`, `complete`.

5. List query parameters

days	Default 15 — only orders created in the last N days (max 90)
limit	Page size — default 50 , max 200
cursor	Opaque token from previous <code>nextCursor</code> (next page)
since	ISO timestamp — <code>createdAt</code> lower bound override
updatedSince	ISO — only orders with <code>updatedAt</code> $\geq$ this time (incremental sync)
status	Exact status filter, e.g. <code>paid</code> , <code>processing</code> , <code>shipped</code>

Without status, unpaid / cancelled / refunded orders are hidden.

6. Response fields (order)

- orderId / orderNumber — human-readable **OC10001**, **OC10002**, ...
- internalOrderId — internal UUID (support only; prefer orderNumber)
- orderDate / createdAt / updatedAt / status
- senderName, giftMessage
- recipientName, recipientAddressLine1, recipientAddressLine2, city, state, country, zipCode, recipientPhoneNumber
- orderValue — total fulfill / purchase amount (USD vendor cost × qty). **Not retail.**
- deliveryDate, trackingNumber, carrier, shippingServiceName

Item fields

- sku / productCode — your product SKU
- productName, quantity
- price — vendor unit cost (not website selling price)
- productImageUrl, weight, weightUnit (oz)

Not included: retail selling price, discounts, or other vendors' products.

7. HTTP status codes

200	Success
401	Missing or wrong API key
403	Order not found for your vendor
404	Wrong URL
400	Invalid body / validation error
500	Temporary server error — retry later

8. Checklist

- ☐ Stored Base URL + API key securely
- ☐ Health + list curl tests return 200
- ☐ Automation sends X-Vendor-API-Key on every request
- ☐ Orders matched by items[].sku
- ☐ Pagination loop uses nextCursor when hasMore is true
- ☐ AWB posted on ship (orderNumber, courierName, awb)
- ☐ Tracking posted on status change (currentShipmentStatus)
- ☐ Polling / updatedSince configured

Confidential — for Orange County fulfillment only. Contact UsaRakhi ops/tech for access issues or key rotation.
Document updated to match current Vendor API capabilities (list + pagination, AWB shipment, tracking status).